



# Redefining workflow productivity

Speed through daily tasks in comfort with this monitor's SoftBlue technology, Quad HD resolution, and 100Hz refresh rate. Not to mention, SmartErgoBase adds an ergonomic touch to the monitor's feature list.

# Designed for the way you work

- Built-in stereo speakers for multimedia
- SmartErgoBase enables people-friendly ergonomic adjustments
- Eyesafe certified blue light protection and color accuracy
- Ultra Slim Bezel: for minimal edges and more screen
- Less eye fatigue with Flicker-free technology
- EasyRead mode for a paper-like reading experience
- SoftBlue Technology: for comfortable viewing

#### **Easy to experience**

- VESA mount for convenience
- HDMI ensures universal digital connectivity


# **Superb Picture Quality**

- 100Hz refresh rates for ultra-smooth images
- IPS LED wide view technology for image and color accuracy
- Crystalclear images with Quad HD 2560 x 1440 pixels

LCD monitor 32B2N3500/00

# Highlights

# **IPS technology**



IPS displays use an advanced technology which gives you extra wide viewing angles of 178/178 degree, making it possible to view the display from almost any angle. Unlike standard TN panels, IPS displays gives you remarkably crisp images with vivid colors, making it ideal not only for Photos, movies and web browsing, but also for professional applications which demand color accuracy and consistent brightness at all times.

#### **Crystalclear images**



These Philips screens deliver Crystalclear, Quad HD 2560x1440 or 2560x1080 pixel images. Utilizing high performance panels with high density pixel count, enabled by high bandwidth sources, these new displays will make your images and graphics come alive. Whether you are demanding professional requiring extremely detailed information for CAD-CAM solutions, using 3D graphic applications or a financial wizard working on huge spreadsheets, Philips displays will give you Crystalclear images.

#### **100Hz Fast refresh**



This Philips display refreshes the screen image up to 100 times per second which makes this monitor much faster than a standard display. With a 100Hz frame rate, gamers are able to find those critical images on the screen that show enemy movement in an ultra-smooth motion so that they are easily targetable.

#### 10-bit colors



The 10-bit display delivers rich color depth with 1.07 billion colors and 12-bit internal processing for re-creating smooth, natural colors without gradations and color banding.

#### **SoftBlue Technology**



SoftBlue LED technology, combined with the monitor's low blue light panel, is an effective solution to reducing the adverse health effects caused by high exposure to blue light. In this monitor's panel, the ratio of light is reduced by nearly 50 percent while the SoftBlue LED technology works simultaneously by reducing

harmful blue light rays emitted from the screen. Not to mention, the SoftBlue LED technology is tested and certified by TUV Rheinland Eyesafe® for its effectiveness in reducing blue light emissions.

#### **Built-in stereo speakers**



A pair of high quality stereo speakers built into a display device. It can be visible front firing, or invisible down firing, top firing, rear firing, etc depending on model and design.

#### **Flicker-free technology**



Due to the way brightness is controlled on LED-backlit screens, some users experience flicker on their screen which causes eye fatigue. Philips Flicker-free Technology applies a new solution to regulate brightness and reduce flicker for more comfortable viewing.

# **EasyRead mode**



EasyRead mode for a paper-like reading experience



















LCD monitor 32B2N3500/00

# Highlights

#### **TUV Rheinland Eyesafe - RPF® 40**



Philips display meets TUV Rheinland Eyesafe® standard to truly protect you from the long exposure to blue light. The always-on blue light filter not only helps reduce digital eye strain, but also guarantees color integrity.

### **SmartErgoBase**



The SmartErgoBase is a monitor base that delivers ergonomic display comfort and provides cable management. The base can swivel, tilt and

rotate to various angles to ensure maximum comfort. The height adjustable stand guarantees the optimal viewing level, reducing the physical strains of a long workday, while cable management reduces cable clutter and keeps the workspace neat and professional.

#### **Ultra Slim Bezel**



This monitor makes your viewing experience feel more seamless and complete by reducing the amount of frame surrounding the screen. The Ultra Slim Bezel feature makes for an elegant transition from the screen to the narrow monitor bezel; thereby making it more beautiful in form and function.

## **HDMI Ready**



An HDMI-ready device has all the required hardware to accept High-Definition Multimedia Interface (HDMI) input. A HDMI cable enables high-quality digital video and audio all transmitted over a single cable from a PC or any number of AV sources (including set-top boxes, DVD players, A/V receivers and video cameras).

### **VESA** mount for convenience



VESA mount for convenience



LCD monitor 32B2N3500/00

# **Specifications**

#### **Picture/Display**

Panel Size: 31.5 inch/80 cm

Aspect ratio: 16:9

LCD panel type: IPS technology Backlight type: W-LED system Pixel pitch: 0.2727x0.2727mm Brightness: 350 cd/m<sup>2</sup> Display colors: 1.07B (10 bits)

Color gamut (typical): NTSC area: 102%, sRGB

area: 113%\*

Contrast ratio (typical): 1000:1 SmartContrast: 50,000,000:1

Response time (typical): 4 ms (Gray to Gray)\* Viewing angle: 178° (H) / 178° (V), @ C/R > 10

Picture enhancement: SmartImage Maximum resolution: 2560x1440@100Hz Effective viewing area: 698.112(H)x392.688(V)

Scanning Frequency: 30K-150KHz (H) / 48-100Hz

(V) sRGB SoftBlue Flicker-free Pixel Density: 93 PPI

Display Screen Coating: Anti-Glare, 3H, Haze

25% EasyRead Adaptive sync EyeSafe

Smart Link Sync: When used as a secondary

monitor only\*

#### **Connectivity**

Signal Input: HDMI 2.0 x 2, DisplayPort 1.2 x 1 Sync Input: Separate Sync, Sync on Green

Audio (In/Out): Audio out x 1

HDCP: HDCP 1.4 (HDMI / DisplayPort); HDCP 2.2

(HDMI / DisplayPort)

USB Hub: USB3.2, Gen1, 5G, Upstream: 1x USB-B, Downstream: USB-A x4 (with x1 fast charge B.C

1.2)

#### Convenience

Built-in Speakers: 2 W x 2

Plug & Play Compatibility: DDC/CI, Mac OS,

sRGB, Windows 11 / 10

User convenience: SmartImage, Input, Brightness, Menu, Power On/Off

OSD Languages: Brazil Portuguese, Czech, Dutch,

English, French, Finnish, German, Greek, Hungarian, Italian, Japanese, Korean,

Portuguese, Polish, Russian, Simplified Chinese,

Spanish, Swedish, Traditional Chinese, Turkish, Ukrainian

Other convenience: Kensington lock, VESA

mount (100x100mm)

Control software: SmartControl

Height adjustment: 180 mm

Pivot: -/+90 degree Swivel: -/+180 degree Tilt: -5/30 degree

#### Power

ECO mode: 14 W (typ.)

Power supply: Built-in, 100-240VAC, 50-60Hz

Off mode: 0.3 W (typ.)

On mode: 20.05 W (typ.) (EnergyStar test

method)

Standby mode: 0.3 W (typ.)

Power LED indicator: Operation - White, Standby

mode-White (blinking) **Energy Label Class: C** 

#### **Dimensions**

Packaging in mm (WxHxD): 840 x 510 x 159 mm Product without stand (mm): 714 x 423 x 94 mm Product with stand(max height): 714 x 627 x

299 mm

#### Weight

Product with packaging (kg): 13.34 kg Product with stand (kg): 9.58 kg Product without stand (kg): 6.78 kg

#### **Operating conditions**

Altitude: Operation: +12,000ft (3,658m), Non-

operation: +40,000ft (12,192m)

Temperature range (operation): 0°C to 40 °C

Relative humidity: 20%-80 %

Temperature range (storage): -20°C to 60 °C MTBF (demonstrated): 70,000 hrs (excluded

backlight)

#### **Sustainability**

Environmental and energy: EPEAT\*, RoHS,

**Energy Star** 

Post consumer recycled plastic: 85% Recyclable packaging material: 100 %

Specific Substances: Mercury free, PVC / BFR free

housing

### **Compliance and standards**

Regulatory Approvals: CB, CE Mark, ETL, CEC, TUV/GS, TUV Ergo, TCO Certified, TCO Certified Edge, EAC, EAC ROHS, MEPS, UKCA, EMF, FCC, ICES-003, eyesafe® CERTIFIED 2.0, TÜV Rheinland Low Blue Light (Hardware Solution)

#### Cabinet

Finish: Texture Foot: Black Front bezel: Black Rear cover: Black

#### What's in the box?

Cables: HDMI cable, DP cable and Power cable

Monitor with stand **User Documentation** 


© 2025 Koninklijke Philips N.V. All Rights reserved.

Issue date 2025-07-28 Version: 3.3.0

EAN: 87 21038 00439 7

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. or their respective owners





<sup>\*</sup> Response time value equal to SmartResponse

<sup>\*</sup> sRGB Area based on CIE1931, NTSC Area based on CIE1976.

<sup>\*</sup> EPEAT rating is valid only where Philips registers the product. Please visit https://www.epeat.net/ for registration status in your country

<sup>\*</sup> This monitor supports Smart Link Sync only when used as a secondary monitor connected to a primary monitor that also supports Smart Link Sync in a daisy-chain configuration.

<sup>\*</sup> The monitor may look different from feature images

<sup>\*</sup> The products and accessories listed on this leaflet may differ by country and region.