

Philips Curved Fast VA
Gaming monitor
WQHD gaming monitor

Evnia 3000

34" (86.36 cm)
3440 x 1440 (WQHD)

34M2C3500L



Broaden your gaming horizon

This Fast VA monitor allows you to game with ultimate precision and speed at 180 Hz. With sharp HDR quality imagery, curved frame and WQHD resolution guaranteed, this monitor produces an excellent all-round gaming experience.

Built for fast action

- 0.5 ms ultra-fast speed for crisp images and smooth gameplay

Features designed for gamers' needs

- SmartImage game mode optimised for gamers
- LowBlue mode and Flicker-free easy-on-the eyes viewing
- EasySelect menu toggle key for quick on-screen menu access
- Smart Crosshair: for better aim and more fun

Built for fast action

- 180 Hz refresh rates for ultra-smooth, brilliant images
- Low input lag reduces time delay between devices to monitor

Immersive visuals

- High Dynamic Range (HDR) for more lifelike colourful visuals
- SmartContrast for rich black details

PHILIPS

WQHD gaming monitor
Evnia 3000 34" (86.36 cm), 3440 x 1440 (WQHD)

34M2C3500L/00


Highlights

180 Hz Gaming



You play intense, competitive gaming. You demand display with lag-free, ultra-smooth images. This display redraws the screen image up to 180 times per second, effectively faster than a standard display. A lower frame rate can make enemies appear to jump from spot to spot on the screen, making them difficult targets to hit. With a 180 Hz frame rate, you get those critical missing images on the screen which show enemy movement in ultra-smooth motion so you can easily target enemies. With ultra-low input lag and no screen tearing, this Philips display is your perfect gaming partner.

Low input lag



Input lag is the amount of time that elapses between performing an action with connected devices and seeing the result on screen. Low input lag reduces the time delay between entering a command from your devices to monitor, greatly improving play on twitch-sensitive video games, particularly important for playing fast-paced, competitive games.

0.5 ms Smart MBR fast response



The Philips Evnia with 0.5 ms Smart MBR effectively eliminates smearing and motion blur, and delivers sharper and more precise visuals to enhance your gaming experience. Fast-moving action and dramatic transitions will be rendered smoothly. It's the best choice for playing thrilling and twitch-sensitive games.

Fast VA



This feature is made for action-packed gameplay. Not only does it work four times faster than a conventional VA panel, but it also pairs well with high frame rates for the utmost gaming quality at rapid speeds with sharp imagery guaranteed.


Curved display design



Desktop monitors offer a personal user experience, which suits a curved design very

well. The curved screen provides a pleasant yet subtle immersion effect, which focuses on you at the centre of your desk.

UltraWide CrystalClear images



These Philips screens deliver Crystal Clear, UltraWide Quad HD 3440 x 1440 pixel images. Utilising high-performance panels with high-density pixel count and 178/178 wide viewing angles, these new displays will make your images and graphics come alive. The UltraWide 21:9 format enables more productivity with more room for side-by-side comparisons and more viewable spreadsheet columns. Whether you are a demanding professional requiring extremely detailed information for CAD-CAM solutions or a financial wizard working on huge spreadsheets, Philips displays deliver Crystal Clear images.

High Dynamic Range (HDR)



High Dynamic Range delivers a dramatically different visual experience. With astonishing brightness, incomparable contrast and captivating colour, images come to life with much greater brightness while also featuring much deeper, more nuanced darks. It renders a fuller palette of rich new colours never before seen on a display, giving you a visual experience that engages your senses and inspires emotions.



Specifications

Connectivity

- Signal Input: HDMI 2.0 x 2, DisplayPort 1.4 x 1
- Sync Input: Separate Sync
- Audio (In/Out): Audio out
- HDCP: HDCP 1.4 (HDMI/DisplayPort), HDCP 2.2 (HDMI/DisplayPort)

Picture/Display

- Panel Size: 34 inch/86.36 cm
- Aspect ratio: 21:9
- Backlight type: VA, 1500 R (curvature)
- Pixel pitch: 0.23175 x 0.23175 mm
- Brightness: 300 cd/m²
- Display colours: Colour support: 1.07 billion colours (10 bits)*
- Colour gamut (typical): Adobe RGB 90%; DCI-P3:94%, sRGB: 125%, NTSC 105%*
- Contrast ratio (typical): 4000:1
- SmartContrast: Mega Infinity DCR
- Response time (typical): 1 ms (Grey to Grey)*
- Viewing angle: 178° (H)/178° (V), @ C/R > 10000
- Picture enhancement: SmartImage game
- Maximum resolution: 3440 x 1440 @ 180 Hz (DP), 8 bits; 3440 x 1440 @ 100 Hz (HDMI), 8 bits
- Effective viewing area: 797.22 (H) x 333.72 (V) mm — at a 1500 R curvature*
- Scanning Frequency: 30–255 kHz(H)/48–180 Hz(V)
- sRGB
- Delta E: <2 (sRGB)
- Flicker-free
- Pixel Density: 109.68 PPI
- LowBlue Mode
- Display Screen Coating: Anti-glare, 25%, 3H
- SmartUniformity: 93~105%
- Low Input Lag
- EasyRead
- Adaptive sync
- HDR: Supported HDR 10
- Backlight type: W-LED
- Smart MBR: 0.5 ms*
- Smart Crosshair
- Shadow Boost

Convenience

- Plug and Play Compatibility: DDC/CI, Mac OS X, sRGB, Windows 11/10
- User convenience: Power On/Off, Menu/OK, Input/Up, Game Settings/Down, SmartImage game/Back
- OSD Languages: Brazil Portuguese, Czech, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Spanish, Simplified Chinese,

- Swedish, Turkish, Traditional Chinese, Ukrainian
- Other convenience: Kensington lock, VESA mount (100 x 100 mm), LowBlue Mode
- MultiView: 2 x Devices, PIP/PBP mode

Stand

- Tilt: -5/20 degree

Power

- Power supply: Internal, 100–240 VAC, 50–60 Hz
- Off mode: 0.3 W (typ.)
- On mode: 31.0 W (typ.)
- Standby mode: 0.5 W (typ.)
- Power LED indicator: Operation - White, Standby mode - White (flashing)

Dimensions

- Packaging in mm (W x H x D): 930 x 480 x 188 mm
- Product without stand (mm): 808 x 369 x 69 mm
- Product with stand (max height): 808 x 464 x 251 mm

Weight

- Product with packaging (kg): 9.47 kg
- Product with stand (kg): 7.33 kg
- Product without stand (kg): 6.50 kg

Operating conditions

- Altitude: Operation: +12,000 ft (3658 m), Non-operation: +40,000 ft (12,192 m)
- Temperature range (operation): 0°C to 40 °C
- MTBF: 50,000 hour(s)
- Relative humidity: 20%-80 %
- Temperature range (storage): -20°C to 60 °C

Sustainability

- Environmental and energy: RoHS
- Post-consumer recycled plastics: 85%*

Compliance and standards

- Regulatory Approvals: CB, CE Mark, TUV/ISO9241-307, TUV-BAUART, EAC, EAEU RoHS, UKCA, EMF, FCC, ICES-003, cETLus

Cabinet

- Colour: Charcoal
- Finish: Textured

What's in the box?

- Cables: HDMI cable, Display Port cable, Power cable
- Monitor with stand
- User Documentation



Issue date 2024-08-22

Version: 3.3.1

EAN: 87 21038 00194 5

© 2024 Koninklijke Philips N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips N.V. or their respective owners.

www.philips.com

* Radius of the arc of the display curvature in mm

* Display colours: 10 bits can be reached by DP @ 165 Hz

* Response time value equal to SmartResponse.

* Adobe RGB and DCI-P3 Coverage based on CIE1976, sRGB Area based on CIE1931, NTSC Area based on CIE1976.

* Smart MBR adjusts brightness for blur reduction, so you cannot adjust brightness while Smart MBR is turned on. To reduce motion blur, the LED backlight will strobe synchronously with each screen refresh, which may cause a noticeable change in brightness.

* Smart MBR is a gaming-optimised mode. Turning on Smart MBR may cause noticeable screen flickering. We recommended turning it off when you are not using the gaming function.

* This monitor strives for sustainability: the stand's feet are made with 35% recycled plastic and the monitor's chassis is made up of 85% post-consumer recycled plastic.

* The products and accessories listed on this leaflet may differ by country and region.

* The monitor may look different from feature images.