NO-NONSENSE, NO COMPROMISE



Get a straightforward keyboard that performs well on the battlefield with the CK530 Gaming Mechanical Keyboard. A portable, tenkeyless format allows you to take your gear without sacrificing features or performance. Mechanical switches rated for 50 million clicks will guarantee your keyboard will stay combat-ready during all your long-lasting skirmishes. On-the-Fly Controls allow customization of your settings like RGB lighting and macros in real time, while software lets you get even further customization. Simply put, the CK530 is a capable tool that gets the job done.

FEATURES

- Brushed Aluminum Design Curved top plate, floating keycaps, and minimalistic design built with functionality in mind
- **Mechanical switches** rated for a 50 million+ lifepan to never let you down in the heat of battle.
- **RGB Backlighting -** Per-key LEDs with multiple lighting modes and effects to highlight all your dominating killstreaks.
- On-the-Fly Controls Make real-time adjustments to lighting and macros with no software necessary, including Windows Lock On/Off to prevent getting kicked out of the game when the Windows Key is accidently pressed.
- Easy-to-use Software Map 16.7 million colors to any key, customize lighting modes, and fine-tune macros
- Hybrid Key Rollover with automatic switching between 6KRO and NKRO to ensure legacy compatibility and that always every press is registered.
- Standard Layout for those Pro users interested in custom keycaps, the CK530 features a standard sizes layout and bottom row!

SPECIFICATIONS & PACKING INFORMATION

Product Name	CK530	
Product Number	CK-530-GKGR1-** (Red switch) CK-530-GKGL1-** (Blue Switch) CK-530-GKGM1-** (Brown switch)	
Switch Type	Gateron	
Material	Plastic/Aluminum	
Color	Gunmetal Black	
LED Color	RGB	
Polling Rate	1000Hz	
Response Rate	1 ms / 1000Hz	
MCU	32 bit A RM C ortex M 3	
On board Memory	512KB	
On-the-fly system	Yes, for Multi-media, Macro Recording and Lighting control	
Multi-media Keys	Through FN	
Smart cable manager	N/A	
Wristrest	N/A	
Cable	Fixed Rubberized 1.8 m	
Software Support	Yes, through Portal	
Connector Cable	USB 2.0	
Cable Length	1.8 m	
Dimensions	380*135* 40mm (L*W*H)	
Product Weight (without cable)	749g	
Warranty	2 years	

Net weight	749g
Gross weight	1038g
Package Dimensions (L x W x H)	394*190* 48mm (L*W*H)
Carton dimension (L x W x H) / Units	540 * 415 * 208 mm (L* W* H)
Carton / Pallet	36

Cont.	W/ Pallet	Carton/ Pallet	W/O Pallet
20′	3600pcs	36 carton	N/A
40′	8640pcs	36 carton	N/A
40 HQ	9600pcs	40 carton	N/A



FEATURE HIGHLIGHT




Mechanical Switches - Durable switches rated for 50 million clicks



RGB Backlighting - Per-key LEDs with multiple lighting modes and effects to highlight all your dominating killstreaks



Brushed Aluminum Design - Curved top plate, floating keycaps, and minimalistic design built with functionality in mind



On-the-Fly Controls - Make real-time adjustments to lighting and macros with no software necessary



EAN & UPC INFORMATION

Itemcode	EAN	UPC
CK-530-GKGR1-US	4719512075623	884102048111
CK-530-GKGR1-UK	4719512075838	884102048111
CK-530-GKGR1-TU	4719512075821	884102048319
CK-530-GKGR1-TC	4719512075814	884102048302
CK-530-GKGR1-TA	4719512075807	884102048296
CK-530-GKGR1-SW	4719512075791	884102048289
CK-530-GKGR1-SP	4719512075784	884102048272
CK-530-GKGR1-RU	4719512075777	884102048265
CK-530-GKGR1-PT	4719512075760	884102048258
CK-530-GKGR1-ND	4719512075753	884102048241
CK-530-GKGR1-KR	4719512075746	884102048234
CK-530-GKGR1-JP	4719512075739	884102048227
CK-530-GKGR1-IT	4719512075722	884102048210
CK-530-GKGR1-HU	4719512075715	884102048203
CK-530-GKGR1-GR	4719512075708	884102048197
CK-530-GKGR1-FR	4719512075692	884102048180
CK-530-GKGR1-DE	4719512075685	884102048173
CK-530-GKGM1-US	4719512075647	884102048135
CK-530-GKGM1-UK	4719512075999	884102048487
CK-530-GKGM1-TU	4719512075982	884102048470
CK-530-GKGM1-TC	4719512075975	884102048463
CK-530-GKGM1-TA	4719512075968	884102048456
CK-530-GKGM1-SW	4719512075951	884102048449
CK-530-GKGM1-SP	4719512075944	884102048432
CK-530-GKGM1-RU	4719512075937	884102048425
CK-530-GKGM1-PT	4719512075920	884102048418
CK-530-GKGM1-ND	4719512075913	884102048401
CK-530-GKGM1-KR	4719512075906	884102048395
CK-530-GKGM1-JP	4719512075890	884102048388
CK-530-GKGM1-IT	4719512075883	884102048371
CK-530-GKGM1-HU	4719512075876	884102048364
CK-530-GKGM1-GR	4719512075869	884102048357
CK-530-GKGM1-FR	4719512075852	884102048340
CK-530-GKGM1-DE	4719512075845	884102048333
CK-530-GKGL1-US	4719512075630	884102048128
CK-530-GKGL1-UK	4719512076156	884102048647
CK-530-GKGL1-TU	4719512076149	884102048630
CK-530-GKGL1-TC	4719512076132	884102048623
CK-530-GKGL1-TA	4719512076125	884102048616
CK-530-GKGL1-SW	4719512076118	884102048609
CK-530-GKGL1-SP	4719512076101	884102048593
CK-530-GKGL1-RU	4719512076095	884102048586
CK-530-GKGL1-PT	4719512076088	884102048579
CK-530-GKGL1-ND	4719512076071	884102048562
CK-530-GKGL1-KR	4719512076064	884102048555
CK-530-GKGL1-JP	4719512076057	884102048548
CK-530-GKGL1-IT	4719512076040	884102048531
CK-530-GKGL1-HU	4719512076040	884102048524
CK-530-GKGL1-HO	4719512076033	884102048517
CK-530-GKGL1-GK	4719512076019	884102048517 884102048500
	4719512076019	884102048300 884102048494
CK-530-GKGL1-DE	4/193120/0002	004102040434