HP Color LaserJet Pro MFP M479 series



Lighten your workload, focus on your business

Winning in business means working smarter. The HP Color LaserJet Pro MFP M479 is designed to let you focus your time where it's most effective-growing your business and staying ahead of the competition.



HP Color LaserJet Pro M479dw



HP Color LaserJet Pro M479fnw

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. Learn more at: http://www.hp.com/qo/learnaboutsupplies

Built to keep you – and your business – moving forward

- Scan files directly to Microsoft® SharePoint®, email, USB, and network folders. 1
- Help save time by automating all the steps in a complicated workflow and apply saved settings.²
- Print wirelessly with or without the network, stay connected with dual band Wi-Fi and Wi-Fi direct.^{3,4,5}
- Print effortlessly from any device, virtually anywhere, to any HP printer securely through the cloud.⁶

Best-in-class security – detect and stop attacks⁷

- A suite of embedded security features help protect your MFP from being an entry point for attacks. 7
- Help ensure security of confidential information with optional PIN/Pull printing to retrieve print jobs.⁸
- Optional HP JetAdvantage Security Manager lets you set configuration
- Thwart potential attacks and take immediate action with instant notification of security issues.

Simply designed to uncomplicate your day

- Set up this MFP fast, and easily manage device settings to help increase overall printing efficiency.
- Tackle tasks quickly and easily with the simple 10.9 cm colour touchscreen.
- Print Microsoft® office formatted files in addition to PDFs right off your USB drive. 9
- Avoid interruptions with an HP LaserJet MFP designed to be streamlined for maximum productivity.

Sustainability is smart business

- Avoid frustrating reprints, wasted supplies, and service calls using Original HP toner cartridges.
- Help save paper right out of the box. The duplex print setting is set at default paper savings mode.¹⁰
- Saves up to 18% energy over prior products.¹¹
- Help reduce wasted paper by only printing the jobs that are truly needed.

Product walkaround

HP Color LaserJet Pro MFP M479fdw shown

- 1. 10.9 cm customisable colour touchscreen
- 2. Easy-access USB port
- 3. Front door release button
- 4. Front door (access to HP JetIntelligence toner cartridges)
- 5. Hi-Speed USB 2.0 port, USB port for job storage and PIN printing, 2 Gigabit Ethernet LAN port, Fax port
- $6.\,50$ sheet ADF with single-pass, two-sided scanning supports media sizes up to 216 x 356 mm
- 7. Flatbed scanner handles media sizes up to A4
- 8. 150 sheet output bin
- 9. Dual-band Wi-Fi with Bluetooth $^{\rm 0}$ Low Energy for easy wireless printing and setup
- 10. 50 sheet multipurpose tray 1 supports media sizes up to 216 x 356 mm
- 11. Automatic two-sided printing
- 12. 250 sheet tray 2 supports media sizes up to 216 x 356 mm



Series at a glance









| Model | HP Color LaserJet Pro MFP M479dw | HP Color LaserJet Pro MFP M479fnw | HP Color LaserJet Pro MFP M479fdn | HP Color LaserJet Pro MFP M479fdw |
|--|---|---|---|---|
| Product number | W1A77A | W1A78A | W1A79A | W1A80A |
| Functions | Print, scan, copy | Print, scan, copy, fax | | |
| Print speeds (black and colour) | Up to 27 pages per minute (ppm) | | | |
| Scan speeds | Simplex: 29/20 ppm (black/colour) | Simplex: 29/20 ppm (black/colour); Duplex: 46/35 ipm (black/ colour) | Simplex: 29/20 ppm (black/colour); Duplex: 46/35 images per minute (ipm) (black/colour) | Simplex: 29/20 ppm (black/colour); Duplex: 46/35 ipm (black/ colour) |
| Scanning | 50 sheet ADF with simplex scanning | 50-sheet ADF with single-pass, two- sided scanning | 50 sheet ADF with single-pass, two- sided scanning | 50-sheet ADF with single-pass, two- sided scanning |
| Two-sided printing | Automatic | | Manual | Automatic |
| 50 sheet multipurpose tray 1, 250 sheet tray 2 | Yes | | | |
| Optional 550 sheet tray | Add up to one | | | |
| Input capacity (standard/maximum) | Up to 300/850 sheets | | | |
| Control panel display | 10.9 cm customisable colour touchscreen | | | |
| Recommended monthly page volume | Up to 4,000 pages | | | |
| Cartridge yields (A/X) | Black: ~2,400/7,500 pages; Colour: ~2,100/6,000 pages | | | |
| Dual-band Wi-Fi with Bluetooth® Low Energy | Yes Not available | | | |

Accessories, Supplies and Support

| Accessories | CF404A HP LaserJet 550-sheet Feeder Tray | |
|---------------------|--|--|
| Service and Support | UB956E HP 3 year Next Business Day Color LaserJet Pro MFP M479 Service UB975PE HP 1 year Post Warranty Next Business Day Color LaserJet Pro MFP M479 Service | |

Technical specifications

| Model | HP Color LaserJet Pro MFP M479dw | HP Color LaserJet Pro MFP M479fnw | HP Color LaserJet Pro MFP M479fdn | HP Color LaserJet Pro MFP M479fdw | |
|------------------------------------|---|--|---|---|--|
| Product number | W1A77A | W1A78A | W1A79A | W1A80A | |
| Functions | Print, copy, scan, email | Print, copy, scan, fax, email | | | |
| Control panel | 10.92 cm (4.3 in) intuitive colour touchscreen (CGD); 3 Buttons (Home, Help, Back) | | | | |
| Print | | | | | |
| Print technology | Laser | | | | |
| Print speed ⁹ | Black (A4, normal) Up to 27 ppm; Colour (A4, normal): Up to 27 ppm; Black (A4, duplex): Up to 24 ipm; Colour (A4, duplex): Up to 24 ipm; | | | | |
| First page out ¹¹ | Black (A4, ready): As fast as 9.7 sec; Colour (A4, ready): As fast as 11.3 sec; Black (A4, sleep): As fast as 12.3 sec; Colour (A4, sleep): As fast as 13.8 sec; | | | | |
| Print resolution | Black (best) : 600 x 600 dpi, Up to 38, 400 x 600 enhanced dpi; Colour (best) : 600 x 600 dpi, Up to 38, 400 x 600 enhanced dpi; Technology : HP ImageREt 3600, PANTONE® calibrated; | | | | |
| Monthly duty cycle ¹² | Up to 50,000 pages A4; Recommended m | onthly page volume ¹³ : 750 to 4,000 | | | |
| Printer smart software features | Apple AirPrint™, Mopria certified, Google Cloud Print 2.0, Wi-Fi Direct Printing, ROAM enabled for easy printing, HP ePrint, HP Auto-On/Auto-Off Technology, Bluetooth® Low-Energy, Intuitive 10.92 cm touchscreen control panel, Scan/print from Cloud using business apps on the control panel, Job Storage with PIN printing, Print from USB, N-up printing, collation | | Apple AirPrint™, Mopria certified, Google Cloud Print 2.0, ROAM capable for easy printing, HP ePrint, HP Auto-On/Auto-Off Technology, Intuitive 10.92 cm touchscreen control panel, Scan/print from Cloud using business apps on the control panel, Job Storage with PIN printing, Print from USB, N-up printing, collation | Apple AirPrint™, Mopria certified, Google Cloud Print 2.0, Wi-Fi Direct Printing, ROAM enabled for easy printing, HP ePrint, HP Auto-On/Auto-Off Technology, Bluetooth® Low-Energy, Intuitive 10.92 cm touchscreen control panel, Scan/print from Cloud using business apps on the control panel, Job Storage with PIN printing, Print from USB, N-up printing, collation | |
| Standard print languages | HP PCL 6, HP PCL 5c, HP postscript level 3 emulation, PDF, URF, Native Office, PWG Raster | | | | |
| Fonts and typefaces | 84 scalable TrueType fonts | | | | |
| Print area | Print margins Top: 4.23 mm, Bottom: 4.23 | 3 mm, Left: 4.23 mm, Right: 4.23 mm; Maxi | mum print area: | | |
| Duplex printing | Automatic (default) | Manual (driver support provided) | Automatic (default) | | |
| Сору | | | | | |
| Copy speed ⁷ | Black (A4): Up to 27 cpm; Colour (A4): Up to 27 cpm | | | | |
| Copier specifications | ID Copy; Number of copies; Resize (including 2-Up); Lighter/Darker; Enhancements; Original Size; Binding Margin; Collation; Tray Selection; Two-Sided; Quality (Draft/Normal/Best); Save Current Settings; Restore Factory Defaults; Maximum number of copies : Up to 999 copies; Reduce/Enlarge : 25 to 400%; | | | | |
| Scan | | | | | |
| Scan speed ¹⁶ | Normal (A4): Up to 29 ppm (black and white), up to 20 ppm (colour); | Normal (A4): Up to 29 ppm/46 ipm (black and white), up to 20 ppm/35 ipm (colour) Duplex (A4): Up to 46 ipm (black and white), up to 34 ipm (colour) | Normal (A4): Up to 29 ppm/46 ipm (black and white), up to 20 ppm/34 ipm (colour); Duplex (A4): Up to 46 ipm (black and white), up to 34 ipm (colour) | | |
| Scan file format | PDF; JPG; TIFF | | | | |
| Scanner specifications | Scanner type: Flatbed, ADF; Scan technology: Contact Image Sensor (CIS); Scan input modes: Front-panel scan, copy, email, or file buttons, HP Scan software, and user application via TWAIN or WIA; Twain version: Version 2.3; Duplex ADF scanning: No; Scan size maximum (flatbed, ADF): 216 x 297 mm; Optical scan resolution: Up to 1200 x 1200 dpi | | | | |

| Model | HP Color LaserJet Pro MFP M479dw | HP Color LaserJet Pro MFP M479fnw | HP Color LaserJet Pro MFP M479fdn | HP Color LaserJet Pro MFP M479fdw | |
|---|--|---|--|---|--|
| Product number | W1A77A | W1A78A | W1A79A | W1A80A | |
| Scanner advanced features | Scan to cloud (Google Drive and DropBox); Scan to email with LDAP email address lookup; Scan to network folder; Scan to USB; Scan to Microsoft SharePoint®; Scan to computer with software; Quick Sets | Single-pass 2-sided scanning ADF; Scan to cloud (Google Drive and DropBox); Scan to email with LDAP email address lookup; Scan to network folder; Scan to USB; Scan to Microsoft SharePoint®; Scan to computer with software; Fax archive to network folder; Fax archive to email; Fax to computer; Enable/disable fax; Quick Sets | | | |
| Recommended monthly scan volume | 750 to 4000 | | | | |
| Scannable area | Maximum media size (flatbed): 216 x 297 | mm; Minimum media size (ADF): 102 x 152 | mm Maximum media size (ADF) : 216 x 356 | 5 mm | |
| Bit depth/ Grey scale levels | 30-bit / 256 | | | | |
| Digital sending | Standard: Scan to email with LDAP email address lookup; Scan to network folder; Scan to USB; Scan to Microsoft SharePoint®; Scan to USB; Scan to Microsoft SharePoint®; Scan to Computer with software; Fax archive to network folder; Fax archive to email; Fax to computer; Enable/disable fax; Quick Software; Quick Sets | | | | |
| Fax Fax | T | Voc. 23.6 khpc | | | |
| FdX | | Yes, 33.6 kbps Fax memory: Up to 400 pages; Fax | Ī | Fax memory: Up to 400 pages; Fax | |
| Fax specifications | Telecom compliance : Wireless: EU Radio Equipment Directive 2014/53/EU; EN301 489-1 V2.1.1; EN301 489-17 V3.1.1; IEC62311:2007; EN62311:2008; EN300 328 V2.1.1(2.4 GHz); EN301 893 V2.1.1 | resolution: Śtańdard: 203 x 96 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi (no halftone); Quick dialing: Up to 120 numbers: Telecom compliance: Wireless: EU Radio Equipment Directive 2014/53/EU; EN301 489-1 V2.1.1; EN301 489-17 V3.1.1; IEG62311:2007; EN62311:2008; EN300 328 V2.1.1(2.4 GHz); EN301 893 V2.1.1(); Fax Telecom: ETSI ES 203 021; Other Telecom approvals as required by individual countries. | Fax memory: Up to 400 pages; Fax resolution: Standard: 203 x 96 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi (no halftone); Quick dialing: Up to 120 numbers; Telecom compliance: Fax Telecom: ETSI ES 203 021; Other Telecom approvals as required by individual countries. | resolution: Śtan'dard: 203 x 96 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 3 x 300 dpi (no halftone); Quick dialing: Up to 120 numbers; Telecom compliance: Wireless: EU Radio Equipment Directive 2014/53/EU; EN301 489–1 V2.1.1; EN301 489–17 V3.1.1; IEC62311:2007; EN62311:2008; EN300 328 V2.1.1(2.4 GHz); EN301 893 V2.1.1(5 GHz); Fax Telecom: ETSI ES 203 021; Other Telecor approvals as required by individual countries. | |
| Fax smart software features | Permanent fax memory backup; Auto fax reduction; Auto redialing; Delayed sending; Fax forwarding; TAM interface; Junk barri Distinctive ring detection; Cover page; Block fax; Billing codes; Save and load; Fax activity reports; Dial prefix setting; Print fax l | | | | |
| Processor speed | 1200 MHz | HP Digital Fax | | | |
| Connectivity | 120011112 | | | | |
| Standard | 1 Hi-Speed USB 2.0 port; 1 host USB at rear side; Built-in Gigabit Ethernet 10/100/1000 Base-TX network port; 1 Wireless 802 11h/a/o/2 4/5 Gbz Wi-Ei radio 110/100/1000 Base-TX network port; 1 Wireless 802 11h/a/o/2 4/5 Gbz Wi-Ei radio 110/100/1000 Base-TX network port; 1 Wireless 802 11h/a/o/2 4/5 Gbz Wi-Ei radio 110/100/1000 Base-TX network port; 1 Wireless 802 11h/a/o/2 4/5 Gbz Wi-Ei radio 110/100/1000 Base-TX network port; 1 Wireless 802 11h/a/o/2 4/5 Gbz Wi-Ei radio 110/100/1000 Base-TX network port; 1 Wireless 802 11h/a/o/2 4/5 Gbz Wi-Ei radio 110/100/1000 Base-TX network port; 1 Wireless 802 11h/a/o/2 4/5 Gbz Wi-Ei radio 110/100/1000 Base-TX network port; 1 Wireless 802 11h/a/o/2 4/5 Gbz Wi-Ei radio 110/100/1000 Base-TX network port; 1 Wireless 802 11h/a/o/2 4/5 Gbz Wi-Ei radio 110/100/1000 Base-TX network port; 1 Wireless 802 11h/a/o/2 4/5 Gbz Wi-Ei radio 110/100/1000 Base-TX network port; 1 Wireless 802 11h/a/o/2 4/5 Gbz Wi-Ei radio 110/100/1000 Base-TX network port; 1 Wireless 802 11h/a/o/2 4/5 Gbz Wi-Ei radio 110/100/1000 Base-TX network port; 1 Wireless 802 11h/a/o/2 4/5 Gbz Wi-Ei radio 110/100/1000 Base-TX network port; 1 Wireless 802 11h/a/o/2 4/5 Gbz Wi-Ei radio 110/100/1000 Base-TX network port; 1 Wireless 802 11h/a/o/2 4/5 Gbz Wi-Ei radio 110/100/1000 Base-TX network port; 1 Wireless 802 11h/a/o/2 4/5 Gbz Wi-Ei radio 110/100/1000 Base-TX network port; 1 Wireless 802 11h/a/o/2 4/5 Gbz Wi-Ei radio 110/100/1000 Base-TX network port; 1 Wireless 802 11h/a/o/2 4/5 Gbz Wireless 802 11h | | | 1 Hi-Speed USB 2.0 port; 1 host USB at rear side; Built-in Gigabit Ethernet 10/100/1000 Base-TX network port; 1 Wireless 802.11b/g/n/2.4/5 Ghz Wi-Fi radio | |
| Wireless | Yes, built-in dual-band Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wi-Fi Direct; Bluetooth Low-Energy | | | Yes, built-in dual-band Wi-Fi; Authentication via WEP, WPA/WPA2, WPA Enterprise; Encryption via AES or TKIP; WPS; Wi-Fi Direct; Bluetooth Low-Energy | |
| Mobile printing capability ⁶ | Apple AirPrint™; Google Cloud Print™; HP ePrint; HP Smart App; Mobile Apps; Mopria™ Certified; Wi-Fi® Direct Printing; Roam capable for easy printing | | Apple AirPrint™; Google Cloud Print™; HP ePrint; HP Smart App; Mobile Apps; Mopria™ Certified; Roam capable for easy printing | Roam capable for easy printing | |
| Supported network protocols | TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, HP ePrint, Apple AirPrint™, Google Cloud Print 2.0, Mopria, IPP Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutolP, Manual), IPv6 (Stateless Link-Local and via Router, Stateful via DHCPv6), SSL Security and Certificate management; Management: SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog, FTP FW Download | | | | |
| Memory | Standard: 512 MB NAND Flash, 512 MB DF | RAM; Maximum : 512 MB NAND Flash, 512 M | B DRAM | | |
| Media handling | T | | | | |
| Number of paper trays | Standard: 2 ; Maximum: 3 | | | | |
| Media types | | hoto, plain, preprinted, prepunched, recycle | d, rough), postcards, labels, envelopes | | |
| Media size | Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2, optional Tray 3: 100 x 148 to 216 x 356 mm; Supported (metric): Tray 1, Tray 2: A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); Postcards (JIS single, JIS double); Envelopes (DL, CS, B5); Optional Tray 3: A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); Postcards (JIS single, JIS double); Automatic duplexer: A4; B5; 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); Oficio (216 x 340 mm); ADF: A4; Custom sizes 102 x 152 to 216 x 356 mm | Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2, optional Tray 3: 100 x 148 to 216 x 356 mm; Supported (metric): Tray 1, Tray 2: A4; A5; A6; B5 (JIS); B6 (IS); B6 (K 195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); Postcards (JIS single, JIS double): Envelopes (DL, CS, B5) Optional Tray 3: A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); Postcards (JIS single, JIS double); ADF: A4; Custom sizes 102 x 152 to 216 x 356 mm | | | |
| Media handling | Standard input: 50 sheet multipurpose tray, 250 sheet input tray, 50 sheet Automatic Document Feeder (ADF) Standard output: 150 sheet output bin Optional input: Optional 550 sheet tray ADF: Standard, 50 sheets uncurled | | | | |
| Media weight | Tray 1: 60 to 176 g/m² (up to 200 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 60 to 163 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers); Optional Tray 3: 60 to 163 g/m² (up to 176 g/m² with postcards, up to 150 g/m² (Glossy media); Automatic duplexer: 60 to 163 g/m²; ADF: 60 to 120 g/m² | Tray 1: 60 to 176 g/m² (up to 200 g/m² with postcards and HP Color laser glossy photo papers); Tray 2: 60 to 163 g/m² (up to 176 g/m² with postcards, up to 200 g/m² HP Color laser glossy photo papers); Optional Tray 3: 60 to 163 g/m² (up to 176 g/m² with postcards, up to 150 g/m² Glossy media); ADF: 60 to 120 g/m² | g/m² HC Color laser glossy photo papers); Optional Tray 3: 60 to 163 g/m² (up to 176 g/m² with postcards, up to 150 g/m² Glossy media); Automatic duplexer: 60 to 163 g/m² (up to 176 g/m² with postcards, up to 150 g/m² Glossy media); Automatic duplexer: 60 to 163 g/m² (up to 176 g/m² with postcards); Automatic duplexer: 60 to 163 g/m² (up to 176 g/m² with postcards); Automatic duplexer: 60 to 163 g/m² (up to 176 g/m² with postcards); Automatic duplexer: 60 to 163 g/m² (up to 176 g/m² with postcards); Automatic duplexer: 60 to 163 g/m² (up to 176 g/m² with postcards); Automatic duplexer: 60 to 163 g/m² (up to 176 g/m² with postcards); Automatic duplexer: 60 to 163 g/m² (up to 176 g/m² with postcards); Automatic duplexer: 60 to 163 g/m² (up to 176 g/m² with postcards); Automatic duplexer: 60 to 163 g/m² (up to 176 g/m² with postcards); Automatic duplexer: 60 to 163 g/m² (up to 176 g/m² with postcards); Automatic duplexer: 60 to 163 g/m² (up to 176 g/m² with postcards); Automatic duplexer: 60 to 163 g/m² (up to 176 g/m² with postcards); Automatic duplexer: 60 to 163 g/m² (up to 176 g/m² with postcards); Automatic duplexer: 60 to 163 g/m² (up to 176 g/m² with postcards); Automatic duplexer: 60 to 163 g/m² (up to 176 g/m² with postcards); Automatic duplexer: 60 to 163 g/m² (up to 176 g/m² with postcards); Automatic duplexer: 60 to 163 g/m² (up to 176 g/m² with postcards); Automatic duplexer: 60 to 163 g/m² (up to 176 g/m² with postcards); Automatic duplexer: 60 to 163 g/m² (up to 176 g/m² with postcards); Automatic duplexer: 60 to 163 g/m² (up to 176 g/m² with postcards); Automatic duplexer: 60 to 163 g/m² (up to 176 g/m² with postcards); Automatic duplexer: 60 to 163 g/m² (up to 176 g/m² with postcards); Automatic duplexer: 60 to 163 g/m² (up to 176 g/m² with postcards); Automatic duplexer: 60 to 163 g/m² (up to 176 g/m² with postcards); Automatic duplexer: 60 to 163 g/m² (up to 176 g/m² with postcards); Automatic duplexer: 60 to 163 g/m² (up to 176 g/m² with postcards); Automatic duplexer: 60 to 163 g/m² (up to 176 | | |

| Model | HP Color LaserJet Pro MFP M479dw | HP Color LaserJet Pro MFP M479fnw | HP Color LaserJet Pro MFP M479fdn | HP Color LaserJet Pro MFP M479fdw | |
|--------------------------------------|--|--|--|--|--|
| Product number | W1A77A | W1A78A | W1A79A | W1A80A | |
| Input capacity | Tray 1: Sheets: 50; Envelopes: 5 Tray 2: Sheets: 250; Envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550 sheet tray) ADF: Standard, 50 sheets uncurled | | | | |
| Output capacity | Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets | | | | |
| Compatible operating systems | Windows Client OS (32/64-bit), Win10, Win8.1, Win 8 Basic, Win8 Pro, Win8 Enterprise, Win8 Enterprise N, Win7 Starter Edition SP1, UPD Win7 Ultimate, Mobile OS, iOS, Android, Mac, Apple® macOS Sierra v10.12, Apple® macOS High Sierra v10.13, Apple® macOS Mojave v10.14, Discrete PCL6 Printer Driver, for more information on the supported operating systems go to http://www.support.hp.com, enter your product name and search, click on User Guides and enter your product name and search for Guide, search for your (Product Name) User Guide, search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, for more information on the supported operating systems see http://www.hp.com/go/upd | | | | |
| Compatible network operating systems | Windows Server 2008 R2 64-bit, Windows Server 2008 R2 64-bit (SP1), Windows Server 2012 64-bit, Windows Server 2012 R2 64-bit, Windows Server 2016 64-bit, Failover Cluster 2008 R2, Failover Cluster 2012 R2, Terminal server 2008 R2, Remote Desktop server 2012 R2, Citrix Server 6.5, Citrix Server 6.5, Novell iPrint server, Citrix Ready Kit Certification - up to Citrix Server 7.18 for more information see http://www.citrixready.citrix.com/hp-linux-imaging-and-printing, Unix - for more information see http://www.hp.com/go/unixmodelscripts, UPD PCL6/PS Printer Drivers, Supported for Compatible Network Operating systems please see http://www.hp.com/go/upd | | | | |
| Minimum system requirements | Windows: 2 GB available hard disk space, I | nternet connection, USB port, Internet brow | vser, for additional OS hardware requirements hardware requirements see http://www.aj | | |
| Software included | No software solutions are included in the B | Box, only on http://www.hp.com, http://ww | w.123.hp.com | | |
| Security management | Secure Boot, Secure Firmware Integrity, Runtime Code Integrity, password protected EWS, secure browsing via SSL/TLS 1.0, TLS 1.1, TLS 1.2; IPP over TLS; Network: enable/disable network ports and features, unused protocol and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; LDAP authentication and authorization: Firewall and ACL, Control panel lock, certificates configuration, UPD PIN printing, Syslog, signed firmware, administrator settings, access control, 802.1x authentication via WEP, WPA/WPA2 Personal, WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional Job storage, compatible with optional HP JetAdvantage Security Manager, IPPS | Secure Boot, Secure Firmware Integrity, Runtime Code Integrity, password protected EWS, secure browsing via SSL/TLS 1.0, TLS 1.1, TLS 1.2; IPP over TLS; Network: enable/disable network ports and features, unused protocol and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; LDAP authentication and authorization; Firewall and ACL; control panel lock, certificates configuration, UPD PIN printing, Syslog, signed firmware, administrator settings, access control, 802.1x authentication (EAP-TLS, and PEAP), authentication via WEP, WPA/WPA2 Personal, WPA2-enterprise; encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage, compatible with optional HP JetAdvantage Security Manager, IPPS | Secure Boot, Secure Firmware Integrity, Runtime Code Integrity, password protected EWS, secure browsing via SSL/TLS 1.0, TLS 1.1, TLS 1.2, IPP over TLS; Network: enable/disable network ports and features, unused protocol and service disablement, SMMPv1, SMMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; LDAP authentication and authorization: Firewall and ACL, control panel lock, certificates configuration, UPD PIN printing, Syslog, signed firmware, administrator settings, access control, 802.1x authentication (EAP-TLS, and PEAP); Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage, compatible with optional HP JetAdvantage Security Manager | Secure Boot, Secure Firmware Integrity, Runtime Code Integrity, password protected EWS, secure browsing via SSL/TLS 1.0, TLS 1.1, TLS 1.2; IPP over TLS; Network: enable/disable network ports and features, unused protocol and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; LDAP authentication and authorization: Firewall and ACL, control panel lock, certificates configuration, UPD PIN printing, Syslog, signed firmware, administrator settings, access control, 802.1x authentication (EAP-TLS, and PEAP), authentication wie WEP, WPA/WPA2 Personal, WPA2-enterprise; Encryption via AES or TKIP; Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional ipb storage, compatible with optional HP letAdvantage Security Manager, IPPS | |
| Printer management | HP Printer Assistant; HP Utility (Mac); HP D | evice Toolbox; HP Web JetAdmin Software; | ı HP JetAdvantage Security Manager; HP SNI Jtility - Driver Deployment Utility - Managed | MP Proxy Agent; HP WS Pro Proxy Agent; | |
| Dimensions and | | | | | |
| Printer dimensions (W x D x H) | Minimum 416 x 472 x 400 mm; Maximum : 426 x 652 x 414 mm; | Minimum 416 x 461 x 400 mm; Maximum : 426 x 641 x 414 mm; | Minimum 416 x 472 x 400 mm; Maximum | n: 426 x 652 x 414 mm; | |
| Package dimensions | 597 x 497 x 490 mm | | | | |
| (W x D x H) Printer weight | 23.3 kg | 22.6 kg | 23.4 kg | | |
| Package weight | 26.8 kg | 26.2 kg | 26.7 kg | 26.8 kg | |
| Operating | Temperature: 15 to 30°C; Humidity: 20 to | 70% RH (non-condensing) | | | |
| environment Storage conditions | Temperature: -20 to 40°C; | , 0,7, 11, (1,0), condensing, | | | |
| Acoustics ⁸ | Acoustic power emissions: 6.2 B(A): | Assumble a sure amining (C.2.D(A): Assure | tis a recovery ampiration of AD(A) | | |
| ACOUSTICS | Acoustic pressure emissions: 49 dB(A) | Acoustic power emissions: 6.3 B(A); Acous | | | |
| Power ³ | Requirements: 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); Consumption: 550 watts (Active Printing), 20 watts (Ready), 0.7 watts (Sleep), 0.7 watts (Auto-Off/Auto-On), 0.06 watts (Auto-off/Manual On), 0.06 watts (Off); Typical Electricity Consumption (TEC) ¹⁵ : Energy Star: 1.116 kWh/week; Blue Angel: 1.084 kWh/week; Power supply type: Internal (Built-in) power supply; | | | | |
| Energy savings feature technology | HP Auto-On/Auto-Off Technology; Instant-on Technology | | | | |
| Certifications ¹ | CISPR 32:2012/EN 55032:2012 - Class B, CISPR 32:2015/EN 55032:2015 - Class B, EN 61000-3-2:2014, EN 61000-3- 3:2013, EN 55024:2010+A1:2015 ENERGY STAR® qualified; EPEAT® Silver; CECP; Blue Angel RAL-UZ 205 Blue Angel compliant Yes, Blue Angel RAL-UZ 205 | CISPR 32:2012/EN 55032:2012 - Class B, CISPR 32:2015/EN 55032:2015 - Class B, EN 61000-3-2:2014, EN 61000-3- 3:2013, EN 55024:2010+A1:2015 CECP | CISPR 32:2012/EN 55032:2012 - Class B, CISPR 32:2015/EN 55032:2015 - Class B, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55024:2010+A1:2015 ENERGY STAR® qualified; EPEAT® Silver; CECP; Blue Angel RAL-UZ 205 Blue Angel compliant Yes, Blue Angel RAL-UZ 205 | | |
| What's in the box ² | HP Color LaserJet Pro M479dw; 4 preinstalled Introductory HP LaserJet Toner cartridges (black 2,400 pages, cyan, magenta, yellow: 1,200 pages); Inbox documentation (Getting Started Guide, Install Poster); Warranty card (where required); Internet connection is required to set up the printer; HP printer software is available at http://www.hp.com/support; Power cord; USB cable; Fax cable | HP Color LaserJet Pro M479fnw; 4 preinstalled Introductory HP LaserJet Toner cartridges (black: 2,400 pages, cyan, magenta, yellow: 1,200 pages); Inbox documentation (Getting Started Guide, Install Poster); Warranty card (where required); Internet connection is required to set up the printer; HP printer software is available at http://www.hp.com/support; Power cord; USB cable; Fax cable | HP Color Laser Jet Pro M479fdn; 4 preinstalled Introductory HP Laser Jet Toner cartridges (Black 2,400 pages, cyan, magenta, yellow: 1,200 pages); Inbox documentation (Getting Started Guide, Install Poster); Warranty card (where required); Internet connection is required to set up the printer; HP printer software is available at http://www.hp.com/support; Power cord; Fax cable | HP Color LaserJet Pro M479fdw; 4 preinstalled Introductory HP LaserJet Toner cartridges (black: 2,400 pages, cyan, magenta, yellow: 1,200 pages); Inbox documentation (Getting Started Guide, Install Poster); Warranty card (where required); Internet connection is required to set up the printer; HP printer software is available at http://www.hp.com/support; Power cord; USB cable; Fax cable | |
| Warranty | One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to http://www.hp.com/support to learn about HP award winning service and support options in your region. | | | | |

Footnotes

- Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see http://www.hpconnected.com.
- Connect printer/MFP to the network and complete customisation through the Embedded Web
- ³ Wireless operations are compatible with 2.4 GHz and 5 GHz operations. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at http://www.hp.com/go/mobileprinting.
- 4 Feature is only supported by the HP Color Laser Jet Pro MFP M479dw, M479fdw, and M477fnw. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN
- ⁵ Feature is supported on the HP Laser Jet Pro M479dw/M479fnw/M479fdw only. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct—capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Learn more at http://www.hp.com/go/businessmobileprinting
- To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit http://www.hp.com/go/roam.
- ⁷ Based on HP review of 2019 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims
- Additional solution such as HP Access Control or HP JetAdvantage Private Print is required to use optional proximity card reader. Pin printing enabled via USB installed in rear of device.

 Microsoft and PowerPoint are U.S. registered trademarks of the Microsoft group of companies. Feature works with Microsoft Word and PowerPoint 2003 and later. Only Latin language fonts are supported.
- 10 Dependent upon country setup specifications. All new product introductions beginning in Fall 2019 will include consistent worldwide default duplex settings (across bundles/drivers). Spring 2019 will include consistent worldwide default duplex settings for most products across the most common drivers.
- ¹¹ Based on HP Internal testing using normalised TEC Value, 2019.

Technical specifications disclaimers

- 1 EPEAT® registered where applicable, EPEAT registration varies by country. See http://www.epeat.net for registration status by country.
- 2 In box cartridges yield ~1,200 color composite (C/Y/M) and ~2,400 black pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see: http://www.hp.com/go/learnaboutsupplies. Pages may vary based on customer printing conditions.
- ³ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typicallty based on
- ⁴ Toner cartridges designed for distribution and use within a designated region only; will not work outside of designated region.
- 5 Declared yield value in accordance with ISO/IEC 19798. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies
 6 Local printing requires mobile device and printer to be on the same network (usually Wi-Fi access points bridge wireless to wired connections) or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Remote printing requires an Internet connection to an HP web-connected printer. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. For more information visit hp.com/qo/mobileprinting. To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. Subscription may be required. For more information, visit hp.com/go/roam
- 7 First Copy Out from Ready and Simplex Copy Speed measured using ISO/IEC 29183, Duplex Copy Speed measured using ISO/IEC 24735, excludes first set of test documents. For more information see
- http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application and document complexity.

 8 Acoustic values are subject to change. For current information see http://www.hp.com/support. Configuration tested: base model, simplex printing, A4 paper at an average of 27 ppm
- 9 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity
- 10 Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.
- 11 Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity
- 12 Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- 13 HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period
- 14 HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. For more information, visit http://www.hp.com/go/SureSupply; only available with Original HP supplies; Internet access required.
- 15 BA TEC is equal to Best TEC. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.

http://www.hp.com/uk

The product could differ from the images shown. © Copyright 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.



