

Product Highlights

Connect your peripherals

Three USB 3.0 ports for connecting peripheral devices to your computer.

Power Delivery 3.0 standard

USB Type-C port for connecting PD 3.0 charger, allowing to deliver power to your laptop via connected DUB-2334 docking station.

Gigabit Ethernet port

Gigabit Ethernet port provides of up to 1000 Mbps network connectivity.



DUB-2334

USB-C Mini Docking Station with 3xUSB 3.0, USB-C/PD 3.0 and Gigabit Ethernet

Features

Connectivity

- Three USB 3.0 Type-A ports
- Backwards compatible with USB 2.0 and USB 1.1
- USB Type-C/PD 3.0 port
- Gigabit Ethernet port

Easy to Use

- Plug-and-Play support
- Compact design
- Works on Windows and macOS computers

The DUB-2334 docking station allows you to enhance the functionality of your laptop or desktop computer equipped with USB Type-C port. USB 3.0 ports allow to connect up to three peripheral USB devices to the DUB-2334 while Gigabit Ethernet port provides of up to 1000 Mbps network connectivity. USB Type-C port is intended for connecting PD 3.0 charger, allowing to deliver not only data, but also power to your laptop via connected DUB-2334 docking station¹. This means you can charge your laptop while also connect additional devices like digital and web cameras, card readers, hard drives, mice, keyboards, printers, scanners, and other peripheral and network devices.

Add Three USB 3.0 Ports to Your Computer

With the DUB-2334 docking station, you can conveniently add three USB 3.0 ports and connect peripheral devices to your computer. USB 3.0 technology supports data rates of up to 5 Gbps.

PD 3.0 Standard

USB Type-C port is intended for connecting PD 3.0 charger, allowing to deliver not only data, but also power to your laptop via connected DUB-2334 docking station¹.

Plug-and-Play Support

Simply connect the DUB-2334 to your computer. It's that easy - no drivers or software installation is required.

Technical Specifications	
Hardware	
Chipset	• RTL8153
Interfaces	<ul style="list-style-type: none"> • One USB Type-C connector • Three USB 3.0 Type-A ports • One USB Type-C/PD 3.0 port • One RJ-45 Ethernet port (10/100/1000 Mbps)
LEDs	<ul style="list-style-type: none"> • Power (per device) <ul style="list-style-type: none"> - Solid green - power is on • Link (per Ethernet port) <ul style="list-style-type: none"> - Solid green - Ethernet connection • Speed (per Ethernet port) <ul style="list-style-type: none"> - Flashing orange - data transmission
General	
Standards	<ul style="list-style-type: none"> • USB 3.0 • USB 2.0 • USB 1.1 • IEEE 802.3 10Base-T • IEEE 802.3u 100Base-TX • IEEE 802.3ab 1000Base-T • Pause mode • Wake-on-LAN
Data rate	<ul style="list-style-type: none"> • Up to 5 Gbps (USB 3.0) • Up to 1000 Mbps (Ethernet)
System requirements	<ul style="list-style-type: none"> • Available USB Type-C port • Windows 7/8/8.1/10 and above, macOS (OS X 10.8 and above)
Physical Parameters	
Dimensions (L x W x H)	• 118 x 35 x 13.5 mm
Weight	• 0.07 kg
Environmental Conditions	
Power input	• From computer (USB bus powered)
Supplied charging voltage/current	• 20 V / 3 A (PD 3.0)
Temperature	<ul style="list-style-type: none"> • Operating: 0 to 45 °C • Storage: -10 to 70 °C
Humidity	<ul style="list-style-type: none"> • Operating: up to 85% non-condensing • Storage: up to 85% non-condensing
Package Contents	
<ul style="list-style-type: none"> • DUB-2334 docking station • Quick Installation Guide • Warranty documents 	
Order Information	
<i>Part Number</i>	<i>Description</i>
DUB-2334	USB-C Mini Docking Station with 3xUSB 3.0, USB-C/PD 3.0 and Gigabit Ethernet

¹ Please make sure that the USB Type-C port of your laptop supports PD 3.0.

Corporation and its overseas subsidiaries. All other trademarks belong to their respective owners.