





AX3000+G1500 Whole Home Powerline Mesh Wi-Fi 6 System

Superior Mesh Wi-Fi, Everywhere

- Network Signals Pass Through Walls and Floors
- ((•)) 3.0 Gbps Dual-Band Wi-Fi[†]
- G.hn Powerline Speeds up to 1.5 Gbps§






Highlights

Wi-Fi + Powerline Hybrid Bandwidth

Deco PX50 combines dual-band Wi-Fi 6 and G.hn powerline to transmit data between Deco units. Coverage varies from 6,500 ft² (3-pack) to 4,500 ft² (2-pack).

Network Signals Pass Through Walls and Floors

Powerline technology uses your home's electrical wiring to create stronger connections between Deco units, reducing the impact of walls and other obstacles on signal.



Deco PX50 = Dual-Band Wi-Fi 6 + G.hn Powerline + Seamless Al-Driven Mesh + HomeShield



Wi-Fi Dead-Zone Killer

Eliminate weak signal areas with clearer, stronger whole home Wi-Fi generated by Wi-Fi 6. No more searching around for a stable connection.



Seamless Al-Driven Mesh

Deco Mesh system forms a unified network with a single network name. With built-in Al-Roaming technology, it creates the ideal Mesh Wi-Fi solution with its advanced algorithms and self-learning. Walk through your home and enjoy seamless streaming at the fastest possible speeds.[‡]



G.hn Powerline

With the Next-Gen G.hn standard, PX50 provides the ideal solution for homes with thick or metal-reinforced walls that cause WiFi backhaul problems. §



TP-Link HomeShield

TP-Link's premium security services keep your home network safe with cutting-edge features for network and IoT protection.*



Network Protection

Detects cyber threats to keep your privacy and connected devices well protected.



Parental Controls

Manage online time and block inappropriate content to maintain healthy online habits.



Quality of Service (QoS)

Prioritize your bandwidth needs to get a faster networking experience.



Comprehensive Reports

Gain full statistics and insights to help you understand your home network better.

Features



Wi-Fi Speed

Faster Wi-Fi speed with stronger whole home Wi-Fi generated from Wi-Fi 6

- Superior Wireless Speed Combines wireless speeds up to 2402 Mbps on 5 GHz, and 574 Mbps on 2.4 GHz
- · More Devices Connected Connects over 150 devices[†]



TP-Link HomeShield

TP-Link's premium security services keep your home network safe with cutting-edge features for network and IoT protection.*

- Network Protection Detects cyber threats to keep your privacy and connected devices well protected
- · Parental Controls Manages online time and blocks inappropriate content to keep families healthy online
- Quality of Service (QoS) Prioritizes your bandwidth needs to get a faster networking experience
- Comprehensive Reports

 Gains full statistics and insights to help you know your home network better

Note: HomeShield includes the Free Basic Plan. Fees apply for the Pro Plan. Visit https://www.tp-link/homeshield for more information.



Easy Setup by Deco App

Easily set up Decos and find the ideal spot to place each unit

- Auto Connection Test Tests the internet connection of your
 Decos and helps to identify a suitable location for them
- Remote Management Manages your Deco network from a smartphone or tablet via the app, no matter where you find yourself
- · Online Upgrade Keeps informed of the latest firmware updates



Security


Safeguard your home network with a firewall and wireless encryption

- Encryption for Secure Network WPA/WPA2/WPA3 encryptions provide active protection against security threats
- · Firewall Protects your network devices from malicious attacks
- Deny List Add specific devices to deny list to protect your network from unauthorized users



Two Modes in One

Choose the Wireless Router mode or Access Point mode for your network needs



 Access Point Mode – Creates Wi-Fi access for any existing wired network



Work with All Deco Models

Form a Mesh network with your desired Deco models

- Compatible with All Deco Models All Deco models can work together. Just expand Mesh Wi-Fi coverage anytime by adding more Decos
- Deco Mesh Technology Eliminates dead zones and provides uninterrupted WiFi throughout your home

Specifications

Hardware

· Ethernet Port: 3 × Gigabit ports per Deco unit (WAN/LAN auto-sensing)

· Button: 1 RESET button above the ports

· Antenna: 2 × dual-band antennas

Power Consumption: 18.9W max (EU), 20.7W max (US)

Dimensions (W × D × H): 4.1 × 4.1 × 6.7in (105 × 105 × 169 mm)

· Power: 100-240V~50/60Hz 0.5A



Wireless

- Wireless Standards: IEEE 802.11a/n/ac/ax 5 GHz, IEEE 802.11b/g/n/ax 2.4 GHz
- Mesh protocol: 802.11k/v/r
- · Frequency: 2.4 GHz and 5 GHz
- · Signal Rate: 2402 Mbps on 5 GHz + 574 Mbps on 2.4 GHz[†]
- · Transmit Power: FCC: <30 dBm(2.4 GHz), <30 dBm(5 GHz)

CE: <20 dBm (2.4 GHz), <30 dBm (5 GHz)

· Wireless Security: WPA/WPA2/WPA3

Software

- · Working Mode: Router, Access Point
- · WAN Type: Dynamic IP/Static IP/PPPoE/L2TP/PPTP
- · DHCP: Server
- · Protocols: Supports IPv4 and IPv6
- · Guest Network: 2.4 GHz Guest Network×1, 5 GHz Guest Network×1
- Features: TP-Link HomeShield, Al-Driven Mesh, BSS Color, OFDMA, 1024-QAM, MU-MIMO, Optional Ethernet Backhaul, Assisted Setup, Address Reservation, Port Forwarding, TP-Link DDNS, IPTV, IPv6, Firewall Rules, LED Control
- · Management: Local Management; Remote Management; Multi-Managers

Others

- · Certification: CE, FCC, RoHS
- Environment:

Operating Temperature: 0°C~40°C (32°F~104°F)

Storage Temperature: -40°C~60°C (-40 °F~140 °F)

Operating Humidity: 10%~90% RH Storage Humidity: 5%~90% RH

- Package Contents for Deco PX50(2-pack):
- 2 × Deco PX50 units (routers with powerline)
- 1 × RJ45 Ethernet cable
- 2 × Power Cords

Quick Installation Guide

- Package Contents for Deco PX50(3-pack):
- 3 × Deco PX50 units (routers with powerline)
- 1 × RJ45 Ethernet cable
- 3 × Power Cords

Quick Installation Guide

Attention: this device may only be used indoors in all EU member states and EFTA countries.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Specifications are subject to change without notice. ©2022 TP-Link All rights reserved. Other brands and product names are trademarks of their respective holders.

†Maximum wireless signal rates are the physical rates derived from IEEE Standard 802.11 specifications. Actual wireless coverage, and quantity of connected devices are not guaranteed and will vary as a result of network conditions, client limitations, and environmental factors, including building materials, obstacles, volume and density of traffic, and client location.

[‡]Clients need to support 802.11k/v/r and may require additional setup. Performance may vary depending on the client device.

^aUse of Wi-Fi 6 and other features including OFDMA, MU-MIMO, 1024-QAM, and BSS Color require clients to also support the corresponding features.

*HomeShield includes the Free Basic Plan. Fees apply for the Pro Plan. Visit tp-link.com/homeshield for more information.

§G.hn powerline adapters are not compatible with HomePlug AV/AV2 powerline adapters.

www.tp-link.com

TP-Link AX3000+G1500 Whole Home Powerline Mesh Wi-Fi 6 System Deco PX50