




21.5" Narrow bezel all-in-one desktop with Full HD and advanced manageability and security features.

OPTIPLEX 5260 ALL-IN-ONE



POWER YOUR WORK

Unleash full performance with Intel® 8th generation processors. Intel® Standard Manageability (ISM) provides advanced management capabilities.



SUPERB COLLABORATION

Integrated speakers, a dual array microphone and an optional pop-up webcam with Full HD or Infrared camera enable smart interaction.



STUNNING FROM EVERY ANGLE

Equipped with a 21.5" Narrow Bezel Full HD IPS (1920x1080) display with touch and anti-glare non-touch options.



SMART SOLUTION

Sustainably built designs and ergonomic stands work how you need. TPM 2.0, lockable port covers and chassis intrusion switch protect your investment.

25 YEARS
OptiPlex

Recommended Accessories

OPTIPLEX 5260 ALL-IN-ONE

PURPOSE-BUILT FOR OPTIPLEX ALL-IN-ONES



OPTIPLEX 5260 ALL-IN-ONE ARTICULATING STAND

Tilt your display forward, backward, or recline to a 60 degree angle. This stand makes touchscreen interaction comfortable.



OPTIPLEX 5260 ALL-IN-ONE HEIGHT ADJUSTABLE STAND

Raise, tilt, pivot or swivel your All-In-One with a stand that delivers personalized comfort and viewing angles.



OPTIPLEX 5260 ALL-IN-ONE DVD+/-RW IN HEIGHT ADJUSTABLE STAND

In this custom Height Adjustable Stand, a DVD+/-RW is integrated into the base of the stand for optimal convenience.



OPTIPLEX ALL-IN-ONE PORT COVER

Designed for OptiPlex All-in-Ones this easy to install, streamlined solution secures your ports and protects your investment.

DISPLAYS AND INPUT DEVICES



DELL 22 MONITOR - P2217H

The smart choice for dual-display productivity with a 21.5" screen, full range of adjustable features, slim borders, and multiple connectivity points.



DELL PRO STEREO HEADSET - UC350

Communicate clearly with a headset optimized to provide in-person sound quality, certified for Microsoft Skype for Business.



DELL WIRELESS KEYBOARD AND MOUSE - KM636

Compact design and chiclet keys, this essential desktop solution offers the convenience of wireless and clutter-free performance.



DELL WIRED MOUSE WITH FINGERPRINT READER - MS819

Wired mouse with fingerprint reader offers convenient and secure login and online access without passwords.



TARGUS STYLUS FOR CAPACITIVE TOUCH DEVICES

Write accurately and comfortably with a durable stylus that won't scratch your screen. Operates with no power or software required.

Built for business



SECURE

Only Dell provides innovative data security solutions that meet security challenges and business concerns head-on to protect your most critical and at-risk asset, your data. With Dell Data Security solutions, end users can work where and how they want knowing that data is protected. Dell Data Guardian protects data where ever it goes. Dell Endpoint Security Suite, powered by Cylance, stops up to 99% of malware.



MANAGEABLE

The world's most manageable desktop is built to allow flexible and automated BIOS and system configurations through Dell Client Command Suite free tools. We make it easy to deploy, monitor and update your OptiPlex fleet.



RELIABLE

Features a reliable, built-to-last chassis that has undergone extensive testing including military-grade MIL-STD 810G, as well as component, accessory and lifecycle testing. OptiPlex beats the stress of the highly accelerated life test (HALT), ensuring premium quality from concept to production.

Features & Technical Specifications

Feature	OptiPlex 5260 All-in-One Technical Specifications ¹																								
Processors ¹	Intel® Pentium™ Gold G5400 (2 Cores/4MB/4T/3.7GHz/65W); supports Windows 10/Linux Intel® Pentium™ Gold G5500 (2 Cores/4MB/4T/3.8GHz/65W); supports Windows 10/Linux Intel® Core™ i3-8100 (4 Cores/6MB/4T/3.6GHz/65W); supports Windows 10/Linux Intel® Core™ i3-8300 (4 Cores/8MB/4T/3.7GHz/65W); supports Windows 10/Linux Intel® Core™ i5-8400 (6 Cores/9MB/6T/up to 4.0GHz/65W); supports Windows 10/Linux Intel® Core™ i5-8500 (6 Cores/9MB/6T/up to 4.1GHz/65W); supports Windows 10/Linux Intel® Core™ i5-8600 (6 Cores/9MB/6T/up to 4.3GHz/65W); supports Windows 10/Linux Intel® Core™ i7-8700 (6 Cores/12MB/12T/up to 4.6GHz/65W); supports Windows 10/Linux																								
Chipset	Intel® Q370 Chipset																								
Operating System Options ¹	Microsoft® Windows 10 Home (64-bit) Microsoft® Windows 10 Pro (64-bit) Microsoft® Windows 10 Embedded (OEM only) Ubuntu 16.04 (64-bit) NeoKylin 6.0 (China only)																								
Panel	21.5" Narrow Bezel FHD IPS (1920X1080) resolution with Glare-Free finish on Non touch; Optional Capacitive Touch screen Via Cover glass																								
Video ²	Intel Integrated HD Graphics 630																								
Memory ^{2,3}	4GB (1x4GB) 2666MHz DDR4 8GB (2x4GB) 2666MHz DDR4 8GB (1x8GB) 2666MHz DDR4 16GB (2x8GB) 2666MHz DDR4 16GB (1x16GB) 2666MHz DDR4 32GB (2x16GB) 2666MHz DDR4 (2400MHz performance on Celeron, Pentium, and i3 processors) Optional Intel® Optane™ Memory 16GB																								
Networking ⁴	Integrated Intel® I219-LM Ethernet LAN 10/100/1000 Mb/s Ethernet (RJ-45) wuth Intel Remote Wake UP and PXE Qualcomm® QCA6174A Dual-band 2x2 802.11ac Wireless with MU-MIMO + Bluetooth 4.2 (Optional) Intel® Wireless-AC 9560, Dual-band 2x2 802.11ac Wi-Fi with MU-MIMO + Bluetooth 5 (Optional)																								
I/O Ports	USB 2.0 with Power on/Wake-Up Support: Rear (2) USB 3.1 Type A Gen 1 Port with Power Share: Side (1) and Rear (2) USB 3.1 Type C Gen 2 Port: Side (1) DisplayPort 1.2 (rear) ; Universal Audio Jack (side) ; Audio Line-Out (rear); RJ-45 (rear)																								
Number of Bays	One internal 2.5 inch																								
Expansion Slots	Two M.2 connectors (one for Wi-Fi card, one for Solid State Drive)																								
Removable Media	SD 4.0 Media Card Reader (standard) Optional DVD +/-RW Via Height Adjustable Stand																								
Storage Options ^{1,5}	<table border="0"> <tr> <td>2.5 inch 500GB 5400rpm SATA Hard Disk Drive</td> <td>M.2 128GB SATA Class 20 Solid State Drive</td> </tr> <tr> <td>2.5 inch 500GB 7200rpm SATA Hard Disk Drive</td> <td>M.2 1TB PCIe Class 40 Solid State Drive</td> </tr> <tr> <td>2.5 inch 500GB 5400rpm SATA Solid State Hybrid Drive w/ 8GB Flash</td> <td>M.2 256GB PCIe NVMe Class 40 Solid State Drive</td> </tr> <tr> <td>2.5 inch 500GB 7200rpm FIPS Self Encrypting Opal 2.0 Hard Disk Drive</td> <td>M.2 256GB SATA Class 20 Solid State Drive</td> </tr> <tr> <td>2.5 inch 1TB 5400rpm SATA Hard Disk Drive</td> <td>M.2 256GB SATA Class 20 Self Encrypting Opal 2.0 Solid State Drive</td> </tr> <tr> <td>2.5 inch 1TB 7200rpm SATA Hard Disk Drive</td> <td>M.2 512GB PCIe NVMe Class 40 Self Encrypting Opal 2.0 Solid State Drive</td> </tr> <tr> <td>2.5 inch 1TB 5400rpm SATA Solid State Hybrid Drive w/ 8GB Flash</td> <td>M.2 512GB PCIe NVMe Class 40 Solid State Drive</td> </tr> <tr> <td>2.5 inch 2TB 5400rpm SATA Hard Disk Drive</td> <td>M.2 512GB SATA Class 20 Solid State Drive</td> </tr> <tr> <td></td> <td>M.2 512GB SATA Class 20 Self Encrypting Opal 2.0 Solid State Drive</td> </tr> <tr> <td></td> <td>M.2 128GB PCIe NVMe Class 35 Solid State Drive</td> </tr> <tr> <td></td> <td>M.2 256GB PCIe NVMe Class 35 Solid State Drive</td> </tr> <tr> <td></td> <td>M.2 512GB PCIe NVMe Class 35 Solid State Drive</td> </tr> </table>	2.5 inch 500GB 5400rpm SATA Hard Disk Drive	M.2 128GB SATA Class 20 Solid State Drive	2.5 inch 500GB 7200rpm SATA Hard Disk Drive	M.2 1TB PCIe Class 40 Solid State Drive	2.5 inch 500GB 5400rpm SATA Solid State Hybrid Drive w/ 8GB Flash	M.2 256GB PCIe NVMe Class 40 Solid State Drive	2.5 inch 500GB 7200rpm FIPS Self Encrypting Opal 2.0 Hard Disk Drive	M.2 256GB SATA Class 20 Solid State Drive	2.5 inch 1TB 5400rpm SATA Hard Disk Drive	M.2 256GB SATA Class 20 Self Encrypting Opal 2.0 Solid State Drive	2.5 inch 1TB 7200rpm SATA Hard Disk Drive	M.2 512GB PCIe NVMe Class 40 Self Encrypting Opal 2.0 Solid State Drive	2.5 inch 1TB 5400rpm SATA Solid State Hybrid Drive w/ 8GB Flash	M.2 512GB PCIe NVMe Class 40 Solid State Drive	2.5 inch 2TB 5400rpm SATA Hard Disk Drive	M.2 512GB SATA Class 20 Solid State Drive		M.2 512GB SATA Class 20 Self Encrypting Opal 2.0 Solid State Drive		M.2 128GB PCIe NVMe Class 35 Solid State Drive		M.2 256GB PCIe NVMe Class 35 Solid State Drive		M.2 512GB PCIe NVMe Class 35 Solid State Drive
2.5 inch 500GB 5400rpm SATA Hard Disk Drive	M.2 128GB SATA Class 20 Solid State Drive																								
2.5 inch 500GB 7200rpm SATA Hard Disk Drive	M.2 1TB PCIe Class 40 Solid State Drive																								
2.5 inch 500GB 5400rpm SATA Solid State Hybrid Drive w/ 8GB Flash	M.2 256GB PCIe NVMe Class 40 Solid State Drive																								
2.5 inch 500GB 7200rpm FIPS Self Encrypting Opal 2.0 Hard Disk Drive	M.2 256GB SATA Class 20 Solid State Drive																								
2.5 inch 1TB 5400rpm SATA Hard Disk Drive	M.2 256GB SATA Class 20 Self Encrypting Opal 2.0 Solid State Drive																								
2.5 inch 1TB 7200rpm SATA Hard Disk Drive	M.2 512GB PCIe NVMe Class 40 Self Encrypting Opal 2.0 Solid State Drive																								
2.5 inch 1TB 5400rpm SATA Solid State Hybrid Drive w/ 8GB Flash	M.2 512GB PCIe NVMe Class 40 Solid State Drive																								
2.5 inch 2TB 5400rpm SATA Hard Disk Drive	M.2 512GB SATA Class 20 Solid State Drive																								
	M.2 512GB SATA Class 20 Self Encrypting Opal 2.0 Solid State Drive																								
	M.2 128GB PCIe NVMe Class 35 Solid State Drive																								
	M.2 256GB PCIe NVMe Class 35 Solid State Drive																								
	M.2 512GB PCIe NVMe Class 35 Solid State Drive																								

Features & Technical Specifications

Feature	OptiPlex 5260 All-in-One Technical Specifications ¹				
Camera	2.0MP 1080P FHD or Infrared Pop-up Webcam (Supports Windows Hello)				
Power Supply Unit (PSU) ¹	80 PLUS internal Power Supply Unit; optional 155W EPA Bronze or 240W EPA Platinum				
Panel Type	Measurement	Full HD Non-Touch		Full HD Touch	
	Dimensions (w/o stand) (H x W x D)	12.95 x 19.61 x 2.15 inches 32.90 x 49.79 x 5.45 cm		12.95 x 19.61 x 2.15 inches 32.90 x 49.80 x 5.45 cm	
	Minimum System Weight (lbs./kg)	5.33 lbs / 11.75kg		5.74 lbs / 12.65kg	
Peripherals Options ¹	Stylus: Targus Stylus for Capacitive Touch Devices Keyboards: Dell wired multimedia keyboards, Dell wireless keyboards, Dell Smart Card keyboard Mouse: Dell wired mouse, Dell wireless mouse, Dell USB Laser mouse, Dell Fingerprint Reader Mouse Audio: Optional external speakers, Dell Pro Stereo Headset Locks: Dell Lockable Port Cover, Noble Custom AiO Plate Lock, select Kensington MicroSaver and ClickSafe locks Additional Monitors: Qualified with select Dell UltraSharp, Professional, and E series monitors				
Stand Type (Panel also supports VESA)	Measurement	Basic Stand	Height Adjustable Stand	Height Adjustable Stand with Optical Disk Drive	Articulating Stand
	Stand Weight (lbs./kg)	5.18 lbs / 2.35 kg	6.64 lbs / 3.01 kg	8.20 lbs / 3.72 kg	7.58 lbs / 3.44 kg
	Stand Max Height x Width x Depth (inches / centimeters)	9.94 x 9.21 x 7.60 inches 25.26 x 23.40 x 19.30 cm	14.43 x 10.09 x 8.86 inches 36.67 x 25.64 x 22.50 cm	14.68 x 11.34 x 0.77 inches 37.30 x 28.8 x 27.35 cm	9.19 x 10.00 x 9.98 inches 23.35 x 25.42 x 25.36 cm
Software Security Options	Dell Endpoint Security Suite Enterprise, Dell Data Guardian, Dell Encryption, Dell Threat Defense, MozyPro [®] , MozyEnterprise [®] , RSA NetWitness [®] Endpoint, VMware Airwatch [®] , RSA SecureID Access, Absolute Data & Device Security, Microsoft Windows BitLocker, Local Hard Drive data wipe via BIOS ("Secure Erase"), BIOS security functions including auto recovery, Setup/BIOS password, firmware support for optional Absolute Data & Device Security (formerly Computrace) ⁸				
Hardware Security Options	Trusted Platform Module ⁷ (TPM) 2.0, Self-Encrypting Storage Drives (Opal, FIPS), Chassis lock slot support, Chassis Intrusion Switch, Optional Lockable Port Cover, Optional Smart Card keyboard				
Systems Management	Dell Client Command Suite for In-Band systems management Intel [®] Standard Manageability				
Environmental & Regulatory Standards	ENERGY STAR, EPEAT Registered ⁶ , TCO Edge Certified, CEL, WEEE, Japan Energy Law, China RoHS ¹² Other Environmental Options: Carbon Offset, Asset Resale and Recovery Service. Please see your local representative or www.dell.com for specific details.				
Warranty and Service	Limited Hardware Warranty ⁹ , Standard Next Business Day On Site Service after Remote Diagnosis ¹⁰ (term varies by region); Optional 3-year Dell ProSupport [™] and ProSupport Plus [™] ; 4 year and 5 year service and support options ¹¹				
Configuration Services	Factory Image load, BIOS Customization, Hardware Customization, Asset Tagging and Reporting				



Powerful solutions in a single, elegant design.

OPTIPLEX 5260 ALL-IN-ONE

Discover professional class desktops at www.dell.com/OptiPlex

- ¹ Offering may vary by region. Some items may be available after product introduction. For complete details, refer to the Technical Guidebook published on www.dell.com.
- ² System Memory and Graphics: Significant system memory may be used to support graphics, depending on system memory size and other factors.
- ³ 4GB or Greater System Memory Capability: A 64-bit operating system is required to support 4GB or more of system memory.
- ⁴ Particular versions of Microsoft Windows may not support the full Bluetooth 4.2 functionality.
- ⁵ Storage Option: GB means 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.
- ⁶ TPM is available in selected regions.
- ⁷ Computrace: Not a Dell offer. Certain conditions apply. For full details, see terms and conditions at www.lockforlaptops.com.
- ⁸ Please refer to www.epeat.net for specific country registration rating and participation.
- ⁹ Limited Hardware Warranty: For copy of Ltd Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty.
- ¹⁰ Onsite Service after Remote Diagnosis: Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty (www.dell.com/warranty) and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.
- ¹¹ Dell Services: Availability and terms of Dell Services vary by region. For more information, visit www.dell.com/servicedescriptions.
- ¹² For complete listing of declarations and certifications, refer to the Dell Regulatory and Environmental Datasheet found in the Manuals section of Product Support information www.dell.com/support/home/us/en/19.