

Full performance business desktops deliver ultimate productivity in innovative, compact designs

OPTIPLEX 5060 TOWER, SMALL FORM FACTOR AND MICRO





IMPRESSIVELY POWERFUL

Intel[®] 8th generation processors allow for the fastest OptiPlex yet. Next gen discrete graphics, robust SSD and hard drive options scale to your business needs.



ADVANCED MANAGEABILITY

Gain more uptime for end users and IT with Intel[®] Standard Manageability (ISM) and free management and automation tools from Dell Client Command Suite.



SEE AND DO MORE

Support a multi-display set up with two standard DisplayPorts and choice of VGA, DP, HDMI2.0c or USB Type-C Alt Mode as optional third port.



SMART DESIGN

Sustainably built, compact designs with custom mounts and stands adapt to your workspace. TPM 2.0, lockable cable covers and chassis intrusion switch protect your investment.



Recommended Accessories OPTIPLEX 5060 TOWER, SMALL FORM FACTOR AND MICRO



OPTIPLEX SMALL FORM FACTOR ALL-IN-ONE STAND

Small footprint mounting solution featuring integrated monitor power and Ethernet cables, as well as monitor adjustability with height, tilt, swivel and pivot functions.

CUSTOM STANDS AND MOUNTS



OPTIPLEX MICRO ALL-IN-ONE STAND

Small footprint mounting solution adapts to your environment, with cable management and monitor height adjustability, tilt, swivel and pivot functions.



OPTIPLEX MICRO ALL-IN-ONE STAND FOR DELL E SERIES MONITORS

This mount allows the Micro to be VESA mounted to select Dell E Series displays.



OPTIPLEX MICRO DUAL VESA MOUNT

Completely open your workspace with a behind-the-monitor mounting solution.



OPTIPLEX MICRO DVD+/-RW ENCLOSURE

Mount your system on a wall or under a surface with full optical drive access. Includes an adapter box to securely house the system's power adapter.

PURPOSE-BUILT SOLUTIONS





DELL 24 MONITOR - P2419H

23.8" ultrathin bezel optimized or dual display productivity. Easy Arrange feature enables multitasking efficiency and its small base frees valuable workspace.



DELL ULTRASHARP 24 MONITOR - U2419H

See details and true-to-life color on this UltraSharp monitor with virtually borderless InfinityEdge, packaged in a sleek, space saving design.



DELL WIRELESS KEYBOARD AND MOUSE - KM636

Compact design and chiclet keys, this essential desktop solution offers the convenience of wireless and clutter-free performance.



DELL WIRED MOUSE WITH FINGERPRINT READER - MS819

Wired mouse with fingerprint reader offers convenient and secure login and online access without passwords.



DELL PRO STEREO HEADSET - UC350

Communicate clearly with a headset optimized to provide in-person sound quality, certified for Microsoft Skype for Business.



OPTIPLEX CABLE COVERS

Thermally tested custom cable covers offer an easy to install and attractive way to manage cables and secure ports. Now available for OptiPlex Micro.



OPTIPLEX DUST FILTERS Custom dust filters safeguard internal components in factory, warehouse, or retail environments.

Built for business



Only Dell provides innovative data security solutions that meet security challenges and business concerns head-on to protect your most critical and at-risk asset, your data. With Dell Data Security solutions, end users can work where and how they want knowing that data is protected. Dell Data Guardian protects data where ever it goes. Dell Endpoint Security Suite, powered by Cylance, stops up to 99% of malware.



The world's most manageable desktop is built to allow flexible and automated BIOS and system configurations through Dell Client Command Suite free tools. We make it easy to deploy, monitor and update your OptiPlex fleet.

MANAGEABLE



Features a reliable, built-to-last chassis that has undergone extensive testing including military-grade MIL-STD 810G, as well as component, accessory and lifecycle testing to ensure premium quality from concept to production.

RELIABLE

Features & Technical Specifications

Feature OptiPlex 5060 Technical Specifications¹ Processors¹ Intel Pentium[™] Gold G5400 (2 Cores/4MB/4T/3.7GHz/65W); supports Windows 10/Linux Intel Pentium[™] Gold G5500 (2 Cores/4MB/4T/3.8GHz/65W); supports Windows 10/Linux Intel® Core™ i3-8100 (4 Cores/6MB/4T/3.6GHz/65W); supports Windows 10/Linux Intel® Core™ i3-8300 (4 Cores/8MB/4T/3.7GHz/65W); supports Windows 10/Linux Intel® Core™ i5-8400 (6 Cores/9MB/6T/up to 4.0GHz/65W); supports Windows 10/Linux Intel® Core™ i5-8500 (6 Cores/9MB/6T/up to 4.1GHz/65W); supports Windows 10/Linux Intel® Core™ i5-8600 (6 Cores/9MB/6T/up to 4.3GHz/65W); supports Windows 10/Linux Intel® Core™ i7-8700 (6 Cores/12MB/12T/up to 4.6GHz/65W); supports Windows 10/Linux Intel Pentium[™] Gold G5400T (2 Cores/4MB/4T/3.1GHz/35W); supports Windows 10/Linux Intel Pentium[™] Gold G5500T (2 Cores/4MB/4T/3.2GHz/35W); supports Windows 10/Linux Intel® Core™ i3-8100T (4 Cores/6MB/4T/3.1GHz/35W); supports Windows 10/Linux Intel[®] Core[™] i3-8300T (4 Cores/8MB/4T/3.2GHz/35W); supports Windows 10/Linux Intel[®] Core™ i5-8400T (6 Cores/9MB/6T/up to 3.3GHz/35W); supports Windows 10/Linux Intel® Core™ i5-8500T (6 Cores/9MB/6T/up to 3.5GHz/35W); supports Windows 10/Linux Intel[®] Core™ i5-8600T (6 Cores/9MB/6T/up to 3.7GHz/35W); supports Windows 10/Linux Intel® Core™ i7-8700T (6 Cores/12MB/12T/up to 4.0GHz/35W); supports Windows 10/Linux Chipset Intel[®] Q370 Chipset Microsoft® Windows 10 Home (64-bit) **Operating System** Microsoft[®] Windows 10 Pro (64-bit) Options¹ Microsoft® Windows 10 National Academic Pro Ubuntu[®] 16.04 LTS (64-bit) Neokylin[®] v6.0 (China only) Integrated Intel[®] HD Graphics 610/630 Graphics Options^{2,15} AMD Radeon[™] R5 430, 2GB AMD Radeon™ RX 550. 4GB NVIDIA GeForce® GT 730. 2GB Dual AMD Radeon™ R5 430, 2GB Dual AMD Radeon™ RX 550, 2GB (Tower Only) *Please note that discrete graphics cards are not available on Micro Memory^{2,3} 4GB (1x4GB) 2666MHz DDR4 Memory 8GB (2x4GB) 2666MHz DDR4 Memory 8GB (1x8GB) 2666MHz DDR4 Memory 16GB (2x8GB) 2666MHz DDR4 Memory 16GB (1x16GB) 2666MHz DDR4 Memory 32GB (4x8GB) 2666MHz DDR4 Memory (Tower/Small Form Factor only) 32GB (2x16GB) 2666MHz DDR4 Memory 64GB (4x16GB) 2666MHz DDR4 Memory (Tower/Small Form Factor only) Memory performance on Intel Celeron™, Pentium™, and Core i3 processor will be at 2400MHz Optional Intel[®] Optane[™] Memory 16GB Networking^{1,4} Integrated Intel I219-V Ethernet LAN 10/100/1000 Qualcomm® QCA9377 Dual-band 1x1 802.11ac Wireless with MU-MIMO + Bluetooth 4.1 Qualcomm[®] QCA61x4A Dual-band 2x2 802.11ac Wireless with MU-MIMO + Bluetooth 4.2 Intel® Wireless-AC 9560, Dual-band 2x2 802.11ac Wi-Fi with MU-MIMO + Bluetooth 5 I/O Ports Tower/SFF 10 External USB : 5 x 3.1 Gen 1 (1 Type-A front, 4 Type-A rear), 1 USB Type-C x 3.1 Gen 2 (front), and 4 x 2.0 (2 Type-A front - 1 front with PowerShare, 2 Type A rear - 2 SmartPower On) Micro: 6 External USB: 5 x 3.1 Gen 1 Type-A (1 front - PowerShare/4 rear - 1 SmartPower On) and 1 USB Type-C x 3.1 Gen 2 (front) 1 RJ - 45 2 Displayport 1 Optional 3rd Video Port (VGA/DP/HDMI 2.0b/USB Type-C Alt-mode) 1 Optional Serial Port 1 Universal Audio Jack 1 Line-Out Removable Media Optional 8x DVD-ROM 9.5mm ODD (Tower/Small Form Factor only) Options Optional 8x DVD+/-RW 9.5mm ODD (Tower/Small Form Factor only) Optional SD Media Card Reader *Optical drive on Micro available via DVD+/- RW Enclosure

Features & Technical Specifications

OptiPlex 5060 Technical Specifications¹

Storage	Options ^{4,16}

Feature

2.5 inch 500GB 5400rpm SATA Hard Disk Drive 2.5 inch 500GB 7200rpm SATA Hard Disk Drive 2.5 inch 500GB 5400rpm SATA Solid State Hybrid Drive w/ 8GB Flash 2.5 inch 500GB 7200rpm FIPS Self Encrypting Opal 2.0 Hard Disk Drive 2.5 inch 1TB 7200rpm SATA Hard Disk Drive 2.5 inch 1TB 5400rpm SATA Solid State Hybrid Drive w/ 8GB Flash 2.5 inch 2TB 5400rpm SATA Hard Disk Drive 3.5 inch 500GB 7200rpm SATA Hard Disk Drive 3.5 inch 1TB 7200rpm SATA Hard Disk Drive 3.5 inch 2TB 7200rpm SATA Hard Disk Drive 2.5 inch 256GB SATA Class 20 Solid State Drive 2.5 inch 512GB SATA Class 20 Solid State Drive 2.5 inch 1TB SATA Class 20 Solid State Drive M.2 128GB SATA Class 20 Solid State Drive M.2 128GB PCIe NVMe Class 35 Solid State Drive M.2 1TB PCIe Class 40 Solid State Drive M.2 256GB PCIe NVMe Class 40 Solid State Drive M.2 256GB SATA Class 20 Solid State Drive M.2 256GB SATA Class 20 Self Encrypting Opal 2.0 Solid State Drive M.2 256GB PCIe NVMe Class 35 Solid State Drive M.2 512GB PCIe NVMe Class 40 Self Encrypting Opal 2.0 Solid State Drive

M.2 512GB PCIe NVMe Class 40 Solid State Drive

M.2 512GB SATA Class 20 Solid State Drive

M.2 512GB SATA Class 20 Self Encrypting Opal 2.0 Solid State Drive

M.2 512GB PCIe NVMe Class 35 Solid State Drive

Chassis

Form Factor	Tower	Small Form Factor (SFF)	Micro
Dimensions (H × W × D) (Inches/cm)	13.8" x 6.1" x 10.8" / 35 x 15.4 x 27.4	11.4" x 3.7" x 11.5" / 29.0 x 9.26 x 29.2	7.2" × 1.4" × 7.0" / 18.2 × 3.6 × 17.8
Min. Weight (lbs/kg)	17.49 / 7.93	11.57 / 5.26	2.6 / 1.18
Number of Bays (max)	1 internal 3.5" HDD 2 internal 2.5" HDD 1 internal slim ODD	1 x 3.5" or 2 x 2.5" HDD	1 internal 2.5" HDD
		1 internal slim ODD	
Expansion Slots	1 Full Height PCle x16 1 Full Height PCle x16 (wired x4) 2 full height PCle x1 1 M.2 for storage	1 Half Height PCle x16 1 Half Height PCle x16 (wired x4) 1 M.2 for storage	1 M.2 for storage (22x80mm or 22x30mm)
	(22x80mm or 22x30mm) 1 M.2 for wireless (22x30mm)	(22x80mm or 22x30mm) 1 M.2 for wireless (22x30mm)	1 M.2 for wireless (22x30mm)
Power Supply ^{1,6}	260W typical 85% Efficient PSU (80 PLUS Bronze); ENERGY STAR complaint, Active PFC	200W typical 85% Efficient PSU (80 PLUS Bronze); ENERGY STAR complaint, Active PFC	90W external PSU (for 35W CPU)
	260W typical 92% Efficient PSU (80 PLUS Platinum); ENERGY STAR complaint, Active PFC	200W typical 92% Efficient PSU (80 PLUS Platinum); ENERGY STAR complaint, Active PFC	

Features & Technical Specifications

Feature	OptiPlex 5060 Technical Specifications ¹
	 Monitors: qualified with select Dell UltraSharp, Professional and E series monitors Micro Mounting Options: Micro Vertical Stand, Micro VESA Mount, Micro Dual VESA Mount, Micro All-in-One Stand, Micro All-in-One Mount for E Series Displays, Micro DVD+/-RW Enclosure. Small Form Factor mounting option: Small Form Factor All-in-One Stand Keyboards: Dell wired keyboard with multimedia functionality, Dell Smart Card keyboard, Dell wireless keyboard Mouse: Dell wired mouse, Dell wireless mouse, Dell Laser mouse, Dell Wired Fingerprint Reader Mouse Audio Speakers: Internal Dell Business audio speaker, Dell stereo speaker systems available; Dell sound bar for select flat-panel displays. Dell Wireless Speaker System available. Audio Headsets: Dell Pro Stereo headsets
Security Options	Trusted Platform Module ⁶ TPM 2.0, Dell Data Protection Encryption, Microsoft Windows Bitlocker, Local HDD data wipe via BIOS ("Secure Erase"), Encryption-SED HDD (Opal FIPS), Chassis lock slot support, Lockable Port Cover, Chassis Intrusion Switch, D-Pedigree (Secure Supply Chain Functionality), Setup/BIOS Password, Optional Smart Card keyboards, Intel [®] Trusted Execution Technology, Intel [®] Identity Protection Technology, Firmware support for optional Absolute Data & Device Security (formerly Computrace) ⁷ , Intel Software Guard eXtensions
Systems Management Options ⁹	Dell Client Command Suite for In-Band Systems Management, Optional Intel Standard Manageability
Environmental, Ergonomic & Regulatory Standards ¹⁰	Environmental Standards (eco-labels): ENERGY STAR, EPEAT Registered ⁹ , TCO Certified, CEL, WEEE, Japan Energy Law, South Korea E-standby, South Korea Eco-label, EU RoHS, China RoHS ¹⁴ . Please see your local representative or www.dell.com for specific details.
Warranty	Limited Hardware Warranty ¹⁰ ; Standard Next Business Day On Site Service after Remote Diagnosis ¹¹ ; Optional Dell ProSupport offers premium support from expert technicians and 24x7 availability ¹² .
Configuration Services	Factory Image load, BIOS Customization, Hardware Customization, Asset Tagging and Reporting.



When the desktop works your way, your efficiency is unlimited.

OPTIPLEX 5060 TOWER, SMALL FORM FACTOR AND MICRO

Discover professional class desktops at www.dell.com/OptiPlex

- ¹ Offering may vary by region. Some items may be available after product introduction. For complete details, refer to the Technical Guidebook published on www.dell.com.
- ² System Memory and Graphics: Significant system memory may be used to support graphics, depending on system memory size and other factors.
- ³ 4GB or Greater System Memory Capability: A 64-bit operating system is required to support 4GB or more of system memory.
- ⁴ Particular versions of Microsoft Windows may not support the full Bluetooth 4.2 functionality
- ⁶. Storage: GB means 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.
- ⁶ PSU: This form factor utilizes a more efficient Active Power Factor Correction (APFC) power supply. Dell recommends only Universal Power Supplies (UPS) based on Sine Wave output for APFC PSUs, not an approximation of a Sine Wave, Square Wave, or quasi-Square Wave (see UPS technical specifications). If you have questions please contact the manufacturer to confirm the output type.
- ⁷ TPM is not available in all regions.
- ^a Absolute™ Data & Device Security: An Absolute™ offer. Some conditions apply. Terms and Conditions at www.absolute.com/legal
- ^a Systems Management Options: Desktop and mobile Architecture for System Hardware (DASH) Fully enabled at point of purchase.
- ¹⁰. For complete listing of declarations and certifications, refer to the Dell Regulatory and Environmental Datasheet found in the Manuals section of Product Support
- information at www.dell.com/support/home/us/en/19
- ¹¹ Please refer to www.epeat.net for specific country registration rating and participation.
- ¹² Limited Hardware Warranty: For copy of Ltd Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty
- ^{13.} Onsite Service after Remote Diagnosis: Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty (www.dell.com/warranty) and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.
- ¹⁴. Dell Services: Availability and terms of Dell Services vary by region. For more information, visit www.dell.com/servicedescriptions
- ^{15.} AMD and NVIDIA discrete graphics options are only available on Tower and Small Form Factor
- ¹⁶ 2.5 Inch Solid State Drives are only available as a secondary storage option and can only be paired with a Solid State Drive as the Primary Storage Device.