

Real-World Radiance

DELL 24 ULTRATHIN MONITOR | S2419HM DELL 27 ULTRATHIN MONITOR | S2719DM



S2719DM:





Supports HDR-content playback

Visuals appears every bit as vibrant as the world around you with CinemaColor



The brighter, the better

Going from 300 to 600 nits provides a viewing experience like no other, even in high-ambient environment



Take thinness to the edge

With a mere 5.5mm at its thinnest point in a sleek profile with InfinityEdge display



Built-in convenience

Dual HDMI ports allows changing input sources between two devices without rearranging the cords.



A view that thrills

Illuminate your life: Introducing the world's brightest ultrathin monitor in its class¹ with Corning Iris™ Glass light-guide plate (LGP).

Like nothing you've seen before: Visuals appear every bit as vibrant as the world around you with CinemaColor. Enjoy HDR content and experience the deepest blacks, the most dazzling brights and vibrant colors on this ultrathin monitor.

Rivals real life: View consistent and accurate colors from every angle with an IPS (in-plane switching) screen. An impressive color gamut of greater than 85% DCI-P3 and greater than 99% sRGB color coverage ensures strikingly realistic images.

Take thinness to the edge

This beautifully-designed ultrathin monitor can enhance any room with its super sleek profile at only 5.5mm at its thinnest. Indulge in an expansive viewing experience with a virtually borderless InfinityEdge display. That means you can focus on the vibrant picture, with less distraction.



FOR MORE INFORMATION, VISIT DELL.COM/MONITORS

The Brighter, the better

An unparalleled view: With peak brightness of 600 nits, you get brilliant pictures and the brightest ultrathin monitors to date.¹

Sheer brilliance: 600 nits brightness is brighter than a typical monitor panel, so you get a great view, even in bright areas or high ambient environments.

Easy on the eyes: Read as long as you like. The flicker-free screen with ComfortView² optimizes eye comfort and reduces harmful blue light emissions.

Built-in convenience

Hassle-free: Easy-to-access connectivity ports, like dual HDMI ports, allow you to change input sources between two devices with ease, without rearranging the cords.

Your ideal screen: With Dell Easy Arrange you can customize your Windows layout and set your applications side by side so nothing gets buried.

Comes with Dell's high reliability promise

As the No.1 monitor brand worldwide* we take pride in our unyielding commitment to quality and the utmost satisfaction of our customers.

Minimize downtime with Dell's Advanced Exchange Service.³

Features & Technical Specifications

Dell 24 Ultrathin Monitor S2419HM		Dell 27 Ultrathin Monitor S2719DM	
Display	Technical Specification	Display	Technical Specification
Model Number	S2419HM	Model Number	S2719DM
Viewable image size (diagonal)	60.45 cm (23.8")	Viewable image size (diagonal)	68.47 cm (27")
Active display area Horizontal Vertical	527.04 mm (20.75") 296.46 mm (11.67")	Active display area Horizontal Vertical	569.74 mm (22.43") 335.66 mm (13.21")
Maximum resolution	1920 x 1080, 60 Hz	Maximum resolution	2560 x 1440, 60 Hz
Aspect ratio	16:9	Aspect ratio	16:9
Pixel pitch	0.2745mm x 0.2745mm	Pixel pitch	0.233mm x 0.233mm
Brightness (typical)	400 cd/m ² / 600 cd/m ² (peak)	Brightness (typical)	400 cd/m ² / 600 cd/m ² (peak)
Color gamut (typical)	>99% of sRGB; >85% of DCI-P3	Color gamut (typical)	>99% of sRGB; >85% of DCI-P3
Color depth	16.7 million colors	Color depth	16.7 million colors
Contrast ratio (typical)	1,000 : 1	Contrast ratio (typical)	1,000 : 1
Dynamic contrast ratio	8 million : 1	Dynamic contrast ratio	8 million : 1
Viewing angle (typical) (vertical/horizontal)	178º/178º	Viewing angle (typical) (vertical/horizontal)	178º/178º
Response time (typical)	5 ms (FAST mode) and 8 ms (NORMAL mode)	Response time (typical)	5 ms (FAST mode) and 8 ms (NORMAL mode)
Panel technology	In-Plane Switching type; Anti-glare treatment of the front polarizer (3H)	Panel technology	In-Plane Switching type; Anti- glare treatment of the front polarizer (3H)
Backlight	LED	Backlight	LED
Supports HDR content playback	Yes; HDR-capable	Supports HDR content playback	Yes; Vesa CERTIFIED DisplayHDR* 400
ComfortView ² with Flicker-free screen	Yes	ComfortView ² with Flicker-free screen	Yes
Dell Display Manager	Yes with Dell Easy Arrange	Dell Display Manager	Yes with Dell Easy Arrange
Speakers	Optional Dell External Speaker (AE415)	Speakers	Optional Dell External Speaker (AE415)
Connectors	2x HDMI-in 2.0, 1x Analog 2.0 Audio Line-Out (3.5mm jack)	Connectivity Connectors	2x HDMI-in 2.0, 1x Analog 2.0 Audio Line-Out (3.5mm jack)
Design features		Design features	
Tilt	Yes (Tilt: 5° / 21°)	Tilt	Yes (Tilt: 5° / 21°)
Standard service plan	1 Year Advanced Exchange Service ³ & Limited Hardware	Standard service plan	1 Year Advanced Exchange Service ³ & Limited Hardware

¹Based on an August 2017 internal analysis comparing brightness (cd/m²) on 27.0" size monitors and 23.8" size monitors in the market respectively. ²ComfortView feature reduces blue light emission and brightness onscreen. ³Advanced Exchange Service: Replacement part/unit dispatched, if needed, following completion of phone/online diagnosis.

Warranty⁴

Fee charged for failure to return defective unit. Availability varies. Other conditions apply.

Fer a copy of the Limited Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see Dell.com/warranty.

DELL 24 ULTRATHIN MONITOR | S2419HM DELL 27 ULTRATHIN MONITOR | S2719DM



What's in the box?

Components

Monitor panel with stand

Cables

- HDMI 20 cable
- Power cable and adapter

Documentation

- Quick Setup Guide
- Safety, Environmental, and Regulatory information

Connectivity

*Audio line-out port does not support headphones









*Source: IDC Worldwide PC Monitor Tracker (3Q17)