



Elevated entertainment

Dell 27 Plus QHD USB-C Monitor

MODEL: S2725DC

The world's # 1 monitor company*

*Source: IDC Worldwide Quarterly PC Monitor Tracker, Q1 2025. CLM-005299



Elevate all your entertainment needs on a 27-inch QHD monitor featuring a 144Hz refresh rate, USB-C connectivity and built-in speakers.

Elevated entertainment

Enjoy your favorite shows with smooth, fluid visuals brought to life by QHD resolution and a 1500:1 contrast ratio, delivering vibrant detail and remarkable depth.

Experience unmatched speed and precision in every frame with a 144 Hz refresh rate, AMD FreeSync™, and 1ms Moving Picture Response Time (MPRT), ensuring seamless performance whether you're enjoying casual gaming, streaming, or simply unwinding.

Built-in acoustic excellence

Immerse yourself in sound with integrated dual 3W speakers delivering a wider range of frequencies. Whether you're watching a movie or enjoying music, you can fine-tune your experience with five preset sound profiles or create your own for personalized, dynamic audio that suits every moment.

Easy connectivity and all-day comfort

Keep your desk tidy and organized with just one USB-C cable that delivers up to 65W of power.

With front facing pop-out quick-access ports USB-C (with up to 15W charging) and USB Type-A ports, connecting devices is simple and hassle-free.

Prioritize visual comfort with this 4-star TÜV-certified display. Reduce harmful blue light emissions while maintaining stunning image quality without compromising colors.

Additionally, you can customize your viewing experience by tilting, swiveling, pivoting, or adjusting the monitor's height for all-day comfort.



Vivid, fluid visuals

QHD resolution and 1500:1 contrast ratio bring astounding depth and vivid detail, while a 144 Hz refresh rate, AMD FreeSync™, and 1ms Moving Picture Response Time (MPRT) deliver a smooth, tear-free viewing experience.



Audio re-engineered

Experience tailored audio perfection with integrated dual 3W speakers delivering a wider range of frequencies, and five preset sound profiles.



All day comfort

Prioritize visual comfort with this 4-star TÜV-certified display. Reduce harmful blue light emissions while maintaining stunning image quality without compromising colors.

Customize your viewing experience by tilting, swiveling, pivoting, or adjusting the monitor's height.



Easy connectivity


Keep your desk tidy with a single USB-C cable delivering 65W power. Front pop-out USB-C (15W charging) and USB-A ports.

▶ [Click here to explore more.](#)

World's number 1 monitor company*

We deliver world-class monitors that have gone through rigorous development processes and stringent tests to ensure dependable performance. Get peace of mind with unmatched warranty and support options. Being environmentally forward in thinking, our monitors adhere to environment standards and are made with sustainable materials.

Smart design. Effortless experience.



Easy-to-use

Navigate the onscreen menu and adjust settings with a convenient joystick control.



Easy connectivity

Keep your desk organized and clutter-free with a single USB-C cable (up to 65W power delivery).



Easy access


Conveniently share and deliver content via pop-out quick access ports placed at the front of the display.

Comfort from every angle

Tilt, swivel, pivot and adjust the height (up to 110mm) of your monitor for all-day comfort.

Dell Display and Peripheral Manager

Easy Arrange¹ tiles apps across screens with pre-set partitions and customizes up to five windows, enhancing multitasking. Easy Arrange Memory saves and restores app profiles manually, on schedule, or at start-up.



¹ Requires Dell Display and Peripheral Manager software installation. Screen image simulated for illustrative purposes only. Monitor model varies.



Made for you, sustainably

Intentional design in every part

At the heart of our design is a commitment to sustainability. That's why our monitor helps reduce waste with a design made from recycled materials like up to 95% post-consumer recycled plastic, 100% recycled aluminum, 50% recycled steel, and up to 20% recycled glass.¹

Environmental standards

This monitor is certified ENERGY STAR®, meaning it has met high standards for energy efficiency.

Seamlessly modernize your tech

We can help you responsibly and securely retire your legacy IT equipment, regardless of brand, while addressing your sustainability goals.


Packaging with purpose

This monitor ships in a box made from 100% renewable materials. We are reducing plastic waste wherever possible and transitioning to a responsible fiber-based solution.²

¹ Based on internal analysis, June 2025. Up to 95% recycled plastic, 100% recycled aluminum in the stand, 50% recycled steel in the chassis, and at least 20% recycled glass in the panel. Applies to monitors: S2425HSM, S2725HSM, S2725DSM, S2725DC.

² Applies to all Dell monitors launched since 2023. Made from FSC mix sources which is a mix of material from FSC certified forests, recycled content and/or FSC controlled wood. Based on internal analysis, January 2025. Cushions now made from corrugated materials.

Ports & Slots



- | | | | |
|----------|--|-----------|---|
| 1 | Power connector | 6 | USB-C 5Gbps upstream port (DisplayPort 1.4 Alt. Mode, Power Delivery up to 65W) |
| 2 | Security lock slot ¹ | 7 | USB Type-A 5Gbps downstream port |
| 3 | Stand lock | 8 | USB-C 5Gbps downstream port, Power Delivery up to 15W |
| 4 | HDMI (HDCP 1.4) (Supports up to 2560x1440 144Hz, VRR as per specified in HDMI 2.1(TMDs)) | 9 | USB Type-A 5Gbps downstream port with Battery Charging 1.2 |
| 5 | DisplayPort 1.4 port (HDCP1.4) | 10 | Built-in speakers |

¹ Based on Kensington Security Slot™

FEATURE	TECHNICAL SPECIFICATION
MODEL	Dell 27 Plus QHD USB-C Monitor - S2725DC
MONITOR COLOR	Ash White
DIAGONAL VIEWING SIZE	684.7 mm (27.0")
ASPECT RATIO	16:9
MAXIMUM PRESET RESOLUTION	2560 x 1440
REFRESH RATE	144 Hz
PANEL TYPE	In-Plane Switching (IPS) Technology
VIEW ANGLE (V/H)	178° vertical (178° horizontal)
SURFACE TREATMENT	Anti-glare with hard-coating 3H
PIXEL PITCH	0.2331 mm (H) x 0.2331 mm (V)
PIXEL PER INCH (PPI)	109
CONTRAST RATIO	1,500:1 (typical)
BRIGHTNESS	• 350 cd/m² (typical)
RESPONSE TIME	• 1ms MPRT • 4ms GTG (Extreme) • 5ms GTG (Fast) • 8ms GTG (Normal)
COLOR GAMUT	99% sRGB (CIE 1931) (typical)
COLOR DEPTH	16.7 Million Colors
PANEL BITS	8-bit
CALIBRATION ACCURACY	No
VARIABLE REFRESH RATE	AMD FreeSync™
HDR	No
CURVATURE	No
TÜV EYE COMFORT	4 Star
LOW BLUE LIGHT	Yes
FLICKER FREE	Yes
CONNECTIVITY BACK-HDMI	1 x HDMI (HDCP1.4) (Support up to 2560 x 1440 144Hz, VRR as per specified in HDMI2.1(TMDs))
CONNECTIVITY BACK-DISPLAYPORT	1 x DisplayPort 1.4 (HDCP1.4)
CONNECTIVITY BACK-USB TYPE-A	1 x USB Type-A 5Gbps downstream port
CONNECTIVITY BACK-USB-C UPSTREAM WITH POWER DELIVERY	1 x USB-C 5Gbps upstream port (DisplayPort1.4 Alt. Mode, Power Delivery up to 65W)
CONNECTIVITY FRONT-USB TYPE-A	1 x USB Type-A 5Gbps downstream port with Battery Charging 1.2
CONNECTIVITY FRONT-USB TYPE-C	1 x USB-C 5Gbps downstream port, Power Delivery up to 15W
AUDIO OUTPUT	2 x 3W speakers
SOFTWARE COMPATIBILITY	Dell Display and Peripheral Manager (DDPM)
SECURITY	Kensington security slot (Cable lock sold separately)
PLATFORM SUPPORTED	Windows, macOS
LIMITED WARRANTY	1 Year (US/Canada), 3 Years (ROW)

FEATURE	TECHNICAL SPECIFICATION
ADDITIONAL WARRANTY INFORMATION	• (US/Canada) 1-year Advanced Exchange Service¹ and Premium Panel Exchange • (ROW) 3-year Advanced Exchange Service¹ and Premium Panel Exchange
STAND HEIGHT RANGE	Height adjustable up to 110mm
TILT ANGLE	-5° to 21°
SWIVEL ANGLE	30° to 30°
PIVOT ANGLE	+/-90°
FLAT PANEL MOUNT INTERFACE	VESA (100 mm x 100 mm)
BEZEL WIDTH (TOP)	7.30 mm (0.29 in.)
BEZEL WIDTH (LEFT OR RIGHT)	7.30 mm (0.29 in.)
BEZEL WIDTH (BOTTOM)	13.02 mm (0.51 in.)
DIMENSION (WITH STAND)- HEIGHT (EXTENDED)	500.13 mm (19.69 in.)
DIMENSION (WITH STAND)- HEIGHT (COMPRESSED)	390.13 mm (15.36 in.)
DIMENSION (WITH STAND)- WIDTH	611.34 mm (24.07 in.)
DIMENSION (WITH STAND)- DEPTH	201.83 mm (7.95 in.)
WEIGHT (WITH PACKAGING)	8.86 kg (19.54 lbs)
WEIGHT (WITH STAND, CABLES)	6.48 kg (14.29 lbs)
WEIGHT (WITHOUT STAND, CABLES)	4.62 kg (10.18 lbs)
WEIGHT OF STAND ASSEMBLY	1.56 kg (3.43 lbs)
DIMENSION (WITHOUT STAND)- HEIGHT	355.98 mm (14.02 in.)
DIMENSION (WITHOUT STAND)- WIDTH	611.34 mm (24.07 in.)
DIMENSION (WITHOUT STAND)- DEPTH	58.87 mm (2.32 in.)
WEIGHT (WITH PACKAGING)	8.86 kg (19.54 lbs)
WEIGHT (WITHOUT STAND, CABLES)	4.62 kg (10.18 lbs)
VOLTAGE REQUIRED	100 VAC to 240 VAC/50 Hz or 60 Hz ± 3 Hz/3.0 A
ENERGY EFFICIENCY CLASS (A TO G)	E 
POWER CONSUMPTION (MAX.)	175.00 W
POWER CONSUMPTION (OFF-MODE)	0.30 W
POWER CONSUMPTION (STANDBY MODE)	0.30 W
POWER CONSUMPTION (ON MODE)	21.40 W

¹ Advanced Exchange Service: Replacement part/unit dispatched, if needed, following completion of phone/online diagnosis. Fee charged for failure to return defective unit. Availability varies. Other conditions apply.

FEATURE	TECHNICAL SPECIFICATION
OPERATING HUMIDITY RANGE	10% to 80% non-condensing
NON-OPERATING HUMIDITY RANGE	10% to 90% (non-condensing)
OPERATING ALTITUDE	5,000 m (16,404 ft)
NON-OPERATING ALTITUDE	12,192 m (40,000 ft)
OPERATING TEMPERATURE RANGE	0°C to 40°C (32°F to 104°F)
NON-OPERATING TEMPERATURE RANGE	-20°C to 60°C (-4°F to 140°F)
COUNTRY OF ORIGIN	China/India
ENVIRONMENTAL COMPLIANCE & CERTIFICATION	• Restriction of Hazardous Substances (RoHS) • Product Safety, EMC and Environmental Datasheets • Dell Regulatory Compliance Home Page • Dell and the Environment • BFR/PVC reduce monitor (Circuit boards are made from BFR/PVC-free laminates) • Meets NFPA 99 leakage current requirements. • Arsenic-Free glass and Mercury-Free for the panel only
ENERGY EFFICIENCY COMPLIANCE & CERTIFICATION	ENERGY STAR 8.0
WHAT'S INCLUDED	• Monitor with stand • Power cable • 1 x USB Type-C to Type-C upstream cable 1.00 m • QR Card • Safety, Environmental, and Regulatory Information

Technical specifications subject to change without prior notice. Product availability varies by country. Please contact your Dell representative for more information.

© 2025 Dell Inc. or its subsidiaries. All Rights Reserved. Dell Technologies, Dell, EMC, Dell EMC and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners. USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries.