DELL ULTRASHARP 32 4K VIDEO CONFERENCING MONITOR **U3223QZ**

Your window to better work





Certified for Microsoft Teams

THE WORLD'S # 1 MONITOR COMPANY*

D&LLTechnologies

Your window to better work

Designed to provide outstanding collaborative, connected and visual experiences, this advanced video conferencing monitor features the most intelligent webcam in a 31.5" 4K video conferencing monitor[^] and is the 1st monitor in its class with IPS Black panel technology[^].





Connect like you're there

Look your best, always, with an intelligent webcam that includes a 4K HDR Sony STARVIS™ CMOS sensor. Experience automatic focus, light adjustments, enhanced visual clarity. Communicate clearly with integrated dual array echo cancellation mics and two 14W speakers.

Effortless security

Secure interactions with automatic camera disable and get to work fast with Dell ExpressSign-in that senses when you are close and signs you in via Windows Hello. Launch Team meetings effortlessly on this Certified for Microsoft Teams monitor.

Brilliance, because it matters

Bring your work to life with 4K clarity, incredible color and exceptional contrast with groundbreaking IPS Black technology on this 31.5" monitor with VESA certified DisplayHDR 400 and ComfortView Plus.

Peak productivity

Streamline your workspace with a USB-C Hub monitor that connects you to the Ethernet and a host of other devices. Peak productivity with a dual 4K monitor set up and a variety of multitasking features.

The CES Innovation Awards are based upon descriptive materials submitted to the judges. CTA did not verify the accuracy of any submission or of any claims made and did not test the item to which the award was given. CES[®] is a registered trademark of Consumer Technology Association (CTA)[®].

ULTRASHARP MONITOR U3223QZ

World's 1st 31.5" 4K video conferencing monitor featuring an intelligent 4K webcam[^] and

groundbreaking IPS Black panel technology[^].

Connect like you're there Look great always with an intelligent webcam that includes a 4K HDR Sony STARVIS™ CMOS sensor and multi-element lens to deliver crystal clear images.

Connect to multiple devices

access front ports.

with USB-C (up to 90W power delivery), RJ45 (Ethernet), super

speed USB 10Gbps and quick

Exceptional contrast

See incredible color and superior black performance with a contrast ratio of 2,000:1 on the world's first video conferencing monitor with IPS Black technology^.

. . .

. . .

and clarity

True brilliance

See more in outstanding detail

4K (3840 x 2160) resolution on a large 31.5" monitor.

Experience true-to-life visuals with

Built-in ComfortView Plus reduces

harmful blue light emissions without

sacrificing color performance.

1.07 billion colors, a wide color gamut including 98% DCI-P3, and VESA Certified DisplayHDR™ 400.

Communicate clearly with optimally positioned built-in echo cancellation mics and two 14W speakers.

Adjust to your comfort Tilt, swivel, and height adjustable (150mm max).

Launch Team meetings effortlessly by pressing the touch controls on this **Certified for Microsoft** Teams monitor.

Daisy chain two 4K monitors and get uncompromised picture quality with DSC (Display Stream Compression) technology.



efficiently with Picture-by-Picture / Picturein-Picture and KVM (with Auto KVM). . . .

ENERGY STAR®. TCO Certified Edge, EPEAT® Gold registered.

Click the image or here to explore the Dell UltraSharp 32 4K Video Conferencing Monitor.

Connect like you're there





Make the world take notice

The intelligent webcam includes a 4K HDR Sony STARVIS™ CMOS sensor and multi-element lens to deliver crystal clear images. ...

Communicate clearly with built-in dual echo cancellation mics and two 14W speakers well positioned for optimal hearing.

. . .

Certified for Microsoft Teams, you can join meetings and respond to notifications with a touch of the quick access control panel.

Look great, always.

. . .

Experience automatic focus with Al auto framing, true color even in harsh lighting with Digital Overlap HDR, and images without motion blur with 3D/2D Video Noise Reduction. Design how you want others to see you by customizing your webcam settings via Dell Peripheral Manager.

Record and playback high quality video content in 4K at 30 frames per second (fps), or FHD at either 30 or 60 fps.

Tilt the adjustable camera (0-20°) to the angle you want and customize how much show of your surroundings by adjusting the field of view to 65°, 78°, 90°.

Effortless security

Dell ExpressSign-in which detects your presence when you're close by and uses Windows Hello[™] to log you in automatically. It locks your PC when you walk away.

Camera disable automatically opens and closes the camera shutter by syncing to video conferencing applications.

The mute and camera disable touch sensors at the front add an extra layer of security.

Dell Peripheral Manager is available for download on dell com/support/dpem, compatible with Windows 10 and above. Visit the site for a full compatibility list and OS support.

See brilliant visuals with groundbreaking IPS Black technology

Exceptional contrast

See incredible color and deeper blacks with a contrast ratio of 2,000:1 on the world's first video conferencing monitor with IPS Black technology[^]. With a wide 178°/178° viewing angle, images remain spectacular, from virtually any angle.

True brilliance

With 4K resolution, 1.07 billion colors, a wide color gamut (100% sRGB, 100% Rec. 709, 98% DCI-P3), and VESA DisplayHDR 400, every color and detail will pop.

Enhanced eye comfort

ComfortView Plus—an alwayson, built-in low blue light screen reduces potentially harmful blue light emissions without compromising color.







Peak productivity with multitasking features

Stretch productivity with a dual 4K monitor set up and multitask efficiently with built-in KVM, Picture-by-Picture and Picture-in-Picture features.



Multitask better

Connect to two PC sources and Auto KVM will seamlessly switch controls over to the second connected PC. Use KVM (keyboard, video and mouse) to control both PCs with a single mouse and keyboard.

See more on one screen

View content from two PC sources with Picture-in-Picture (PiP) and Picture-by-Picture (PbP). KVM allows you to control both PCs with a single keyboard and mouse.


Expand your productivity

Experience uncompromised picture quality by daisy chaining two 4K monitors with DSC (Display Stream Compression) technology.



Connectivity that drives productivity

USB-C Hub monitors offer extensive connectivity options including USB-C (up to 90W power delivery), RJ45 for wired Ethernet access, super speed USB for fast data transfers, and more.



Sustainability on Dell Monitors

Leading the industry in sustainable practices in our products, packaging and supply chain.



Environmental standards

This monitor is made of 85% post-consumer recyclable plastic in the design⁵ and meets the latest environmental standards such as ENERGY STAR®, and TCO Certified Edge, and is EPEAT® Gold⁶ registered.

Eco-conscious packaging

Dell commercial monitors ship in 100% recyclable cardboard packaging⁷.

Energy conservation

Save energy with PowerNap⁸, a feature that dims or puts your monitor to sleep when it's not in use.

Designed for you

Crafted with a premium platinum silver finish, this stylish Dell UltraSharp Video Conferencing monitor fits both home and office environments.







Designed with purpose


The small base and elegant cable management system hides cords within the monitor riser.

Easy-to-use

Navigate the onscreen menu and adjust settings with a convenient joystick control.

Work comfortably

Experience made-for-you comfort by tilting, swiveling and adjusting the height of your monitor (150mm max).



Dell Display Manager



Productive at every level

Easy Arrange allows you to easily tile multiple applications across one or more screens with 38 pre-set window partitions and the ability to personalize up to five windows, giving you improved multitasking abilities.

Seamless transitions

The auto-restore feature remembers where you left off, so applications will go back to where you left them, even after you've unplugged.

The key to convenience

Shortcut keys can save you even more time, letting you easily configure your display management settings so you can get to work faster.

More ways to manage

Asset management reports allow IT managers to quickly capture and track monitor information as well as configure multiple monitors at once through a single setup.

Expanded compatibility

With support for multiple operating systems⁹, Dell Display Manager helps you can stay productive however you work.

Learn more about Dell Display Manager.



RECOMMENDED ACCESSORIES



Dell Premier Wireless ANC Headset | WL7022

Collaborate with ease anywhere with this Teams certified wireless headset which offers active noise cancellation and smart sensors that automatically mute and unmute your call.

PORTS AND SLOTS




Dell Premier Multi-Device Wireless Keyboard and Mouse | KM7321W

Multi-task seamlessly across 3 devices with this premium full-sized keyboard and sculpted mouse combo with programmable shortcuts and 36 months battery life.¹⁰



Dell Single Monitor Arm | MSA20

Attach your monitor to the arm, virtually tool-free. Enjoy flexibility and advanced cable management features in a small footprint.



ULTRASHARP 32 4K VIDEO CONFERENCING MONITOR - U3223QZ TECHNICAL SPECIFICATION

	TECHNICAL SPECIFICATION		
DIAGONAL VIEWING SIZE		HEIGHT WITH STAND (COMPRESSED ~ EXTENDED)	497.84 mm ~ 647.27 mm (19.60" ~ 25.48")
	697.31 mm x 392.23 mm (27.45" x 15.44")	WIDTH WITH STAND	712.60 mm (28.06")
	IPS Black Technology	DEPTH WITH STAND	230 mm (9.06")
DISPLAY SCREEN COATING	Anti-glare treatment of the front polarizer (3H) hard coating	HEIGHT WITHOUT STAND	475.54 mm (18.72")
MAXIMUM PRESET	3840 x 2160 @ 60Hz	WIDTH WITHOUT STAND	712.60 mm (28.06")
RESOLUTION VIEWING ANGLE (TYPICAL)	178° vertical / 178° horizontal	DEPTH WITHOUT STAND	57.97 mm (2.28")
	0.18159 mm x 0.18159 mm	WEIGHT (PANEL ONLY - FOR VESA MOUNT)	7.26 kg (16.01 lb)
PIXEL PER INCH (PPI)		WEIGHT (WITH STAND	11.90 kg (26.23 lb)
CONTRAST RATIO	2000 to 1 (typical)	ASSEMBLY AND CABLES)	
ASPECT RATIO	16:9	WEIGHT (WITH PACKAGING)	16.15 kg (35.60 lb)
BACKLIGHT TECHNOLOGY	LED	SECURITY	Security lock slot (cable lock sold separately) (based on Kensington Security Slot™)
BRIGHTNESS	400 cd/m² (typical)	COMPLIANT STANDARDS	ENERGY STAR [®] certified Monitor EPEAT® registered where applicable. EPEAT®
COLOR GAMUT	100% sRGB, 100% Rec.709, 98% DCI-P3, Delta E < 2 (Average) for sRGB, Rec.709, DCI-P3, 1.07 billion colors		 EPEAT* registered where applicable. EPEAT registration varies by country. See https://www. epeat.net for registration status by country. TCO Certified & TCO Certified Edge
RESPONSE TIME	5 ms gray to gray in Fast mode, 8 ms gray to gray in Normal mode		RoHS Compliant BFR/PVC Free monitor (excluding external cables) Meets NFPA 99 leakage current requirements
HDR READY	Yes, DisplayHDR 400		 Arsenic-Free glass and Mercury-Free for the panel only
CONNECTIVITY	 1 x DP 1.4 (HDCP 2.2) 1 x HDMI 2.0 (HDCP 2.2) 1 x USB Type-C (USB 3.2 Gen 2 upstream port) 1 x USB Type-C (Alternate mode with DisplayPort 		VESA mounting holes (100 mm x 100 mm - behind attached VESA Cover)
	1.4/1.2, USB 3.2 Gen2 upstream port, Power Delivery up to 90W) 1 x USB Type-C downstream (15 W), USB 3.2 Gen2	TEMPERATURE RANGE	Operating: 0°C to 40°C (32°F to 104°F) Non-operating: -20°C to 60°C (-4°F to 140°F)
	(10Gbps) 1 x DP (Out) with MST 4 x super speed USB 10Gbps (USB 3.2 Gen2) 1 x super speed USB 10Gbps (USB 3.2 Gen2) with	HUMIDITY RANGE	Operating: 10% to 80% (non-condensing) Non-Operating: 5% to 90% (non-condensing) - Storage and Shipping
	BC 1.2 charging capability at 2 Å (max) • 1 x 3.5 mm headphone jack • 1 x RJ45		Operating: 5000 m (16404 ft) max Non-Operating: 12192 m (40000 ft) max
ADJUSTABILITY	Height adjustable (150 mm)	VOLTAGE REQUIRED	100 VAC to 240 VAC / 50 Hz or 60 Hz + 3 Hz / 2.5 A (typical)
PBP / PIP	Tilt (-5° to 21°) Swivel (-30° to 30°) PbP (Yes), PiP (Yes)	ENERGY EFFICIENCY CLASS (A TO G SCALE)	F A F
	Yes, KVM and Auto-KVM	POWER CONSUMPTION NORMAL OPERATION	0.3 W (Off Mode)
DAISY CHAIN AVAILABILITY	Yes		240 W (Max)
AUDIO OUTPUT	1 x 3.5 mm headphone jack	WHAT'S INCLUDED	Monitor, Stand Riser, Stand Base 1 x Power cable
BUILT IN CAMERA ¹²	 Field of View - 65/78/90 degrees Focus mode - 5x digital zoom Focusing distance - 25cm to infinity Focusing distance - 500 cm Active array size - 8 mega-pixel Video frame rate - 3840 x 2160 (4K UHD) up to 30 frames per second, 1920 x 1080 (Full HD) up to 60 frames per second 		1 x Type-C (C-C cable) - 1 m 1 x DP cable (DP to DP) - 1.8 m 1 x super speed USB (Type-A to Type-B) - 1 m Factory calibration report Quick setup guide Safety, Environmental and Regulatory Information
BUILT-IN MICROPHONES	Dual Array Microphones		
BUILT-IN SPEAKER	2 x 14W		
DELL DISPLAY MANAGER COMPATIBILITY	Yes, Easy Arrange, Other key features		
	3-Year Advanced Exchange Service and Premium Panel Exchange		

Steadfast reliability

As the No. 1 monitor company worldwide^{*}, we take pride in our unyielding commitment to quality and the utmost in customer satisfaction.



Premium Panel Exchange

Dell Premium Panel Exchange¹³ allows a free monitor replacement during the Limited Hardware Warranty¹⁴ period even if only one bright pixel is found.

Advanced Exchange Service

This monitor comes with a 3-year Advanced Exchange Service¹⁵ so that if a replacement becomes necessary, it will be shipped to you the next business day during your 3-year Limited Hardware Warranty.¹⁴

ProSupport

Upgrade to 24x7 specialized technical phone support with the Dell ProSupport option.¹⁶

D&LLTechnologies

- * Dell monitors are #1 Worldwide for 8 consecutive years (2013, Q2 to 2021, Q3)! Source: IDC Worldwide Quarterly PC Monitor Tracker, Q3, 2021.
- ^ Based on Dell analysis of desktop monitors with built-in speakers, microphone and webcam, Aug 2021.
- 1 Dell adheres to standard USB-C specifications and protocol. Functionality with non-Dell USB-C systems may vary.
- Via quick access USB-C port. 2
- The power sync feature on this Dell USB-C Monitor enables start up and wake-on-demand on compatible Dell PCs. Please check your Dell PC to ensure support of this feature. 3
- MAC Address pass-through functionality is tested to work with most Dell PC systems. Functionality on non-Dell systems may vary. 5 By weight of the total weight of plastic parts in product. Excludes printed circuit boards, labels, cables, connectors, electronic components, optical components, ESD components, EMI
- components adhesives, and coatings 6 EPEAT registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country.
- The outer box/corrugate cushion packaging and recycled fibers in Dell commercial monitor packaging (excluding D-series) are made from corrugate and virgin cardboard materials.
- Excludes foam cushioning and plastic bags.
- 8 Enabled by Dell Display Manager
- 9 Available for Windows 10 and above, and Mac OS 10.12 and above. Please refer to dell.com/ddm for full compatibility list and OS support.
- 10 Based on Dell analysis of battery life usage model calculations, Nov. 2020. Results vary depending on use, operating conditions and other factors. 11 Based on Kensington Security Slot™
- 12 Customize webcam setting via Dell Peripheral Manager. Visit dell.com/support/dpem to download the software, available for Windows 10 and above. Refer to the site for a full a compatibility list and OS support Manager.
- 13 Applicable to Dell UltraSharp, P Series, and C Series desktop monitors.
- 14 For copy of Ltd Hardware Warranty, write to Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see https://www.dell.com/warranty.
- 15 Advanced Exchange: Dell will send you a replacement monitor the next business day in most cases, if deemed necessary after phone/online diagnosis. Shipping times may vary by location and for monitors 55" and above. Fee charged for failure to return defective unit. See dell.com/servicecontracts/global.
- 16 Availability varies, please visit www.dell.com/support for details. In some countries, hours for in-region support may vary. Support after local business hours may be provided in a language other than the local language.

Technical specifications subject to change without prior notice. Product availability varies by country. Please contact your Dell representative for more information.

© 2022 Dell Inc. or its subsidiaries. All Rights Reserved. Dell Technologies, Dell, EMC, Dell EMC and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners. USB Type-C $^{\circ}$ and USB-C $^{\circ}$ are registered trademarks of USB Implementers Forum.

