

LATITUDE 3400 | 3500 LAPTOPS

Small frame. Big results.





Our 3000 notebooks are now even smaller, qualifying as Ultraslim. Glossy edges offer a more elegant look. Experience an expansive workspace with 40% thinner bezels on the 14", while the all new wedge shape is sleek and modern.



CONNECTIVITY WITHOUT COMPROMISE

Latitude 3000 laptops have a broad range of port options including RJ45 ethernet, HDMI, USB 3.0 and USB Type-C. They're the only Latitude to keep the VGA display port, making it easier to connect to legacy peripherals. For times when battery is low, Dell ExpressCharge allows up to 80% battery charge in an hour.



The newest Intel 8th Gen Intel® Core[™] processor ensures apps run faster and large files are handled with ease. Boost your multitasking speed with Intel Optane memory acceleration option. And with a choice of improved CAT 9 WWAN speeds of up to 450 Mb/ps on the 15", stay connected on the move, even when you can't access Wi-Fi.



SERVICEABLE & RELIABLE

Growing businesses can take comfort with serviceable parts including battery, WWAN/WLAN, memory, and SSD/HD storage. And the 3000 laptops are no exception for having Latitude commercial standards for torture, life cycle and environmental testing.

Recommended Accessories

LATITUDE 3400 | 3500 LAPTOPS

ON-THE-GO



DELL WIRELESS MOUSE | WM126

Get everyday wireless performance with excellent battery life, no matter where you work.



DELL PRO SLIM BACKPACK 15 | PO1520PS

A dependable everyday companion, this backpack provides quality protection for your devices.



DELL NOTEBOOK POWER BANK PLUS (18,000 MAH) | PW7015L

This lightweight and compact power bank will allow your laptop or cellphone to stay powered on-the-go without adding bulk to your bag.



DELL ADAPTER | USB-C TO HDMI/VGA/ETHERNET/USB 3.0 | DA200

Connect your Latitude to almost any device with a convenient 6-in-1 compact adapter.

AT THE DESK



DELL DOCK | WD19

Work at full speed with Dell's powerful USB-C dock. Charge your system faster, support up to three displays and connect to your peripherals via a single cable.

* (April 2019)



DELL 24 MONITOR | P2419H

Optimize your workspace with this efficient 24" monitor with an ultrathin border, a small footprint and comfort-enhancing features.



DELL WIRELESS KEYBOARD & MOUSE COMBO | KM636

Designed with a compact size and chiclet keys, this keyboard and mouse offers the convenience of wireless and clutter-free performance at your desk.



DELL PRO STEREO HEADSET | UC150

Hear every word clearly on your next call with the Dell Pro Stereo Headset, optimized to provide in-person call quality and certified for Microsoft Skype for Business.



DELL DUAL MONITOR STAND | MDS19

This space-saving stand, mounts up to two 27-inch monitors, providing the screen real estate you need to be most productive.

Built for business

Dell Technologies Unified Workspace

Dell Technologies Unified Workspace is the most comprehensive solution to deploy, secure, manage and support virtually all devices from the cloud. We designed this revolutionary solution with intelligence and automation providing visibility across the entire endpoint environment. We help save time, improve user experience, optimize resources and strengthen security.



Our modern deployment solution, ProDeploy in the Unified Workspace allows you to revolutionize the way deployment gets done. By spending just one hour for set up, IT can then hand deployment to Dell and have preconfigured systems shipped directly to the end users - wherever they are.



Dell Endpoint Security for the Unified Workspace helps manage growing cyber risks while embracing workforce transformation. With Dell SafeGuard and Response powered by Secureworks, gain actionable insight to help quickly and efficiently prevent, detect and respond to cyber-attacks-keeping your environment free from harm.



We integrated our hardware management solution Dell Client Command Suite with VMware Workspace ONE, allowing you to take advantage of unified endpoint management (UEM) and manage the firmware, operating system and applications for all devices from the Workspace ONE console. UEM simplifies the management of the entire environment saving IT time from having to work between separate consoles for PCs and phones.



ProSupport Plus continues to be the only predictive and proactive support in the market. When compared to key competitors, ProSupport Plus with SupportAssist reduced time to resolve a failed hard drive with up to 11x faster time to resolution*

Features & Technical Specifications

LATITUDE 3400 | 3500 LAPTOPS

Feature	Technical Specifications	Technical Specifications
Model Number ¹	3400	3500
Processor Options ¹	Intel® Celeron (April 2019) 8 th Gen Intel® Core™ Processors up to i7, U 4 Core	Intel® Celeron (April 2019) 8 th Gen Intel® Core™ Processors up to i7, U 4 Core
Operating System ¹	Microsoft® Windows 10 Pro 64 bit Mircosoft® Windows 10 Home 64 bit Windows 10S (including CMIT) (with UMA Only) Ubuntu 18.04 LTS 64-bit (WLAN only, not with WWAN) NeoKylin 6.0 64 bit (May 2019)	Microsoft® Windows 10 Pro 64 bit Mircosoft® Windows 10 Home 64 bit Windows 10S (with UMA only) Ubuntu 18.04 LTS 64-bit (WLAN only, not with WWAN)
Memory Options ^{1,2,3}	DDR4 2400 MHz Non-ECC SDRAM 2 slots supporting up to 32GB	DDR4 2400 MHz Non-ECC SDRAM 2 slots supporting up to 32GB
Chipset ¹	Integrated with the Processor	Integrated with the Processor
Intel Responsiveness Technologies ^{1,7}	Intel® Rapid Storage Technology	Intel® Rapid Storage Technology
Graphics ^{1,13}	Intel® UHD Graphics 620 NVIDIA MX130 GDDR5 2GB	Intel® UHD Graphics 620 NVIDIA MX130 GDDR5 2GB
Display ¹	14.0" HD (1366x768) Anti-Glare, Camera & Microphone 14.0" FHD (1920x1080) Anti-Glare, Camera & Microphone 14.0" FHD (1920x1080) Anti-Glare with Embedded Touch, IR Camera & Microphone	15.6" HD (1366x768) Anti-Glare, Camera & Microphone 15.6" FHD (1920x1080) Anti-Glare, Camera & Microphone, WWAN capable 15.6" FHD (1920x1080) Anti-Glare with Embedded Touch, IR Camera & Microphone
Storage ^{1,3}	HDD: up to 1TB SSD M.2 2280 SATA: up to 256GB SSD M.2 2230/2280 PCIe: up to 512 GB HDD + M.2 2280 PCIe: 32GB or 64GB Intel® Optane™ Memory (Aug 2019)	HDD: up to 1TB SSD M.2 2280 SATA: up to 256GB SSD M.2 2230/2280 PCle: up to 512 GB HDD + M.2 2280 PCle: 32GB or 64GB Intel® Optane™ Memory (Aug 2019)
Security ¹	TPM 2.0 FIPS 140-2 Certified, TCG Certified Optional Windows Hello compliant IR Camera & fingerprint reader in power button Noble Wedge Lock Slot Dell Client Command Suite Optional Dell Data Security and Management Software Dell Endpoint Security Suite Enterprise Dell Data Guardian Dell Encryption Enterprise Dell Encryption Personal Dell Threat Defense MozyPro® or MozyEnterprise® RSA NetWitness® Endpoint RSA SecurID Access VMware Workspace ONE Absolute® Endpoint Visibility and Control	TPM 2.0 FIPS 140-2 Certified, TCG Certified Optional Windows Hello compliant IR Camera & fingerprint reader in power button Noble Wedge Lock Slot Dell Client Command Suite Optional Dell Data Security and Management Software Dell Endpoint Security Suite Enterprise Dell Data Guardian Dell Encryption Enterprise Dell Encryption Personal Dell Threat Defense MozyPro® or MozyEnterprise® RSA NetWitness® Endpoint RSA SecurID Access VMware Workspace ONE Absolute® Endpoint Visibility and Control
Docking ¹	Dell Dock-WD15 Next Generation Dell Dock (April 2019)	Dell Dock-WD15 Next Generation Dell Dock (April 2019)
Optical Drive Options	External Options Only	External Options Only
Multimedia ¹	High Quality Speakers Headset/mic combo jack Optional HD, IR or no camera IR Cam: Dual Array Microphones Non-IR Cam: Single Microphone	High Quality Speakers Headset/mic combo jack Optional HD, IR or no camera IR Cam: Dual Array Microphones Non-IR Cam: Single Microphone
Battery Options ^{1,5}	42 Whr Express Charge Capable (3-cell) 56 Whr Express Charge Capable (4-cell)	42 Whr Express Charge Capable (3-cell) 56 Whr Express Charge Capable (4-cell)
Power Options ¹	45W adapter 4.5mm barrel (for Celeron only)	45W adapter 4.5mm barrel (for Celeron only)

65W adapter 4.5mm barrel

65W adapter, Type-C

65W adapter 4.5mm barrel

65W adapter, Type-C

Features & Technical Specifications

LATITUDE 3400 | 3500 LAPTOPS

Feature	Technical Specifications	Technical Specifications
Connectivity options ^{1,14}	10/100/1000 Ethernet Wireless LAN Options: Qualcomm QCA9377 802.11ac Single Band (1x1) Wireless Adapter + Bluetooth 4.1 Qualcomm QCA61x4A 802.11ac Dual Band (2x2) Wireless Adapter + Bluetooth 4.2 Intel® Dual-Band Wireless-AC 9560 Wi-Fi + Bluetooth 5.0 Wireless Card (2x2). Bluetooth Optional Intel® Wi-Fi 6 AX200 2x2 .11ax 160MHz + Bluetooth 5.0 (May 2019) No Mobile Broadband Options.	10/100/1000 Ethernet Wireless LAN Options: Qualcomm QCA9377 802.11ac Single Band (1x1) Wireless Adapter + Bluetooth 4.1 Qualcomm QCA61x4A 802.11ac Dual Band (2x2) Wireless Adapter + Bluetooth 4.2 Intel® Dual-Band Wireless-AC 9560 Wi-Fi + Bluetooth 5.0 Wireless Card (2x2). Bluetooth Optional Intel® Wi-Fi 6 AX200 2x2 .11ax 160MHz + Bluetooth 5.0 (May 2019) Optional Mobile Broadband Options: ^{8,10} Intel XMM 7360 LTE-Advanced Cat 9 (May 2019)
Ports, Slots & Chassis ¹	1x USB Type C™ 3.1 Gen 1 with Power Delivery & DisplayPort 1.2 2x USB 3.1 Gen 1 (one with PowerShare) 1x USB 2.0 1x HDMI 1.4 1x RJ-45 1x VGA port 1x SD 3.0 Memory card reader 1x Universal Audio Jack 1x Optional Touch Fingerprint Reader in Power Button Noble Wedge Lock slot 4.5mm adapter	1x USB Type C™ 3.1 Gen 1 with Power Delivery & DisplayPort 1.2 2x USB 3.1 Gen 1 (one with PowerShare) 1x USB 2.0 1x HDMI 1.4 1x RJ-45 1x VGA port 1x SD 3.0 Memory card reader 1x Universal Audio Jack 1x Optional Touch Fingerprint Reader in Power Button Noble Wedge Lock slot 4.5mm adapter
Dimensions & Weight ^{1,15}	Width: 13.0" / 330.3mm Height (Non-Touch): 0.73" / 18.65mm (front) 0.76" / 19.25mm (rear) Depth: 9.37" / 238mm Starting weight: 3.69 lbs / 1.67 kg (42Whr battery, M.2 SSD, non touch FHD LCD, UMA)*	Width: 14.91" / 378.66mm Height (Non-Touch): 0.71" / 18.0mm (front) 0.71" / 18.0mm (rear) Depth: 10.05" / 255.35mm Starting weight: 4.37 lbs / 1.98 kg (42Whr battery, M.2 SSD, non touch FHD LCD, UMA)*
Regulatory and Environmental Compliance ¹	Regulatory Model: P111G Regulatory Type: P111G001 ENERGY STAR EPEAT Registered. For specific country participation and rating, please see www.epeat.net BFR/PVC free ⁹	Regulatory Model: P86F Regulatory Type: P86F001 ENERGY STAR EPEAT Registered. For specific country participation and rating, please see www.epeat.net BFR/PVC free ⁹
Input ¹	Single Pointing Spill Resistant Non-Backlit Keyboard Single Pointing Spill Resistant Backlit Keyboard Microsoft® Precision Touchpad	Single Pointing Spill Resistant Non-Backlit Keyboard Single Pointing Spill Resistant Backlit Keyboard Microsoft® Precision Touchpad 10 Key Numeric Keypad
Systems Management ¹	Dell Client Command Suite available (dell.com/command), Factory Installed Dell Client Command Update, Dell Command Power Manager	Dell Client Command Suite available (dell.com/command), Factory Installed Dell Client Command Update, Dell Command Power Manager
Warranty and Service ¹	Limited Hardware Warranty ⁴ Standard 1 year Mail-in Service after Remote Diagnosis ¹¹ optional 2, 3, 4 and 5 year hardware warranty extensions and 3-5 year Dell ProSupport contracts available ¹²	Limited Hardware Warranty ⁴ Standard 1 year Mail-in Service after Remote Diagnosis ¹¹ optional 2, 3, 4 and 5 year hardware warranty extensions and 3-5 year Dell ProSupport contracts available ¹²
Peripheral Ecosystem ¹	Purpose built ecosystem to enable productivity on the go or at the desk. Includes Dell Business Dock-WD19, Dell Power Companions, Dell Professional Briefcases, Dell 24" & 27" Monitors, and Dell Wireless Keyboard and Mouse	Purpose built ecosystem to enable productivity on the go or at the desk. Includes Dell Business Dock-WD19, Dell Power Companions, Dell Professional Briefcases, Dell 24" & 27" Monitors, and Dell Wireless Keyboard and Mouse



LATITUDE 3400 | 3500 LAPTOPS

Small frame. Big results.

- 1 Offering may vary by country and by configuration
- 2 A 64-bit operating system is required to support 4GB or more of system memory.
- 3 GB means 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.
 4 Limited Hardware Warranty: For copy of Limited Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty
- 5 Tap to Pay will not be supported. Tap to Login is only supported with USH SKU
- 6 The stated Watt Hour (WHr) is not an indication of battery life
- 7 Intel Rapid Storage Technology requires a HDD, mSATA, or an SSD, as primary storage device. See OS requirements
- Position Statement on the 'Definition of Low-Halogen Electronics (BFR-/CFR-/PVC-free)'. Plastic parts contain less than 1,000 ppm (0.1%) of bromine (if the Br source is from BFRs) and less than 1,000 ppm (0.1%) of chlorine (if the CI source is from CFRs or PVC or PVC copolymers). All printed circuit board (PCB) and substrate laminates contain bromine/chlorine total less than 1,500 ppm (0.15%) with a maximum chlorine of 900 ppm (0.09%) and maximum bromine being 900 ppm (0.09%).
- 10 Mobile Broadband Subject to service provider's broadband subscription and coverage area; additional charges apply.
- 11 Onsite Service after Remote Diagnosis: Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty (www.dell.com/warranty) and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.
- 12 Dell Services: Availability and terms of Dell Services vary by region. For more information, visit www.dell.com/servicedescriptions.
- 13 GB means 1 billion bytes and TB equals 1 trillion bytes; significant system memory may be used to support graphics, depending on system memory size and other factors.

 14 Miracast Wireless Technology: Requires a compatible media adapter (sold separately and can be integrated into the display) and an HDMI-enabled display.
- 15 Weights vary depending on configuration and manufacturing variability.