



LATITUDE 5300 | 5400 | 5500 LAPTOPS

Expand your business in style



WORLD'S SMALLEST MAINSTREAM BUSINESS NOTEBOOKS IN THEIR CLASS*

Our most scalable notebooks are now significantly smaller, incorporate a more modern design, and feature a lighter finish that hides minimizes fingerprints. Experience expansive viewing with a 4-sided narrow border display and anti-glare screen for unfettered viewing. The innovative 5400 leads in sustainable design, crafted from 17% post-industrial carbon fiber reinforced polymer. Our 5500 has an aluminum option.



SCALABLE, FASTER PERFORMANCE

All the scalability including memory up to 32GB DDR4, storage up to 1TB PCIe SSD and battery up to 68 Whr, provides flexibility for different types of business needs. Plus, the latest 8th Generation Intel® up to i7 4-Core™ vPro™ Processors increase productivity, manageability, and security for your business. More powerful discrete graphics ensure video conferencing and media streaming are seamless. Dell exclusive Waves MaxxAudio Pro takes conferencing to the next level, enhancing both listening and speaking for a best-in-class experience.



FASTER TO WORK, FASTER TO CHARGE

Get to work faster with the fingerprint reader now integrated on the power button or use the IR camera plus Windows Hello for seamless authentication. Modern standby runs in the background to resume work sooner. High density batteries and an optional Super Low Power panel (5300 FHD non-touch) provide longer run time, and ExpressCharge can quickly charge your PC up to 80% in just one hour.



AN INTELLIGENT APPROACH TO MANAGEMENT

Dell provides the ultimate convenience of managing Windows 10 endpoints from one console with Dell Client Command Suite and VMware® Workspace ONE™ integration. Offering many ways to seamlessly sign on, SafeID protects end user credentials with optional fingerprint reader on the power button and the FIPS 201 Smart Card Reader - delivering fast, multi-factor authentication from the world's most secure PC portfolio. In addition, Dell unique vPro extensions can remotely manage and run diagnostics on a fleet of devices, whether they are powered on or off.

Recommended Accessories

LATITUDE 5300 | 5400 | 5500 LAPTOPS

ON-THE-GO



DELL USB-C MOBILE ADAPTER | DA300

Connect your Latitude to almost any device with a convenient 6-in-1 compact adapter.



DELL PRO BRIEFCASE 14 / 15 | PO1420C/PO1520C

With EVA foam cushioning the laptop vault of this dependable briefcase, you can securely protect your devices and other office essentials.



DELL NOTEBOOK POWER BANK PLUS (18,000 MAH) | PW7015L

This lightweight and compact powerbank will keep your laptop or cellphone powered on-the-go without adding bulk to your bag.



DELL WIRELESS MOUSE | WM326

Tidy up the cable clutter at your mobile workspace with this mouse. With up to 18 months of battery life, you can also enjoy reliable wireless performance, no matter where you are.

AT THE DESK



DELL THUNDERBOLT DOCK | WD19TB

Work at full speed with Dell's powerful Thunderbolt Dock. Charge your system faster, support up to three 4K displays and connect to your peripherals via a single cable.

(April 2019)



DELL ULTRASHARP 24 MONITOR | U2419H

Experience superb screen performance on this FHD monitor with a virtually borderless InfinityEdge, packaged in a sleek, space saving design.



DELL WIRELESS KEYBOARD AND MOUSE COMBO | KM714

Give your workspace a modern and clean appearance with a stylish wireless keyboard and mouse that perfectly complements your PC.



DELL DUAL MONITOR STAND | MDS19

This space-saving stand, mounts up to two 27-inch monitors, providing the screen real estate you need to be most productive.



DELL PRO STEREO HEADSET | UC350

Hear every word clearly on your next call with the Dell Pro Stereo Headset, optimized to provide in-person call quality and certified for Microsoft Skype for Business.

Built for business

Dell Technologies Unified Workspace

Dell Technologies Unified Workspace is the most comprehensive solution to deploy, secure, manage and support virtually all devices from the cloud. We designed this revolutionary solution with intelligence and automation providing you with visibility across the entire endpoint environment. We help you save time, improve user experience, optimize resources and strengthen security.



DEPLOY

Our modern deployment solution, ProDeploy in the Unified Workspace allows you to revolutionize the way deployment gets done. By spending just one hour for set up, IT can then hand deployment to Dell and have preconfigured systems shipped directly to the end users--wherever they are.



SECURE

Dell Endpoint Security for the Unified Workspace helps you manage growing cyber risks while embracing workforce transformation. With Dell SafeGuard and Response powered by Secureworks, you gain actionable insight to help you quickly and efficiently prevent, detect and respond to cyber-attacks - keeping your environment free from harm.



MANAGE

We integrated our hardware management solution Dell Client Command Suite with VMware Workspace ONE, allowing you to take advantage of unified endpoint management (UEM) and manage the firmware, operating system and applications for all devices from the Workspace ONE console. UEM simplifies the management of the entire environment saving IT time from having to work between separate consoles for PCs and phones.



SUPPORT

ProSupport Plus continues to be the only predictive and proactive support in the market. When compared to key competitors, ProSupport Plus with SupportAssist reduced time to resolve a failed hard drive with up to 11x faster time to resolution*

*Based on a Principled Technologies test report, "Spend Less Time and Effort Troubleshooting Laptop Hardware Failures" dated April 2018. Testing omitted by Dell, conducted in the United States. Actual results will vary. Full report: <http://facts.pt/L52XKM>

Features & Technical Specifications

LATITUDE 5300 | 5400 | 5500 LAPTOPS

Feature	Technical Specification		
	5300	5400	5500
Model Number¹			
Processor Options¹	8 th Generation Intel® Core™ Processors up to i7 vPro 4-Core	8 th Generation Intel® Core™ Processors up to i7 vPro 4-Core	8 th Generation Intel® Core™ Processors up to i7 vPro 4-Core
Operating System¹	Microsoft® Windows 10 Pro 64 bit Microsoft® Windows 10 Home 64 bit Ubuntu 18.04 LTS 64-bit	Microsoft® Windows 10 Pro 64 bit Microsoft® Windows 10 Home 64 bit Ubuntu 18.04 LTS 64-bit NeoKylin 6.0 64 bit (May 2019)	Microsoft® Windows 10 Pro 64 bit Microsoft® Windows 10 Home 64 bit Ubuntu 18.04 LTS 64-bit
Memory Options^{1,2,3}	DDR4 2666 MHz Non-ECC SDRAM operates at 2400 MHz with Intel® 8 th Generation Core i processors 2 slots supporting up to 32GB	DDR4 2666 MHz Non-ECC SDRAM operates at 2400 MHz with Intel® 8 th Generation Core i processors 2 slots supporting up to 32GB	DDR4 2666 MHz Non-ECC SDRAM operates at 2400 MHz with Intel® 8 th Generation Core i processors 2 slots supporting up to 32GB
Chipset¹	Integrated with the Processor	Integrated with the Processor	Integrated with the Processor
Intel Responsiveness Technologies^{1,7}	Intel® Rapid Storage Technology	Intel® Rapid Storage Technology	Intel® Rapid Storage Technology
Graphics¹	Intel® UHD Graphics 620	Intel® UHD Graphics 620 AMD Radeon™ 540X	Intel® UHD Graphics 620 AMD Radeon™ 540X
Display¹	13.3" HD (1366 x 768) Anti-glare (16:9) Non-Touch, WLED, 220 nits, non-touch, Carbon Fiber Reinforced Polymer LCD Back 13.3" FHD WVA (1920 x 1080) Anti-glare (16:9) Non-Touch, WLED, 300 nits, Non-touch, Super Low Power, Carbon Fiber Reinforced Polymer LCD Back 13.3" FHD WVA (1920 x 1080) Embedded Touch, Anti-Glare, 300 nits, Carbon Fiber Reinforced Polymer LCD Back	14.0" HD (1366 x 768) Anti-glare (16:9) WLED, 220 nits, non-touch, Carbon Fiber Reinforced Polymer LCD Back 14.0" FHD WVA (1920 x 1080) Anti-glare (16:9) WLED, 220 nits, non-touch, Carbon Fiber Reinforced Polymer LCD Back 14.0" FHD WVA (1920 x 1080) Embedded Touch Display with Truelife, 220 nits, Carbon Fiber Reinforced Polymer LCD Back	15.6" HD (1366 x 768) Anti-glare (16:9) WLED, 220 nits, non-touch, Carbon Fiber Reinforced Polymer LCD Back 15.6" FHD WVA (1920 x 1080) Anti-glare (16:9) WLED, 220 nits, non-touch, Carbon Fiber Reinforced Polymer LCD Back 15.6" FHD WVA (1920 x 1080) Embedded Touch Display with Truelife, 220 nits, Carbon Fiber Reinforced Polymer LCD Back 15.6" FHD WVA (1920 x 1080) Anti-glare (16:9) WLED, 300 nits, non-touch, Aluminum LCD Back (July 2019) 15.6" FHD WVA (1920 x 1080) Embedded Touch Display with Truelife, 220 nits, Aluminum LCD Back(July 2019)
Storage Options^{1,3}	SSD M.2 2280 SATA: up to 512GB SSD M.2 2230 PCIe/NVMe : up to 512GB SSD M.2 2280 PCIe/NVMe : up to 1TB, OPAL SED options	HDD: up to 1TB, OPAL SED options SSD M.2 2280 SATA: up to 512GB SSD M.2 2230 PCIe/NVMe : up to 512GB SSD M.2 2280 PCIe/NVMe : up to 1TB, OPAL SED options	HDD: up to 1TB, OPAL SED options SSD M.2 2280 SATA: up to 512GB SSD M.2 2230 PCIe/NVMe : up to 512GB SSD M.2 2280 PCIe/NVMe : up to 1TB, OPAL SED options
Security¹	TPM 2.0 FIPS 140-2 Certified, TCG Certified Optional Windows Hello Compliant Fingerprint Reader in power button Optional Security Hardware Authentication Bundles 1: Touch Fingerprint Reader (in Power Button) with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 2: FIPS 201 Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 3: Touch Fingerprint Reader (in Power Button) and FIPS 201 Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification	TPM 2.0 FIPS 140-2 Certified, TCG Certified Optional Windows Hello Compliant Fingerprint Reader in power button Optional Security Hardware Authentication Bundles 1: Touch Fingerprint Reader (in Power Button) with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 2: FIPS 201 Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 3: Touch Fingerprint Reader (in Power Button) and FIPS 201 Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification	TPM 2.0 FIPS 140-2 Certified, TCG Certified Optional Windows Hello compliant fingerprint reader in power button Optional Security Hardware Authentication Bundles 1: Touch Fingerprint Reader (in Power Button) with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 2: FIPS 201 Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification 3: Touch Fingerprint Reader (in Power Button) and FIPS 201 Contacted Smart Card with Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification

Features & Technical Specifications

LATITUDE 5300 | 5400 | 5500 LAPTOPS

Security¹

4: Touch Fingerprint Reader(in Power Button), FIPS 201 Contacted Smart Card, Contactless Smart Card, NFC, Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification

4: Touch Fingerprint Reader(in Power Button), FIPS 201 Contacted Smart Card, Contactless Smart Card, NFC, Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification

4: FIPS 201 Contacted Smart Card, Contactless Smart Card, NFC, Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification

5: Touch Fingerprint Reader(in Power Button), FIPS 201 Contacted Smart Card, Contactless Smart Card, NFC, Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification

6: Touch FIPS 201 Fingerprint Reader, FIPS 201 Contacted Smart Card, Control Vault 3.0 Advanced Authentication with FIPS 140-2 Level 3 Certification

Dell Client Command Suite
Optional Dell Data Security and Management Software

Dell Endpoint Security Suite Enterprise
Dell Data Guardian
Dell Encryption Enterprise
Dell Encryption Personal
Dell Threat Defense
MozyPro[®] or MozyEnterprise[®]
RSA NetWitness[®] Endpoint
RSA SecurID Access
VMware Workspace ONE

Dell Client Command Suite
Optional Dell Data Security and Management Software

Dell Endpoint Security Suite Enterprise
Dell Data Guardian
Dell Encryption Enterprise
Dell Encryption Personal
Dell Threat Defense
MozyPro[®] or MozyEnterprise[®]
RSA NetWitness[®] Endpoint
RSA SecurID Access
VMware Workspace ONE
Absolute[®] Endpoint Visibility and Control

Dell Client Command Suite
Optional Dell Data Security and Management Software

Dell Endpoint Security Suite Enterprise
Dell Data Guardian
Dell Encryption Enterprise
Dell Encryption Personal
Dell Threat Defense
MozyPro[®] or MozyEnterprise[®]
RSA NetWitness[®] Endpoint
RSA SecurID Access
VMware Workspace ONE
Absolute[®] Endpoint Visibility and Control

Docking¹

Dell Thunderbolt™ Dock- WD19TB (optional, sold separately)
Dell Dock- WD19 (optional, sold separately)

Dell Thunderbolt™ Dock- WD19TB (optional, sold separately)
Dell Dock- WD19 (optional, sold separately)

Dell Thunderbolt™ Dock- WD19TB (optional, sold separately)
Dell Dock- WD19 (optional, sold separately)

Optical Drive Options

External Options Only

External Options Only

External Options Only

Multimedia¹

High Quality Speakers
Universal Audio jack
Noise reducing array microphones
Optional HD RGB Camera with Dell Privacy Shutter
Optional IR Camera with Dell Privacy Shutter
Optional No Camera
Skype For Business Certified

High Quality Speakers
Universal Audio jack
Noise reducing array microphones
Optional HD RGB Camera with Dell Privacy Shutter
Optional IR Camera with Dell Privacy Shutter
Optional No Camera
Skype For Business Certified

High Quality Speakers
Universal Audio jack
Noise reducing array microphones
Optional HD RGB Camera with Dell Privacy Shutter
Optional IR Camera with Dell Privacy Shutter
Optional No Camera
Skype For Business Certified

Battery Options^{1,5}

3 cell 42 WHr ExpressCharge™ Capable Battery
4 cell 60 WHr ExpressCharge™ Capable Battery
4 cell 60 WHr Long Life Battery (includes 3yr limited hardware warranty) (Summer 2019)

3 cell 42 WHr ExpressCharge™ Capable Battery (UMA only)
3 cell 51 WHr ExpressCharge™ Capable Battery
4 cell 68 WHr ExpressCharge™ Capable Battery
4 cell 68 WHr Long Life Battery (includes 3yr limited hardware warranty) (Summer 2019)

3 cell 42 WHr ExpressCharge™ Capable Battery (UMA only)
3 cell 51 WHr ExpressCharge™ Capable Battery
4 cell 68 WHr ExpressCharge™ Capable Battery
4 cell 68 WHr Long Life Battery (includes 3yr limited hardware warranty) (Summer 2019)

Power Options¹

65W adapter, 7.4mm barrel
65W BFR/PVC Halogen Free adapter, 7.4mm barrel
90W adapter, 7.4mm barrel
65W adapter, Type-C
90W adapter, Type-C

65W adapter, 7.4mm barrel
65W BFR/PVC Halogen Free adapter, 7.4mm barrel
90W adapter, 7.4mm barrel
65W adapter, Type-C
90W adapter, Type-C

65W adapter, 7.4mm barrel
65W BFR/PVC Halogen Free adapter, 7.4mm barrel
90W adapter, 7.4mm barrel
65W adapter, Type-C
90W adapter, Type-C

Connectivity options^{1,8}

10/100/1000 Ethernet
Wireless LAN Options:
Qualcomm QCA61x4A 802.11ac Dual Band (2x2) Wireless Adapter + Bluetooth 4.2

10/100/1000 Ethernet
Wireless LAN Options:
Qualcomm QCA61x4A 802.11ac Dual Band (2x2) Wireless Adapter + Bluetooth 4.2

10/100/1000 Ethernet
Wireless LAN Options:
Qualcomm QCA61x4A 802.11ac Dual Band (2x2) Wireless Adapter + Bluetooth 4.2

Features & Technical Specifications

LATITUDE 5300 | 5400 | 5500 LAPTOPS

Connectivity options¹⁸	Intel® Dual-Band Wireless-AC 9560 Wi-Fi + Bluetooth 5.0 Wireless Card (2x2). Bluetooth Optional Intel® Wi-Fi 6 AX200 2x2 .11ax 160MHz + Bluetooth 5.0 (May 2019) Optional Mobile Broadband Options: ^{8,10} Intel XMM 7360 Global LTE-Advanced	Intel® Dual-Band Wireless-AC 9560 Wi-Fi + Bluetooth 5.0 Wireless Card (2x2). Bluetooth Optional Intel® Wi-Fi 6 AX200 2x2 .11ax 160MHz + Bluetooth 5.0 (May 2019) Optional Mobile Broadband Options: ^{8,10} Intel XMM 7360 Global LTE-Advanced	Intel® Dual-Band Wireless-AC 9560 Wi-Fi + Bluetooth 5.0 Wireless Card (2x2). Bluetooth Optional Intel® Wi-Fi 6 AX200 2x2 .11ax 160MHz + Bluetooth 5.0 (May 2019) Optional Mobile Broadband Options: ^{8,10} Intel XMM 7360 Global LTE-Advanced
Ports, Slots & Chassis¹	1x USB Type C™ 3.1 Gen 2 with Power Delivery & DisplayPort / Optional Thunderbolt™ 3 with Power Delivery & DisplayPort 2x USB 3.1 Gen 1 (one with PowerShare) 1x HDMI 1.4 1x RJ-45 1x external uSIM card tray option 1x uSD 4.0 Memory card reader 1x Optional Contacted SmartCard Reader 1x Optional Touch Fingerprint Reader in Power Button Noble Wedge Lock slot	1x USB Type C™ 3.1 Gen 2 with Power Delivery & DisplayPort / Optional Thunderbolt™ 3 with Power Delivery & DisplayPort 3x USB 3.1 Gen 1 (one with PowerShare) 1x HDMI 1.4 1x RJ-45 1x external uSIM card tray option 1x uSD 4.0 Memory card reader 1x Optional Contacted SmartCard Reader 1x Optional Touch Fingerprint Reader in Power Button Noble Wedge Lock slot	1x USB Type C 3.1 Gen 2 with Power Delivery & DisplayPort / Optional Thunderbolt™ 3 with Power Delivery & DisplayPort 3x USB 3.1 Gen 1 (one with PowerShare) 1x HDMI 1.4 1x RJ-45 1x external uSIM card tray option 1x uSD 4.0 Memory card reader 1x Optional Contacted SmartCard Reader 1x Optional Touch Fingerprint Reader in Power Button 1x Optional Touch FIPS 201 Fingerprint Reader in Palmrest Noble Wedge Lock slot
Dimensions & Weight¹⁵	Width: 12.0" / 305.7mm Height (Non-Touch): 0.66" / 16.9mm (front) 0.75" / 19.3mm (rear) Depth: 8.16" / 207.5mm Starting weight: 2.73 lbs. / 1.24 kg (42Whr battery, M.2 SSD, non touch HD LCD, UMA)*	Width: 12.7" / 323.05mm Height (Non-Touch): 0.77" / 19.6mm (front) 0.82" / 20.85mm (rear) Depth: 8.5" / 216mm Starting weight: 3.36lbs / 1.52kg (42Whr battery, M.2 SSD, non touch FHD LCD, UMA)*	Width: 14.1" / 359.1mm Height (Non-Touch): 0.79" / 20.3mm (front) 0.86" / 22mm (rear) Depth: 9.3" / 236.25mm Starting weight: 4.03 lbs. / 1.82 kg (42Whr battery, M.2 SSD, non touch FHD LCD, UMA)*
Regulatory and Environmental Compliance¹	Regulatory Model: P97G Regulatory Type: P97G001 ENERGY STAR compliant configurations available EPEAT Registered. For specific country participation and rating, please see www.epeat.net BFR/PVC free ⁹ Trade Agreements Acts (TAA) configurations available	Regulatory Model:P98G Regulatory Type:P98G001 ENERGY STAR compliant configurations available EPEAT Registered. For specific country participation and rating, please see www.epeat.net BFR/PVC free ⁹ Trade Agreements Acts (TAA) configurations available	Regulatory Model:P80F Regulatory Type: P80F001 ENERGY STAR compliant configurations available EPEAT Registered. For specific country participation and rating, please see www.epeat.net BFR/PVC free ⁹ Trade Agreements Acts (TAA) configurations available
Input¹	Single Pointing non-backlit Keyboard, Spill Resistant Single Pointing backlit Keyboard, Spill Resistant Microsoft® Precision Touchpad	Single Pointing Non-Backlit Keyboard, Spill Resistant Single Pointing Backlit Keyboard (Japanese and Brazilian Portuguese only), Spill Resistant Dual Pointing Backlit Keyboard, Spill Resistant Microsoft® Precision Touchpad	Single Pointing non-backlit Keyboard, Spill Resistant Dual Pointing backlit Keyboard, Spill Resistant Microsoft® Precision Touchpad 10 Key Numeric Keypad
Systems Management¹	Intel® vPro™ Technology (iAMT 12) (optional, requires Intel WiFi® Link WLAN and a vPro compatible processor), Dell Client Command Suite available (dell.com/command), Factory Installed Dell Client Command Update, Dell Command Power Manager	Intel® vPro™ Technology (iAMT 12) (optional, requires Intel WiFi® Link WLAN and a vPro compatible processor), Dell Client Command Suite available (dell.com/command), Factory Installed Dell Client Command Update, Dell Command Power Manager	Intel® vPro™ Technology (iAMT 12) (optional, requires Intel WiFi® Link WLAN and a vPro compatible processor), Dell Client Command Suite available (dell.com/command), Factory Installed Dell Client Command Update, Dell Command Power Manager
Warranty and Service¹	Limited Hardware Warranty ¹ Standard 1 year Mail-in Service after Remote Diagnosis ¹¹ optional 2, 3, 4 and 5 year hardware warranty extensions and 3-5 year Dell ProSupport contracts available ¹²	Limited Hardware Warranty ¹ Standard 1 year Mail-in Service after Remote Diagnosis ¹¹ optional 2, 3, 4 and 5 year hardware warranty extensions and 3-5 year Dell ProSupport contracts available ¹²	Limited Hardware Warranty ¹ Standard 1 year Mail-in Service after Remote Diagnosis ¹¹ optional 2, 3, 4 and 5 year hardware warranty extensions and 3-5 year Dell ProSupport contracts available ¹²
Peripheral Ecosystem¹	Purpose built ecosystem to enable productivity on the go or at the desk. Includes Dell Business Dock-WD19, Dell Power Companions, Dell Professional Briefcases, Dell 24" Monitors, and Dell Wireless Keyboard and Mouse	Purpose built ecosystem to enable productivity on the go or at the desk. Includes Dell Business Dock-WD19, Dell Power Companions, Dell Professional Briefcases, Dell 24" Monitors, and Dell Wireless Keyboard and Mouse	Purpose built ecosystem to enable productivity on the go or at the desk. Includes Dell Business Dock-WD19, Dell Power Companions, Dell Professional Briefcases, Dell 24" Monitors, and Dell Wireless Keyboard and Mouse



LATITUDE 5300 | 5400 | 5500 LAPTOPS

Expand your business in style

1 Offering may vary by country and by configuration

2 A 64-bit operating system is required to support 4GB or more of system memory.

3 GB means 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.

4 Limited Hardware Warranty: For copy of Limited Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see www.dell.com/warranty

5 Battery support is dependent upon graphics support. Check technical guides for detailed support

6 COMPUTRACE Not a Dell offer. Certain conditions apply. For full details, see terms and conditions at www.absolute.com/en/about/legal/agreements.

7 Intel Rapid Storage Technology requires a HDD, mSATA, or an SSD, as primary storage device and Windows OS required

8 Wireless antenna available only at time of system purchase

9 Dell Latitude 5000 Series are brominated flame retardant free (BFR-free) and polyvinyl chloride free (PVC-free); meeting the definition of BFR-/PVC-free as set forth in the iNEMI Position Statement on the 'Definition of Low-Halogen Electronics (BFR-/CFR-/PVC-free)'. Plastic parts contain less than 1,000 ppm (0.1%) of bromine (if the Br source is from BFRs) and less than 1,000 ppm (0.1%) of chlorine (if the Cl source is from CFRs or PVC or PVC copolymers). All printed circuit board (PCB) and substrate laminates contain bromine/chlorine total less than 1,500 ppm (0.15%) with a maximum chlorine of 900 ppm (0.09%) and maximum bromine being 900 ppm (0.09%).

10 Mobile Broadband Subject to service provider's broadband subscription and coverage area; additional charges apply.

11 Mail-in Service after Remote Diagnosis: Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty (www.dell.com/warranty) and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.

12 Dell Services: Availability and terms of Dell Services vary by region. For more information, visit www.dell.com/servicedescriptions.

13 GB means 1 billion bytes and TB equals 1 trillion bytes; significant system memory may be used to support graphics, depending on system memory size and other factors.

15 *Weights vary depending on configuration and manufacturing variability.

* Based on Dell internal analysis, February 2019, using publicly available data to compare total surface area of 13", 14" and 15.6" mainstream business-class notebooks respectively, with Intel vPro support.