HP Color LaserJet Pro MFP 4302dw Printer



Colorful productivity. Seamless management.

Get a blazing fast color printer and easy management tools with LaserJet Pro.



This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds

Highlights

- Fast print speed (33 ppm A4)
- Instant Ink for Laser available
- HP Wolf Pro security
- Automatic two-sided printing standard
- High monthly duty cycle (50,000 pages)
- Dual-band WiFi®, Bluetooth® LE, WiFi® Direct
- 50 sheet simplex ADF scanning



Maximum productivity in full color

- Support your enterprise workteam with this compact, high-performing, color printer, ideal for up to 10 users.
- Support your business workteam with this compact, high-performing, color printer, ideal for up to 10 users.
- Avoid interruptions with Wi-Fi® that intelligently looks for the best connection to stay on-line.
- Do more in fewer steps. Simple shortcuts allow your employees to complete common tasks with
 just a touch.
- Look professional on every page with high-quality printing, true-to-life colors and sharp details.

Seamless management

- Centralize your print fleet management. HP Web Jetadmin easily adds and updates devices and solutions.
- Set up your printer fleet quickly wherever work happens. Cloud connectivity makes it easy for your IT team.
- Enroll in Instant Ink subscription service and get toner delivered to your office before you need it.

HP Wolf Pro Security


- Get printer fleet security out of the box. Preconfigured settings mean it's ready when you are.
- Set up your printer fleet security from the dashboard. Smart Admin makes IT configuration and monitoring easy.
- Add a layer of security. PIN/pull option authenticates your print jobs only when you're present.
- Strengthen and simplify compliance. This upgrade applies your business policies across the fleet.

Sustainable printing

- Redesigned Original HP TerraJet Cartridge for reduced plastic use and energy consumption when printing.
- Trim your paper use. Default duplex setting prints on both sides of each page.
- Reduce your footprint. HP Auto-On/Auto-Off technology optimizes printer energy usage and costs.

Product walkaround

- 1. Automatic 2-sided printing
- 2. Print speeds up to 35 ppm letter/33 ppm A4, 300-sheet standard paper capacity
- 3. 4.3-inch color touchscreen
- 4. Dual-band Wi-Fi® with self-heal, USB and Ethernet
- 5. Pre-configured security settings
- 6. HP Smart app for productivity in your hand
- 7. Designed for workteams of up to 10 users
- 8. More true-to-life colors with HP TerraJet Toner
- 9. Walk-up USB print and scan



Accessories, Supplies and Support

Supplies	W2200A HP 220A Black Original Laser Jet Toner Cartridge (~ 2,000 pages)	
	W2200X HP 220X Black Original LaserJet Toner Cartridge (~7,500 pages)	
	W2201A HP 220A Cyan Original LaserJet Toner Cartridge (~1,800 pages)	
	W2201X HP 220X Cyan Original LaserJet Toner Cartridge (~5,500 pages)	
	W2202A HP 220A Yellow Original LaserJet Toner Cartridge (~1,800 pages)	
	W2202X HP 220X Yellow Original LaserJet Toner Cartridge (~5,500 pages)	
	W2203A HP 220A Magenta Original LaserJet Toner Cartridge (~1,800 pages)	
	W2203X HP 220X Magenta Original LaserJet Toner Cartridge (~5,500 pages)	
	W8000A HP 210/220/230 Instant Ink Toner Welcome Kit	
	W8000J HP 210/220/230 Instant Ink Toner Welcome Kit	
	W8001A HP 210/220/230 Instant Ink Toner Welcome Kit W8001J HP 210/220/230 Instant Ink Toner Welcome Kit	
	W8002A HP 210/220/230 Instant Ink Toner Welcome Kit	
	W8002J HP 210/220/230 Instant Ink Toner Welcome Kit	
	W8003A HP 210/220/230 Instant Ink Toner Welcome Kit	
	W8003J HP 210/220/230 Instant Ink Toner Welcome Kit	
Service and Support	US1Z1E HP 3 year Next Business Day Onsite Service for Color LaserJet Pro MFP 430x US1ZCPE HP 1 year Post Warranty Next Business Day Onsite Service for Color LaserJet Pro MFP 430x	

Technical specifications

Model Productnumber Functions Control panel	
Functions	HP Color Laser Jet Pro MFP 4302 dw Printer
	48.83 F
	Print, copy, scan
	4.3*Capacitive touchscreen (all input functions)
Print	
Print technology	Laser
Print speed	Black (A4, normal): Up to 33 ppm Colour (A4, normal): Up to 33 ppm ; Black (A4, duplex): Up to 29 ipm Colour (A4, duplex): Up to 29 ipm
First page out	Black (A4, ready): As fast as 9.5 sec Colour (A4, ready): As fast as 10.2 sec; Black (A4, sleep): As fast as 10.2 sec Colour (A4, sleep): As fast as 10.5 sec
Printresolution	Black(best): Up to 600 x 600 dpi Colour (best): Up to 600 x 600 dpi; Technology. HP ImageRet 2400, PANTONE® calibrated
Monthly duty cycle	Up to 50,000 pages A4; Recommended monthlypagevolume: 750 to 4,000
Printer smart software features	Automatic duplex, collation, watermarks, printable forms, quiet mode, HP premium print mode, accepts a variety of paper sizes and types
Standard print languages	HP PCL 6, HP PCL 5e, HP Postscript level 3 emulation , PDF, URF, PW G Raster, Native Office, TIFF, JPE G
Fonts and typefaces	111 scalableTrueTypefonts
Print area	Printmargins Top: 4.23 mm, Bottom: 4.23 mm, Left: 4.23 mm, Right: 4.23 mm; Maximum print area: 212 x 352 mm
Duplexprinting	Automatic
Сору	
Copyspeed	Black (A4): Up to 33 cpm; Colour (A4): Up to 33 cpm
Copierspecifications	DCopy, Number of copies; Resize (including 2-Up); Lighter/Darker; Enhancements; Original Size; Binding Margin; Collation; Tray Selection; Two-Sided; Save Current Settings; Restore Factory Defaults; Quality
	(Draft/Standard/Rest); Maximum number of copies : Up to 999 copies; Reduce/Enlarge 25 to 400%
Scan	
S can speed	Normal (A4): Up to 29 ppm (b&w), up to 26 ppm (color)
Scan file format	PDF; JPG; TIFF
Scannerspecifications	Scanner type Flatbed, ADF; Scan technology. Contact Image Sensor (CIS); Scan input modes: Front-panel scan, copy, email, or file buttons; HP Scan software; and user application via TWAIN or WA; Twain version: Version 2.3; Duplex ADF scanning: No; Scan size maximum (flatbed, ADF): 216 x 297 mm; Optical scan resolution: Up to 600 dpi
Recommended monthly scan volume	750 to 4000
Scannablearea	Maximum mediasize (flatbed): 216 x 297 mm; Minimum mediasize (ADF): 102 x 152 mm Maximum mediasize (ADF): 216 x 356 mm
Bit depth/Grey scale levels	30-bit/256
Fax	
Fax	No No
Processor speed	1200 MHz
Connectivity	
Standard	1 Hi-Speed USB 2.0 (device); 1 Hi-Speed USB 2.0 (host); 1 Front USB port; 1 Wi-Fi802.11b/g/n; 1 Bluetooth Low Energy; 1 Gigabit Ethernet 10/100/1000 Base-TX network
Mobile printing capability	AppleAirPrint™; HP Smart App; Mobile Apps; Mopria™ Certified; Wi-Fi® Direct Printing; HP ROAM For Business; Optional ROAM Queue Printing
	TCP/P, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, HP Print on the Go (Roam), Apple AirPrint™, Mopria, IPP Print; Discovery; SLP, Bonipur, Web Services Discovery; IP Config: IPv4 (DHCP, Auto P, Manual), IPv6 (Stateless Link-Local and via Router, Stateful via DHCPv6), SSL Security and Certificate management; Management: SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS,
Supported network protocols	Syslog
Network cap abilities	Yes, viabuilt-in 10/100/1000Base-TxEthernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1x; 802.11ac (Wi-Fi5)
Memory	Standard: 512 MB NAND Flash, 512 MB DRAM; Maximum: 512 MB NAND Flash, 512 MB DRAM
Mediahandling	
Number of paper trays	Standard: 2 ; Maximum: 3
Media types	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes
	Custom (metric): Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm ADF. Letter;
Media size	Legal; A4; custom sizes 102 x 152 to 216 x 356 mm
Mediasize Mediahandling	
	Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray ADF: Standard, 50
Media handling	Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADP) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray ADP: Standard, 50 sheets uncurled
Media handling Input capacity	Legal; Ad; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray ADF: Standard, 50 sheets uncurled Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled
Mediahandling Input capacity Output capacity Compatible operating systems Compatible network operating	Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray ADF: Standard, 50 sheets uncurled Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets
Mediahandling Input capacity Output capacity Compatible operating systems Compatible network operating systems	Legal; Ad; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADP) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray ADP: Standard, 50 sheets incurried Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADP: Standard, 50 sheets uncurried Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client 05; Android; i05; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome 05; Mobile OS SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com;
Mediahandling Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements	Legal; Ad; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray ADF: Standard, 50 sheets incurred Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurred Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 11; Windows 7; Windows 7; Windows Client 05; Android; i05; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome 05; Mobile 05 SAP; Novell; UNIX; Citrix; Linux; Windows Sever Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see exple.com; Mac 2 GB available hard drive space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see exple.com;
Mediahandling Input capacity Output capacity Compatible operating systems Compatible network operating systems	Legal; Ad; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional Input: 0ptional 550-sheet tray ADF: Standard, 50 sheets incurried Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurried Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client 05; Android; i05; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome 05; Mobile 05 SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional 05 hardware requirements see microsoft.com; Mac 2 GB available hard drive space, Internet connection or USB port, Internet browser. For additional 05 hardware requirements see apple.com; No software solutions are included in the Box only on http://lp.com http://lp.zo.mhttp://lp.zo.mhttp://lp.zo.mhttp://lp.zo.mhttp://lp.zo.mhttp://lp.zo.mhttp.i/lp
Mediahandling Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included	Legal; Ad; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray ADF: Standard, 50 sheets incurled Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client 05; Android; iOS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome 05; Mobile 05 SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional 05 hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection or USB port, Internet browser. For additional 05 hardware requirements see apple.com; No software solutions are included in the Box only on http://ip.com.http://i
Mediahandling Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management	Legal; Ad; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADP) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray ADP: Standard, 50 sheets incurried Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADP: Standard, 50 sheets uncurried Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome OS; Mobile OS SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the Box only on http://hp.com ht
Mediahandling Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight	Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray ADF: Standard, 50 sheets incurled Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes: Maximum: Up to 150 sheets Windows 11; Windows 7; Windows 7; Windows Client 05; Android; i05; mac0S 12 Monterey; mac0S 11 Big Sur; mac0S 10.15 Catalina; Linux; Citrix; Chrome 05; Mobile 05 SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional 05 hardware requirements seemicrosoft.com; Mac: 2 GB available hard drive space, internet connection or USB port, Internet browser. For additional 05 hardware requirements see apple.com; No software solutions are included in the Box only on http://hp.com/http://123.hp.com; HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent (Part of HP Web JetAdmin), For Proxy Agent (Part of HP Web JetAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration, Utility – Driver, Deployment Utility – Managed Printing Administrator)
Mediahandling Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (WxDxH)	Legal; Ad; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray ADF: Standard, 50 sheets incuried Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncuried Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome OS; Mobile OS SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the Box only on http://12.3.hp. com; HP Web JetAdmin Software, HP JetAdvantage Security Manage; HP SNMP Proxy Agent (Part of HP Web JetAdmin), HP Web JetAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration, Utility - Driver, Deployment Utility - Managed Printing Administrator) Minimum 421 x 435 x 384 mm; Maximum: 421 x 686 x 761 mm (with optional 550-sheet tray 3)
Mediahandling Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight	Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional Input: Optional 550-sheet tray ADF: Standard, 50 sheets uncurled Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes: Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome OS; Mobile OS SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac 2 GB available hard drive space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the Box only on http://lp.com http://lp.z.hp.com; HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SMP Proxy Agent (Part of HP Web JetAdmin), HP Web JetAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration, Utility – Driver, Deployment Utility – Managed Printing Administrator) Minimum 421 x 435 x 384 mm; Maximum: 421 x 686 x 761 mm (with optional 550-sheet tray 3) -20.4 kg
Media handling Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment	Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADP) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray ADP: Standard, 50 sheets sheets uncurled Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADP: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows 7; Windows Client 05; Android; i05; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome 05; Mobile 05 SAP; Novelt; UNIX; Citrix; Linux; Windows Sever Windows 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional 05 hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection or USB port, Internet browser. For additional 05 hardware requirements see apple.com; No software solutions are included in the Box only on http:///pp.com http:///123.hp.com; HP Web Jetddmin Software, HP Jetddvartage Security Manages (HP ShMP Proxy Agent (Part of HP Web JetAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration, Utility - Driver, Deployment Utility - Managed Printing Administrator) Minimum 421 x 435 x 384 mm; Maximum: 421 x 686 x 761 mm (with optional 550-sheet tray 3) ~20.4 kg Temperature: 10 to 32.5 °C Humidity: 30 to 70% RH (non-condensing)
Mediahandling Inputcapacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions	Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADP) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray ADP: Standard, 50 sheets incurried Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADP: Standard, 50 sheets Invelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client 05; Android; i05; mac 05 12 Monterey; mac 05 11 Big Sur; mac 05 10.15 Catalina; Linux; Citrix; Chrome 05; Mobile 05 SAP; Novelt; UNIX; Citrix; Linux; Windows Sever Windows 2 6B available hard disk space, Internet connection or USB port, Internet browser. For additional 05 hardware requirements see microsoft.com; Mac 2 6B available hard drive space, Internet connection or USB port, Internet browser. For additional 05 hardware requirements see apple.com; No software solutions are included in the Box only on http://hp.com http://123.hp.com; HP Web Jeddmin Software, HP JeddVardardge Security Manage; HP ShMP Proxy Agent (Part of HP Web Jeddmin), HP WS Pro Proxy Agent (Part of HP Web Jeddmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration, Utility – Driver, Deployment Utility – Managed Printing Administrator) Minimum 421 x 435 x 384 mm; Maximum: 421 x 686 x 761 mm (with optional 550-sheet tray 3) ~20.4 kg Temperature 10 to 32.5 °C Humidity: 30 to 70% RH (non-condensing) Temperature 20 to 40°C Acoustic power emissions: 6.1 B(A) Acoustic pressure emissions: 50 dB(A) Requirements: 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); Consumption: 58 watts (Active Printing), 18 watts (Ready), 0.8 watts (Sleep), 0.42 x km/N Week (Energy Star 3.0);
Mediahandling Inputcapacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics	Legal; Ad; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: 0ptional 550-sheet tray ADF: Standard, 50 sheets incuried Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncuried Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome OS; Mobile OS SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the Box only on http://123.hp.com; HP Web JetAdmin Software, HP JetAdvantage Security Manage; HP SMMP Proxy Agent (Part of HP Web JetAdmin), HP WS Pro Proxy Agent (Part of HP Web JetAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print Diver (Driver Configuration, Utility - Driver, Deployment Utility - Managed Printing Administrator) Minimum 421 x 435 x 384 mm; Maximum: 421 x 686 x 761 mm (with optional 550-sheet tray 3) -20.4 kg Temperature: 10 to 32.5 °C Humidity: 30 to 70% RH (non-condensing) Temperature: 20 to 40°C Acoustic power emissions: 6.1 B(A) Acoustic pressure emissions: 50 dB(A) Requirements: 220-voltinput voltage: 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz); Consumption: 585 wats (Active Printing), 18 wats (Ready), 0.8 watts (Sleep), 0.8 watts (He pauto-off/auto-on), 0.07 watts (auto-off/manual on), 0.07 watts (Off); Typical Electricity Consumption: Tetal Consumption: Tetal Consumption: Tetal Consumption: Tet
Mediahandling Inputcapacity Output capacity Compatible perating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics	Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional Input: Optional 550-sheet tray ADF: Standard, 50 sheets uncurled Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome OS; Mobile OS SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the Box only on http://hp.com http://hp.com http://hp.com; HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP ShMP Proxy Agent (Part of HP Web JetAdmin), HP WS Pro Proxy Agent (Part of HP Web JetAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration, Utility - Driver, Deployment Utility - Managed Printing Administrator) Minimum 421 x 435 x 384 mm; Maximum: 421 x 686 x 761 mm (with optional 550-sheet tray 3) - 20.4 kg Temperature 10 to 32.5 °C Humidity, 30 to 70% RH (non-condensing) Temperature - 20 to 40°C Acoustic power emissions: 6.1 B(A) Acoustic pressure emissions: 50 dB(A) Requirements: 220 - volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); Consumption: 588 watts (Active Printing), 18 watts (Ready), 0.8 watts (Selepi), 0.8 watts (HP auto-off/auto-on), 0.07 watts (auto-off/manual on), 0.07 watts (off); Typical Electricty Consumption (TEC)*-1, 423 kWh/Week (Blue Angel); 0.422 kWh/Week (Energy Star 3.0); Powe
Mediahandling Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power	Legal; Ad; custom sizes 102 x 152 to 216 x 356 mm Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: 0ptional 550-sheet tray ADF: Standard, 50 sheets incuried Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncuried Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome OS; Mobile OS SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the Box only on http://123.hp.com; HP Web JetAdmin Software, HP JetAdvantage Security Manage; HP SMMP Proxy Agent (Part of HP Web JetAdmin), HP WS Pro Proxy Agent (Part of HP Web JetAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print Diver (Driver Configuration, Utility - Driver, Deployment Utility - Managed Printing Administrator) Minimum 421 x 435 x 384 mm; Maximum: 421 x 686 x 761 mm (with optional 550-sheet tray 3) -20.4 kg Temperature: 10 to 32.5 °C Humidity: 30 to 70% RH (non-condensing) Temperature: 20 to 40°C Acoustic power emissions: 6.1 B(A) Acoustic pressure emissions: 50 dB(A) Requirements: 220-voltinput voltage: 220 to 240 VAC (+/-10%), 50/60 Hz (+/-3 Hz); Consumption: 585 wats (Active Printing), 18 wats (Ready), 0.8 watts (Sleep), 0.8 watts (He pauto-off/auto-on), 0.07 watts (auto-off/manual on), 0.07 watts (Off); Typical Electricity Consumption: Tetal Consumption: Tetal Consumption: Tetal Consumption: Tet
Mediahandling Input capacity Output capacity Compatible operating systems Compatible network operating systems Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology	Legal: A4; custom sizes 102 x 152 to 216 x 356 mm Standard hput 50-sheet multipurpose tray, 250-sheet inputtray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional Input: Optional 550-sheet tray ADF: Standard, 50 sheets uncurried Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurried Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 10; Windows 7; Windows Cilent OS; Android; (OS; macOS 12 Monterey, macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome OS; Mobile OS SAP; Novelt; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements seem icrosoft.com; Mac: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements seem icrosoft.com; Mac: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements seem icrosoft.com; No software solutions are included in the Boxon Iyon hittp://Ip.com http://Ip.com/thp://Ip.com/
Media handling Input capacity Output capacity Compatible operating systems Compatible network operating systems Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications	Legal; A4; custom sizes 102 x 152 to 216 x 356 mm Standard hput 50 - sheet multipurposetray, 250 - sheet input tray, 50 - sheet Automatic Document Feeder (ADF) Standard output 150 - sheet output bin Optional hput: Optional 550 - sheet tray ADF: Standard, 50 sheets uncurted Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client OS; Android; OS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Lhux; Citrix; Chrome OS; Mobile OS SAP, Novell; UNIX; Citrix, Lhux; Windows Server Windows 12; Windows 10; Windows 5; Windows Client OS; Android; OS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Lhux; Citrix; Chrome OS; Mobile OS SAP, Novell; UNIX; Citrix, Lhux; Windows Server Windows 2 GB available hand disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac 2 GB available hand disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the Box only on http://ln.com http://ln.com http://ln.com. IP Web JetAdmin Software, IP JetAdvantage Security Manager IPS NMP Proxy Agent (Part of IP Web JetAdmin), PW SP ro Proxy Agent (Part of IP Web JetAdmin), Smart Printer Administrator Resource Kit for IP Smart Universal Print Drive (Driver Configuration, Utility - Driver, Deployment Utility - Managed Printing Administrator) Minimum 421 x 435 x 384 mm; Maximum: 421 x 686 x 761 mm (with optional 550-sheet tray 3) -20.4 kg Temperature: 10 to 32.5°C Humidity: 30 to 70% RH (non-condensing) Temperature: 20 to 40°C Acoustic power emissions: 6.1 Bln) Acoustic pressure emissions: 5.0 dBln) Requirements: 220- solit pout voltage: 220 to 240 V/s (1/-1.0%), 50/60 htts./-3 Hz); Consumption: 5.5% watris (Acheever Printip), 18 wasts (Seepo), 30 wasts (Seepo)
Mediahandling Input capacity Output capacity Compatible operating systems Compatible network operating systems Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Storage conditions Acoustics Power Energy savings feature technology Certifications Sustainable impact specifications	Legal; Ad; custom sizes 102×152 to 216×356 mm Schardar Dupts 0-sheet multipurpose tray, 250-sheet Automatic Document Feeder (ADP) Standard output 150-sheet output bin Optional https://documents.com/sheets/
Mediahandling Input capacity Output capacity Compatible operating systems Compatible operating systems Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications Sustainable impact specifications Country of origin	Legal; A4; custom sizes 102 x 152 to 216 x 356 mm. Standard hour 50 -sheet multipurpose tray, 250 -sheet input ray, 50 -sheet Automatic Document Feeder (ADF) Standard output: 150 -sheet output bin Optional hout: Optional 550 -sheet tray ADF: Standard, 50 sheets suncurted Tray 15 sheets: 50; cinvelopes: 5 Tray 2; Sheets: 250; envelopes: 10 Tray 3; Sheets: 550 Maximum: Up to 150 sheets (with Optional 550 -sheet tray) ADF: Standard, 50 sheets uncurted Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets Windows 11; Windows 10; Windows 7; Windows Client 05; Android; 05; macc05 12 Moniterey; mac05 11 Big Sur; mac05 10.15 Cataling; Linux; Ctrix; Chrome 05; Mobile 05 SAP; Novel; UNIX; Ctrix; Linux; Windows Stever Windows 2 GB available hard disk space, Internet connection or USB port, Internet browser, For additional 05 hardware requirements seemicrosoft.com; Mac 2 GB available hard disk space, Internet connection or USB port, Internet browser, For additional 05 hardware requirements seemicrosoft.com; Mac 2 GB available hard disk space, Internet connection or USB port, Internet browser, For additional 05 hardware requirements seemicrosoft.com; Mac 2 GB available hard disk space, Internet connection or USB port, Internet browser, For additional 05 hardware requirements seemicrosoft.com; Mac 2 GB available hard disk space, Internet connection or USB port, Internet browser, For additional 05 hardware requirements seemicrosoft.com; Mac 2 GB available hard disk space, Internet connection or USB port, Internet browser, For additional 05 hardware requirements seemicrosoft.com; Mac 2 GB available hard disk space, Internet connection or USB port, Internet browser, For additional 05 hardware requirements seemicrosoft.com; Mac 2 GB available hard disk space, Internet connection or USB port, Internet browser, For additional 05 hardware requirements seemicrosoft.com; HP Web JetAdmin Software, HP JetAdvantage Security Manager HP SNMP Proxy Agent (Part of HP Web JetAdmin), Smart Printer Administrat

Footnotes

- 1 Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at hp.com/go/mobileprinting. Wi-Fi is a registered trademark of Wi-Fi Alliance®.
- Standard print mode for HP Color Laser Jet Pro series with HP Terra Jet technology compared to predecessors. See hp.com/Terra Jet colors.
- ³ HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.
- ⁴ Easy set up and manage Requires use of Smart Admin Dashboard for printer setup and onboarding of users.
- Plastic reduction calculated per page based on cartridge weight in grams and stated yield in HP TerraJet Cartridges compared to predecessors. See hp.com/TerraJetplasticreductions.
- ⁶ HP calculations based on normalized Energy Star® TEC data in HP TerraJet Cartridges compared to predecessors. See hp.com/TerraJetenergysaving.
- ⁷ HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.
- 8 Smart app: Requires the HP Smart app download. For details on local printing requirements see www.hp.com/go/mobileprinting. Certain features/software are available in English language only and differ between desktop and mobile applications. Subscription may be required.

⁹Based on monthly subscription cost of HP Instant Ink color toner service 1,500-page plan without purchase of additional sets of pages compared to cost per page to print ISO/IEC 24711 pages on most in-class, traditional A4 color toner cartridge printers <\$639 USD and <€759 and MFPs priced <\$839 USD and <€929 using original standard-capacity integrated cartridges (toner and drum in one cartridge). Average CPP per country used to determine percent savings claim versus CPP for HP Instant Ink. Sale prices, along with return program supplies, not considered for this study. Printers which only use XL cartridges excluded due to non-standard hardware & supplies model. Keypoint Intelligence April 2022 study commissioned by HP, based on publicly available information as of April 20, 2022. Printers selected by market share in IDC Quarterly Hardcopy Peripherals Tracker - Final Historical Q3 2021. For details: www.keypointintelligence.com/HPInstantInk

- 10 Automatic delivery and consolidated bill- Printers require direct connection to the Internet for program participation. Internet access sold separately.
- 11 Recycling Program availability varies. Original HP cartridge return and recycling is currently available in more than 60 countries, territories and regions in Asia, Africa, Europe, and North and South America through the HP Planet Partners program. For details, see hp.com/recycle.
- 12 Never run out Based on plan usage, Internet connection to eligible HP printer, valid credit/debit card, email address, and delivery service in your geographic area.
- 13 Change or cancel Change or cancelyour plan at any time online. If you decide to cancel your HP Instant Ink you can go back to using HP original Standard or XL cartridges. Plan upgrades are effective immediately and the charges will be applied retrospectively or in the next billing cycle, depending on user choice. Plan downgrades and cancellations are effective after the last day of the current billing period. For full details go to hpinstantink.com/terms
- ¹⁴ HP Security Manager must be purchased separately. To learn more, please visit hp.com/go/securitymanager

Technical specifications disclaimers

- 1 For yield information on the cartridge(s) included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors.
- Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/toneryield
- ³ EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.
- ⁴ Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh). Blue Angel TEC based on 230V test result; ENERGY STAR TEC data based on 115V test result.