HP Color LaserJet Pro MFP 4302fdw Printer



Colorful productivity. Seamless management.

Get a blazing fast color printer and easy management tools with LaserJet Pro.





This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds

Highlights

- Fast print speed (33 ppm A4)
- Instant Ink for Laser available
- HP Wolf Pro security
- Automatic two-sided printing standard
- High monthly duty cycle (50,000 pages)
- Dual-band WiFi®, Bluetooth® LE, WiFi® Direct
- 50 sheet ADF with single-pass, two-sided scanning

Maximum productivity in full color

- Support your enterprise workteam with this compact, high-performing, color printer, ideal for up to 10 users.
- Support your business workteam with this compact, high-performing, color printer, ideal for up to 10 users
- Avoid interruptions with Wi-Fi® that intelligently looks for the best connection to stay on-line.
- Do more in fewer steps. Simple shortcuts allow your employees to complete common tasks with
 just a touch.
- Look professional on every page with high-quality printing, true-to-life colors and sharp details.

Seamless management

- Centralize your print fleet management. HP Web Jetadmin easily adds and updates devices and solutions.
- Set up your printer fleet quickly wherever work happens. Cloud connectivity makes it easy for your IT team.
- Enroll in Instant Ink subscription service and get toner delivered to your office before you need it.

HP Wolf Pro Security


- Get printer fleet security out of the box. Preconfigured settings mean it's ready when you are.
- Set up your printer fleet security from the dashboard. Smart Admin makes IT configuration and monitoring easy.
- Add a layer of security. PIN/pull option authenticates your print jobs only when you're present.
- Strengthen and simplify compliance. This upgrade applies your business policies across the fleet.

Sustainable printing

- Redesigned Original HP TerraJet Cartridge for reduced plastic use and energy consumption when printing.
- Trim your paper use. Default duplex setting prints on both sides of each page.
- Reduce your footprint. HP Auto-On/Auto-Off technology optimizes printer energy usage and costs.

Product walkaround

- 1. Automatic 2-sided printing and scanning
- 2. Print speeds up to 35 ppm letter/33 ppm A4, 300-sheet standard paper capacity
- 3. 4.3-inch color touchscreen
- 4. Dual-band Wi-Fi® with self-heal, USB and Ethernet
- 5. Pre-configured security settings
- 6. HP Smart app for productivity in your hand
- 7. Designed for workteams of up to 10 users
- 8. More true-to-life colors with HP TerraJet Toner
- 9. Walk-up USB print and scan



Accessories, Supplies and Support

Supplies	W2200A HP 220A Black Original LaserJet Toner Cartridge (~ 2,000 pages)	
	W2200X HP 220X Black Original LaserJet Toner Cartridge (~7,500 pages) W2201A HP 220A Cyan Original LaserJet Toner Cartridge (~1,800 pages) W2201X HP 220X Cyan Original LaserJet Toner Cartridge (~5,500 pages) W2202A HP 220A Yellow Original LaserJet Toner Cartridge (~1,800 pages) W2202X HP 220X Yellow Original LaserJet Toner Cartridge (~5,500 pages) W2203A HP 220A Magenta Original LaserJet Toner Cartridge (~1,800 pages) W2203X HP 220X Magenta Original LaserJet Toner Cartridge (~5,500 pages) W8203X HP 220X Magenta Original LaserJet Toner Cartridge (~5,500 pages) W8000A HP 210/220/230 Instant Ink Toner Welcome Kit W800J HP 210/220/230 Instant Ink Toner Welcome Kit W8001A HP 210/220/230 Instant Ink Toner Welcome Kit W8001J HP 210/220/230 Instant Ink Toner Welcome Kit W8002A HP 210/220/230 Instant Ink Toner Welcome Kit W8002J HP 210/220/230 Instant Ink Toner Welcome Kit	
	W8003A HP 210/220/230 Instant Ink Toner Welcome Kit	
	W8003J HP 210/220/230 Instant Ink Toner Welcome Kit	
Service and Support	US1Z1E HP 3 year Next Business Day Onsite Service for Color LaserJet Pro MFP 430x US1ZCPE HP 1 year Post Warranty Next Business Day Onsite Service for Color LaserJet Pro MFP 430x	

Technical specifications

Model	HP Color Laser Jet Pro MFP 4302 fdw Printer
Productnumber	SHI64F
Functions Control panel	Print, copy, scan, fax 4.3"Capacitive touch screen (all input functions)
Print	4.5 Capactive couriscieer (at input oricions)
Printtechnology	l aspr
Print speed	Black (A4, normal): Up to 33 ppm Colour (A4, normal): Up to 33 ppm ; Black (A4, duplex): Up to 29 ipm Colour (A4, duplex): Up to 29 ipm
Firstpageout	Black (A4, ready): As fast as 9.5 sec Colour (A4, ready): As fast as 10.2 sec; Black (A4, sleep): As fast as 10.2 sec Colour (A4, sleep): As fast as 10.5 sec
Printresolution	Black (best): Up to 600 x 600 dpi Colour (best): Up to 600 x 600 dpi; Technology: HP ImageRet 2400, PANTONE® calibrated
Monthly duty cycle	Up to 50,000 pages A4; Recommended monthly page volume : 750 to 4,000
Printer smart software features	Automatic duplex, collation, watermarks, printable forms, quiet mode, HP premium print mode, accepts a variety of paper sizes and types
Standard print languages	HPPCL6, HPPCL5e, HPPostscript level 3 emulation, PDF, URF, PWG Raster, Native Office, TIFF, JPEG
Fonts and typefaces Print area	111 scalable TrueType fonts Printmargins Top: 4.23 mm, Bottom: 4.23 mm, Left: 4.23 mm, Right: 4.23 mm; Maximum print area: 212 x 352 mm
Duplexprinting	Final days 100, 4.23 min, Bottoni, 4.23 min, tet. 4.23 min, Right 4.23 min, Plantium printates, 212 X 332 min Automatic
Сору	national.
Copyspeed	Black (A4): Up to 33 cpm; Colour (A4): Up to 33 cpm
Copierspecifications	DCopy, Number of copies; Resize (including 2-Up); Lighter/Darker; Enhancements; Original Size; Binding Margin; Collation; Tray Selection; Two-Sided; Save Current Settings; Restore Factory Defaults; Quality
	(Draft/Standard/Best); Maximum number of copies : Up to 999 copies; Reduce/Enlarge : 25 to 400%
Scan	Normal (A4): Up to 29 ppm/44 ipm (b&w), up to 26 ppm/35 ipm (color); Duplex (A4): Up to 44 ipm (b&w), up to 35 ipm (color)
Scan speed Scan file format	PDF, IDF, IFF
	Scanner type-Flatbed, ADF; Scan technology. Contact Image Sensor (CIS); Scan hput modes: Front-panel scan, copy, email, or file buttons; HP Scan software; and user application via TWAN or WA; Twain version:
Scanner specifications Recommended monthly scan	Version 2.3; Duplex ADF scanning: Yes; Scan size maximum (flatbed, ADF): 216 x 297 mm; Optical scan resolution: Up to 600 dpi
volume	750 to 4000
S cannable area	Maximum mediasize (flatbed): 216 x 297 mm; Minimum mediasize (ADP): 102 x 152 mm Maximum mediasize (ADP): 216 x 356 mm
Bit depth/Grey scale levels	30-bit/256
Fax	W 2261
Fax Fax specifications	Yes, 33.6 kbps Faxmemory: Up to 500 pages; Faxresolution: Standard: 200 x 100 dpi; Fine: Up to 203 x 196 dpi; Superfine: Up to 300 x 300 dpi; Quick dialing: Up to 100 numbers
Processorspeed	1200 MHz
Connectivity	12001112
Standard	1 Hi-Speed USB 2.0 (device); 1 Hi-Speed USB 2.0 (host); 1 Front USB port; 1 Wi-Fi802.11b/g/n; 1 Bluetooth Low Energy; 1 Gigabit Ethernet 10/100/1000 Base-TX network
Mobile printing capability	AppleAirPrint™; HP SmartApp; MobileApps; Mopria™ Certified; Wi-Fi® Direct Printing; HP ROAM For Business; Optional ROAM Queue Printing
Supported network protocols	TCP/P, Pv4, Pv6; Print: TCP-P port9100 Direct Mode, LP0 (raw queue support only), Web Services Printing, HP Print on the Go (Roam), Apple AirPrint™, Mopria, IPP Print; Discovery: SLP, Bonjour, Web Services Discovery; P Config: Pv4 (DHCP, AutoP, Manual), Pv6 (Stateless Link-Local and via Router, Stateful via DHCPv6), SSL Security and Certificate management; Management SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog
Network cap abilities	Yes, viabult-in 10/100/1000Base-Tx Ethernet, Gigabit, Auto-crossover Ethernet; Authentication via 802.1x; 802.11ac (Wi-Fi5)
Memory Media handling	Standard: 512 MB NAND Flash, 512 MB DRAM; Maximum: 512 MB NAND Flash, 512 MB DRAM
Number of paper trays	Standard: 2; Maximum: 3
Media types	Paper (bond, brochure, colored, glossy, letterhead, photo, plain, preprinted, prepunched, recycled, rough), postcards, labels, envelopes
Mediasize	Custom (metric): Simplex: Tray 1: 76.2 x127 to 216 x356 mm; Tray 2: 98 x148 mm to 216 x356 mm; optional Tray 3: 100 x148 to 216 x356 mm; Duplex (all trays): 148 x148 mm to 216 x356 mm ADF. Letter; Legal; A4; custom sizes 102 x152 to 216 x356 mm
Media handling	Standard input: 50-sheet multipurpose tray, 250-sheet input tray, 50-sheet Automatic Document Feeder (ADF) Standard output: 150-sheet output bin Optional input: Optional 550-sheet tray ADF: Standard, 50 sheets uncurled
Input capacity	Tray 1: Sheets: 50; envelopes: 5 Tray 2: Sheets: 250; envelopes: 10 Tray 3: Sheets: 550 Maximum: Up to 850 sheets (with Optional 550-sheet tray) ADF: Standard, 50 sheets uncurled
Output capacity Compatible operating systems	Standard: Up to 150 sheets Envelopes: Up to 20 envelopes Maximum: Up to 150 sheets
Compatible operating systems Compatible network operating	Windows 11, Windows 10, Windows 7, Windows Client OC, Andrew W. (OC)
systems	Windows 11; Windows 10; Windows 7; Windows Client OS; Android; iOS; macOS 12 Monterey; macOS 11 Big Sur; macOS 10.15 Catalina; Linux; Citrix; Chrome OS; Mobile OS
	SAP; Novell; UNIX; Citrix; Linux; Windows Server
Minimum system requirements	
	SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements seemicrosoft.com; Mac: 2 GB available hard drive space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the Box only on http://lnp.com.http://lnp.co
Minimum system requirements	SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the Box only on http://hp.com http://hp.com http://lp.23.hp.com; HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent (Part of HP Web JetAdmin), Smart Printer Administrator Resource Kit for HP
Minimum system requirements Software included	SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements seemicrosoft.com; Mac: 2 GB available hard drive space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the Box only on http://lnp.com.http://lnp.co
Minimum system requirements Software included Printer management	SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the Box only on http://hp.com http://hp.com http://lp.23.hp.com; HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent (Part of HP Web JetAdmin), Smart Printer Administrator Resource Kit for HP
Minimum system requirements Software included Printer management Dimensions and weight	SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows: Z GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: Z GB available hard drive space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the Box only on http://hp.com http://hp.com; HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SNMP Proxy Agent (Part of HP Web JetAdmin), HP WS Pro Proxy Agent (Part of HP Web JetAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration, Utility - Driver, Deployment Utility - Managed Printing Administrator)
Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H)	SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; No software solutions are included in the Box only on http://hp.com http:
Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions	SAP; Novelt; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the Box only on http://hp.c.om http://hp.com; HP Web JetAdmin Software, HP JetAdvantageSecurity Managec, HP SNMP Proxy Agent (Part of HP Web JetAdmin), HP WS Pro Proxy Agent (Part of HP Web JetAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration, Utility - Driver, Deployment Utility - Managed Printing Administrator) Minimum 421 x 435 x 384 mm; Maximum: 421 x 686 x 761 mm (with optional 550-sheet tray 3) 20.4 kg Temperature: 10 to 32.5 °C Humidity: 30 to 70% RH (non-condensing) Temperature: -20 to 40 °C
Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment	SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional 05 hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection or USB port, Internet browser. For additional 05 hardware requirements see apple.com; No software solutions are included in the Box only on http://hp.com http://hp.com http://p.com. HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP ShMP Proxy Agent (Part of HP Web JetAdmin), HP W5 Pro Proxy Agent (Part of HP Web JetAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Oriver Configuration, Utility – Driver, Deployment Utility – Managed Printing Administrator) Minimum 421 x 435 x 384 mm; Maximum: 421 x 686 x 761 mm (with optional 550-sheet tray 3) ~20.4 kg Temperature: 10 to 32.5 °C Humidity: 30 to 70%RH (non-condensing) Temperature: 20 to 40°C Acoustic power emissions: 6.1 B(A) Acoustic pressure emissions: 50 dB(A)
Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions	SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; No software solutions are included in the Box only on http://lhp.com http://ln2.hp.com; No software solutions are included in the Box only on http://lnp.com http://ln2.hp.com; HP Web JetAdmin Software, HP JetAdvantage Security Manage; HP SMMP Proxy Agent (Part of HP Web JetAdmin), HP WS Pro Proxy Agent (Part of HP Web JetAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration, Utility – Driver, Deployment Utility – Managed Printing Administrator) Minimum 421 x 435 x 384 mm; Maximum: 421 x 686 x 761 mm (with optional 550-sheet tray 3) - 20.4 kg Temperature: 10 to 32.5 °C Humidity: 30 to 70% RH (non-condensing) Temperature: -20 to 40 °C Acoustic power emissions: 6.1 B(A) Acoustic pressure emissions: 50 dB(A) Requirements: 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 3 Hz); Consumption: 585 watts (Active Printing), 18 watts (Ready), 0.8 watts (Sleep), 0.8 watts (HP auto-off/auto-on), 0.07 watts (auto-off/manual on), 0.07 watts (Off); Typical Electricity Consumption (TEC) ⁶¹ : 1423 kWh/New6 (Ellowangel); 0.422 kWh/New6 (Energy Star 3.0);
Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power	SAP; Novell; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drive space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the Box only on http://hp. com http://123.hp. com; HP Web JetAdmin Software, HP JetAdvantage Security Manage; HP SIMP Proxy Agent (Part of HP Web JetAdmin), HP WS Pro Proxy Agent (Part of HP Web JetAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration, Utility – Driver, Deployment Utility – Managed Printing Administrator) Minimum 421 x 435 x 384 mm; Maximum: 421 x 686 x 761 mm (with optional 550-sheet tray 3) - 20.4 kg Temperature: 10 to 32.5°C Humidity: 30 to 70% RH (non-condensing) Temperature: 20 to 40°C Acoustic power emissions: 6.1 B(A) Acoustic pressure emissions: 50 dB(A) Requirements: 220-volt input voltage: 220 to 240 VAC (+/- 10%, 50)60 Hz (+/- 3 Hz); Consumption: 585 watts (Active Printing), 18 watts (Ready), 0.8 watts (Sleep), 0.8 watts (HP auto-off/auto-on), 0.07 watts (auto-off/manual on), 0.07 watts (Off); Typical Electricity Consumption (TEC)*: 1.423 kWh/Week (Blue Angel); 0.422 kWh/Week (Energy Star 3.0); Power supply type — hternal (Butt-in) power supply bype — hternal (Butt-in) powers supply bype.
Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications	SAP; Novel!; UNIX; Citric; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see microsoft.com; Mac: 2 GB available hard drike space, Internet connection or USB port, Internet browser. For additional OS hardware requirements see apple.com; No software solutions are included in the Box only on http://hp.com.http://hp.com.http://123.hp.com; HP Web JetAdmin Software, HP JetAdvantage Security Manager, HP SIMP Proxy Agent (Part of HP Web JetAdmin), HP WS Pro Proxy Agent (Part of HP Web JetAdmin), Smart Printer Administrator Resource Kit for HP Smart Universal Print Driver (Driver Configuration, Utility - Driver, Deployment Utility - Managed Printing Administrator) Minimum 421 x 435 x 384 mm; Maximum: 421 x 686 x 761 mm (with optional 550-sheet tray 3) -20.4 kg Temperature: 10 to 32.5°C Humidity: 30 to 70% RH (non-condensing) Temperature: 20 to 40°C Acoustic power emissions: 6.1 B(A) Acoustic pressure emissions: 50 dB(A) Requirements: 220-out input voltage: 220 to 240 VAC (+7 10%), 50/60 Hz (+/- 10%), 50/6
Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications	SAP; Novel!; UNIX; Citrix; Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements seemic rosoft.com; Mac: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements seemic value of the Book only on hitts; Thip, com hitts; Thip. 23. pp. com; No software solutions are included in the Book only on hitts; Thip, com hitts
Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications	SAP; Novell; UNIX; Citric; Linux; Windows Sever Windows 2 GB available hard disk space, internet connection or USB port, internet browser. For additional OS hardware requirements seemicrosoft.com; Mac 2 GB available hard disk space, internet connection or USB port, internet browser. For additional OS hardware requirements seemicrosoft.com; Mos of the space internet connection or USB port, internet browser. For additional OS hardware requirements seemicrosoft.com; Mos of the space solutions are included in the Box only on http://linp.com. http://linp.com.htt
Minimum system requirements Software included Printer management Dimensions and weight Printer dimensions (W x D x H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications	SAP; Novel!; UNIX; Citric, Linux; Windows Server Windows: 2 GB available hard disk space, Internet connection or USB port, Internet browser. For additional OS hardware requirements seemicrosoft.com; Mac: 2 GB available hard disk-space, Internet connection or USB port, Internet browser. For additional OS hardware requirements seemicrosoft.com; Mos offware solutions are included in the Book only on hittp://hp.com. http://hp.com. http://hp

Footnotes

- 1 Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at hp.com/go/mobileprinting. Wi-Fi is a registered trademark of Wi-Fi Alliance®.
- Standard print mode for HP Color Laser Jet Pro series with HP Terra Jet technology compared to predecessors. See hp.com/Terra Jet colors.
- ³ HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.
- ⁴ Easy set up and manage Requires use of Smart Admin Dashboard for printer setup and onboarding of users.
- Plastic reduction calculated per page based on cartridge weight in grams and stated yield in HP TerraJet Cartridges compared to predecessors. See hp.com/TerraJetplasticreductions.
- ⁶ HP calculations based on normalized Energy Star® TEC data in HP TerraJet Cartridges compared to predecessors. See hp.com/TerraJetenergysaving.
- ⁷ HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.
- 8 Smart app: Requires the HP Smart app download. For details on local printing requirements see www.hp.com/go/mobileprinting. Certain features/software are available in English language only and differ between desktop and mobile applications. Subscription may be required.
- ⁹ Based on monthly subscription cost of HP Instant Ink color toner service 1,500-page plan without purchase of additional sets of pages compared to cost per page to print ISO/IEC 24711 pages on most in-class, traditional A4 color toner cartridge printers <\$639 USD and <€759 and MFPs priced <\$839 USD and <€929 using original standard-capacity integrated cartridges (toner and drum in one cartridge). Average CPP per country used to determine percent savings claim versus CPP for HP Instant Ink. Sale prices, along with return program supplies, not considered for this study. Printers which only use XL cartridges excluded due to non-standard hardware & supplies model. Keypoint Intelligence April 2022 study commissioned by HP, based on publicly available information as of April 20, 2022. Printers selected by market share in IDC Quarterly Hardcopy Peripherals Tracker - Final Historical Q3 2021. For details: www.keypointintelligence.com/HPInstantInk
- 10 Automatic delivery and consolidated bill- Printers require direct connection to the Internet for program participation. Internet access sold separately.
- 11 Recycling Program availability varies. Original HP cartridge return and recycling is currently available in more than 60 countries, territories and regions in Asia, Africa, Europe, and North and South America through the HP Planet Partners program. For details, see hp.com/recycle.
- 12 Never run out Based on plan usage, Internet connection to eligible HP printer, valid credit/debit card, email address, and delivery service in your geographic area.
- 13 Change or cancel Change or cancelyour plan at any time online. If you decide to cancel your HP Instant Ink you can go back to using HP original Standard or XL cartridges. Plan upgrades are effective immediately and the charges will be applied retrospectively or in the next billing cycle, depending on user choice. Plan downgrades and cancellations are effective after the last day of the current billing period. For full details go to hpinstantink.com/terms
- ¹⁴ HP Security Manager must be purchased separately. To learn more, please visit hp.com/go/securitymanager

Technical specifications disclaimers

- 1 For yield information on the cartridge(s) included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors.
- Declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/toneryield
- ³ EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.
- ⁴ Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh). Blue Angel TEC based on 230V test result; ENERGY STAR TEC data based on 115V test result.