## ThinkVision T34w-20 61F3GAT1EU

Product

ThinkVision T34w-20

Machine Type 61F3

Region EMEA

Color Raven Black

Panel Vertical Alignment

Display Size

*View Area* 797.2x333.7 mm

Resolution 3440x1440

Aspect Ratio 21:9

*Pixel Pitch* 0.23175x0.23175 mm

Dot / Pixel Per Inch 109 dpi

Brightness 350 nits

Contrast Ratio 3000:1

*Pixel Response Time* 4 ms / 6 ms / 17 ms

Color Gamut 99% sRGB

View Angle (H / V) 178 / 178

Stand Tilt, Swivel, Height Adjust Stand

Side Bezel Width 2.2 mm

Dimensions with Stand (HxWxD) 597.4x808.6x245 mm

Power Comsuption (Typical / Maximum) 46W / 140W

Power Adapter Integrated

Weight (Including Stand) 21.85lb / 9.91kg

Warranty 3-year

ENERGY STAR 8.0 **TCO** 8.0

**EPEAT** Silver

Presets / User Settings 21 / 20

On Screen Display OSD, 8 Languages

USB Port USB 3.1 Gen1 x4

**Speaker** None

*Camera* None

Low Blue Light / Eye Comfort Eye Comfort

Multiple Input HDMI, DP, USB Type-C Gen1(DP1.2 Alt Mode)

Monitor Cable USB type C to C

End of Support

CPU / Platform None / None

Display Ram / Storage / Card Slot None / None / None

Wireless / Ethernet / Bluetooth None / None / None

Touch Screen / Digitizer Pen / Battery None / None / None

**Operating System** Support Windows 7, Windows 10

Ann Date (mm/yy) 02/20

### L WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.

#### https://psref.lenovo.com

## PSREF

Visit psref website for the latest version of Product Specifications Reference. © Lenovo, 2020. All rights reserved.



## ThinkVision T34w-20

# **Specifications**

#### DISPLAY

Panel Size 34-inch

Screen Dimensions 797.2 mm x 333.7 mm

Panel Type 3-side NearEdgeless VA

Curvature 1500R

Backlight WLED

Aspect Ratio 21:9

**Resolution** 3440 × 1440

**Pixel Pitch** 0.23175 x 0.23175 mm

Dot/Pixel Per Inch (DPI/PPI) 109

Viewing Angle (H x V @ CR 10:1) 178° / 178°

Response Time 4ms (extreme mode) 6ms (normal mode)

Refresh Rate 60 Hz

Brightness (typical) 350 cd/m<sup>2</sup>

Contrast Ratio (typical) 3000:1

**Dynamic Contrast Ratio (typical)** 3M:1

**Colour Gamut** 99% sRGB

**Color Support (typical)** 16.7 Million

Anti-glare Yes

#### CONNECTIVITY

Video Signal 1 x USB Type-C Gen1 (DP1.2 Alt Mode) 1 x HDMI 2.0 1 x DP 1.2

**Audio Signal** 1 x Audio Out (3.5 mm)

USB Upstream 1 x USB 3.1 Gen1 (by USB Type-C)

USB Downstream 4 x USB 3.1 Gen1 (1 BC)

#### POWER

Power Consumption (typical/max) 46W / 140W

Power Consumption Sleep/Off Mode < 0.5W

Power Consumption Switch-off Mode < 0.5W

Energystar Power Consumption (P<sub>on</sub>/E<sub>TEC</sub>) 34W / 107kWh

USB Type-C Power Delivery (W) Up to 75W\*

Smart Power Yes

Voltage Required AC 100 to 240 V (50-60 Hz)

#### MECHANICAL

**Tilt Angle (front/back)** -5°/ 35°

Swivel Angle (left/right)  $+45^{\circ}/-45^{\circ}$ 

Lift (max range) 135 mm

**VESA Mount Capability** Yes (100 x 100 mm)

Kensington Lock Slot Yes

Cable Management Yes

**Bezel Color** Raven Black

Bezel Width (side) 2.2 mm

Bezel Width (top/bottom) 2.2 mm / 27.8 mm

#### DIMENSION

Size Packed (D x H x W, mm/inch) 523.0 x 250.0 x 980.0 mm / 20.59 x 9.84 x 38.58 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (lowest position) 245.0 x 462.4 x 808.6 mm / 9.65 x 18.21 x 31.84 inches

Size Unpacked w/ Stand (D x H x W, mm/inch) (highest position)

245.0 x 597.4 x 808.6 mm / 9.65 x 23.52 x 31.84 inches **Size Unpacked w/o Stand** (head only) (D x H x W, mm/inch) 106.1 x 372.6 x 808.6 mm / 4.18 x 14.67 x 31.84 inches

Min. Distance from Table to Panel (lowest pixel at bottom of screen, mm) 119.1 mm

Max. Distance from Table to Panel (highest pixel at top of screen, mm) 587.9 mm

Weight Packed (kg/lbs.) 13.85 kg / 30.53 lbs.

Weight Unpacked (kg/lbs.) 9.91 kg / 21.85 lbs.

Weight (monitor head only) (kg/lbs.) 6.91 kg / 15.23 lbs.

Full Container Load (40' STD / 20' STD) 432 / 216 units

#### WHAT'S IN THE BOX

Monitor with stand 1 x Power cable (1.8 m) 1 x DP cable (1.8 m) (NA & LA only) 1 x USB Type-C to Type-A cable (1.8 m) (NA & LA only) 1 x USB Type-C to Type-C cable (1.8 m) Quick setup guide

#### CERTIFICATION

ENERGY STAR Rating 8.0

**CCC** Yes

**TCO** 8.0

TCO Edge 2.0

EPEAT Silver

**RoHS (EU 2002/95/EC)** Yes

Windows Certification Windows 7, Windows 10

**China Energy Efficiency Standard** Tier 2

**TÜV Rheinland Eye Comfort** Yes



\*Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting.

Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: - 5 Gbit/s for USB 3.1 Gen1; 10 Gbit/s for USB 3.1 Gen2 & 20 Gbit/s for USB 3.2.













