ThinkVision P27u-20 62CBRAT6EU

Product

ThinkVision P27u-20

Machine Type 62CB

Region EMEA

Display Size 27"

View Area 596.7x335.7 mm

Panel In-Plane Switching

Aspect Ratio 16:9

Resolution 3840x2160

Pixel Pitch 0.1554x0.1554 mm

Dot / Pixel Per Inch 163 dpi

View Angle (H / V) 178 / 178

Response Time 4 ms (Extreme mode) / 6 ms (Typical mode)

Color Support 1.07 Billion

Refresh Rate 60 Hz

Brightness 450 nits

Contrast Ratio 1000:1

Color Gamut 99.5% Adobe RGB, 99.1% DCI-P3, 100% sRGB, 100% BT.709, 83.7% BT.2020

Curvature

None

Anti-glare Yes

Video Connector Thunderbolt-in, Thunderbolt-out, 2xHDMI, DP

USB Port 3 x USB 3.2 Gen 1 (1 BC 1.2), 1 x USB Type-C (Data & Power Delivery)

Camera ThinkVision MC 50 Support

Microphone None

Speakers 2x 3W, Optional soundbar support **Power Consumption (Typical / Maximum)** 35W / 240W

Power Adapter Integrated

Stand Tilt, Swivel, Pivot, Height Adjust Stand

Color Raven Black

Side Bezel Width 2 mm

Dimensions with Stand (HxWxD) 556.4x613.8x219.9 mm / 21.90x24.16x8.66 inches

Weight (Including Stand) 8 kg / 17.6 lbs.

Cables Included USB Type-C to Type-A cable, Thunderbolt 4 cable

Environmental Certification Energy Star Certified, TCO 9.0, EPEAT Gold, RoHS

Ergonomic Certification TÜV Rheinland Eye Comfort

Base Warranty 3-year

Operating System Support Support Windows 7, Windows 10

Sync Technology None

Tiny Support / CPU / Platform Tiny Support, Nano Support / None / None

Ethernet / Bluetooth / Wireless Ethernet (10M/100M/1000M) / None / None

Touch Screen / Digitizer Pen / Battery None / None / None

Display Ram / Storage / Card Slot None / None / None

EAN / UPC / JAN 0195713542999 / 195713542999 / None

Announce Date 2021-09-11

L WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.

https://psref.lenovo.com

PSREF

Visit psref website for the latest version of Product specifications Reference. © Lenovo, 2022. All rights reserved.



ThinkVision P27u-20

DISPLAY

Panel Size 27-inch

Screen Dimensions (W x H, mm) 608.8 mm x 355.3 mm

Panel Type 3-side NearEdgeless In-Plane Switching

Active Area 596.7 mm x 335.7 mm

Backlight WLED

Aspect Ratio 16:9

Resolution 3840 x 2160

Pixel Pitch 0.1554 mm x 0.1554 mm

Dot/Pixel Per Inch (DPI/PPI) 163

Viewing Angle (H x V @ CR 10:1) 178° / 178°

Response Time 4ms (Extreme Mode), 6ms (Normal Mode)

Refresh Rate 60 Hz

Brightness (Typical) 400 cd/m²

Brightness (Peak) 450 cd/m²

Contrast Ratio (Typical) 1000:1

Dynamic Contrast Ratio (Typical) 3M·1

Color Gamut

99.5% Adobe RGB (CIE 1931) 99.1% DCI-P3 (CIE 1976) 100% sRGB (CIE 1976) 100% BT.709 (CIE 1976) 83.7% BT.2020 (CIE 1976)

Color Support (Typical) 1.07 Billion

Color Depth 10-bit (8+FRC)

HDR Compliance Yes (DisplayHDR[™] 400)

Anti-glare Yes

CONNECTIVITY

Video Signal 1 x Thunderbolt™ 4 In 1 x Thunderbolt[™] 4 Out 2 x HDMI 2.0 1 x DP 1.2

Audio Signal 1 x Audio Out (3.5 mm)

USB Hub Yes

Ethernet Yes (10M/100M/1000M)

USB Upstream 2 x USB3.2 Gen1¹ (1 by USB Type-B. 1 by Thunderbolt[™] 4)

USB Downstream 3 x USB3.1 Gen11 1 x USB Type-C (Data & Power Delivery)

MUI TI-MEDIA

Integrated Speakers Yes (2 x 3W)

Optional Soundbar Support Yes (PN number: 0A36190)

SPECIAL FEATURES

Factory Calibration Yes (Avg. Delta E<1)

KVM Switch Yes

Software

Lenovo ThinkColour (Lenovo Display Control Center)²

Smart Sensor Yes (Smart Light)

Others Shading Hood³

POWFR

Power Consumption (Typ. / Max.) 35W / 240W

Power Consumption Sleep/Off Mode < 0.5W

Power Consumption Switch-off Mode < 0.3W

ENERGY STAR Power Consumption (Pon/ETEC) 26W / 97kWh

Power Supply Internal

USB Type-C Power Delivery (W) Up to 27W⁴

TBT Power Delivery (W) Yes (Up to 100W)

Smart Power Yes

Voltage Required AC 100 to 240 V (50-60 Hz)

MECHANICAL

Tilt Angle (Front / Back) -5°/35°

Swivel Angle (Left / Right) -45°/45°

Lift (Max. Range) 135 mm

Pivot -90°/ 90°

VESA Mount Capability Yes (100 x 100 mm)

ThinkCentre M Series Tiny Support

Yes, by Tiny Monitor Clamp II (PN: 4XHOZ42451)³ & Tiny VESA Mount II (PN: 4XFONO3161)³

ThinkCentre M Series Nano Support Yes, by Nano Monitor Clamp II (PN: 4XHOZ42451)³ & Nano VESA Mount (PN: 4XF0V81630)³

Kensington Lock Slot Yes

Cable Management Yes

Bezel Color Raven Black

Bezel Width (Side) 2.0 mm

Bezel Width (Top / Bottom) $20/236\,\text{mm}$

DIMENSIONS

Size Packed (D x H x W) (mm/inch) 187.0 x 510.0 x 732.0 mm 7.36 x 20.08 x 28.82 inches

Size Unpacked w/ Stand (D x H x W) (mm/inch) (Lowest Position) 219.9 x 421.4 x 613.8 mm 8.66 x 16.59 x 24.16 inches

Size Unpacked w/ Stand (D x H x W) (mm/inch) (Highest Position) 219.9 x 556.4 x 613.8 mm

52.9 x 368.8 x 613.8 mm 2.08 x 14.52 x 24.16 inches

Weight Packed (kg / lbs.) 12.8 kg / 28.1 lbs.

Weight Unpacked (kg / lbs.) 8.0 kg / 17.6 lbs.

Weight (Monitor Head Only) (kg / lbs.) 5.4 kg / 11.9 lbs.

WHAT'S IN THE BOX

Monitor with stand 1 x Power cable (1.8m) 1 x DP cable (1.8m) for US & Canada onlv⁵ 1 x HDMI cable (1.8m) for PRC SA only⁵ 1 x USB Type-B to Type-A cable (1.8m)⁵ 1 x Thunderbolt[™] 4 cable (1.0m, 40 Gbps) Factory calibration report Quick setup guide

OVOUS

CERTIFICATION

ENERGY STAR Certification

Yes CCC

Yes

TCO 9.0

FPFAT Gold

RoHS (EU 2011/65/EU) Yes

Windows Certification Windows 7, Windows 10

China Energy Efficiency Standard Tier 1

TÜV Rheinland Eye Comfort Yes



¹ Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen2 & 20 Gbit/s for USB

² This software can only be used with Windows 10.

³ Sold separately.

⁴ Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting. 5 Optional.

© 2022 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, U.S.A, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, ThinkVision, and ThinkColour are trademarks. or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/ or other countries. Other company, product, and service names may be trademarks or service marks of others.

Specifications may vary depending upon region.

Size Unpacked w/o Stand (Head Only) $(D \times H \times W)$ (mm/inch)

8.66 x 21.90 x 24.16 inches

ThinkVision P27u-20











