ThinkVision T24m-20 62CDGAT6EU

Product

ThinkVision T24m-20

Machine Type 62CD

Region EMEA

Display Size 23.8"

View Area 535.1x296.5 mm

Panel In-Plane Switching

Aspect Ratio 16:9

Resolution 1920x1080

Pixel Pitch 0.2745x0.2745 mm

Dot / Pixel Per Inch 93 dpi

View Angle (H / V) 178 / 178

Pixel Response Time 4 ms (Extreme mode) / 6 ms (Typical mode)

Color Support 16.7 Million

Refresh Rate 60 Hz

Brightness 250 nits

Contrast Ratio 1000:1

Color Gamut 72% NTSC

Curvature None

Anti-glare Yes

Video Connector HDMI, DP, DP-out USB Type-C Gen 1 (DP 1.2 Alt Mode)

USB Port 4x USB 3.2 Gen 1 (1x BC 1.2)

Camera None

Microphone None

Speaker None Power Consumption (Typical / Maximum) 22W / 140W

Power Adapter Integrated

Stand Tilt, Swivel, Pivot, Height Adjust Stand

Color Raven Black

Side Bezel Width 2 mm

Dimensions with Stand (HxWxD) 567.1x539.8x204.9 mm / 22.33x21.25x8.07 inches

Weight (Including Stand) 6.1 kg / 13.5 lbs.

Cables Included USB Type-C to Type-C cable

Environmental Certification Energy Star Certified, TCO 8.0, TCO Edge 2.0, EPEAT Silver, RoHS

Ergonomic Certification TÜV Rheinland Eye Comfort

Base Warranty 3-year

Operating System Support Support Windows 7, Windows 10

Sync Technology None

Tiny Support / CPU / Platform Tiny Support, Nano Support / None / None

Ethernet / Bluetooth / Wireless Ethernet (10M/100M/1000M) / None / None

Touch Screen / Digitizer Pen / Battery None / None / None

Display Ram / Storage / Card Slot None / None / None

EAN / UPC / JAN 0195713896795 / 195713896795 / None

Announce Date 2021-07-06

L WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.

https://psref.lenovo.com

PSREF

Visit psref website for the latest version of Product specifications Reference. © Lenovo, 2021. All rights reserved.



ThinkVision T24m-20

DISPLAY

Panel Size 23.8-inch

Screen Dimensions 535.1 mm x 313.1 mm

Panel Type 3-side NearEdgeless In-Plane Switching

Active Area 527.0 mm x 296.5 mm

Backlight WLED

Aspect Ratio

Resolution 1920 x 1080

Pixel Pitch 0.2745 mm x 0.2745 mm

Dot/Pixel Per Inch (DPI/PPI) 93

Viewing angle (H x V @ CR 10:1) 178° / 178°

Response Time 4ms (Extreme Mode) 6ms (Normal Mode)

Refresh Rate 60 Hz

Brightness (typical) 250 cd/m²

Contrast Ratio (typical) 1000:1

Dynamic Contrast Ratio (typical) 3M:1

Color Gamut 72% NTSC (CIE 1931)

Color Support (typical) 16.7 Million **Color Depth** 8-bit (6+FRC)

Anti-glare Yes

CONNECTIVITY

Video Signal 1 x USB Type-C' Gen1 (DP1.2 Alt Mode) 1 x HDMI 1.4 1 x DP 1.2 1 x DP Out

Audio Signal 1 x Audio Out (3.5mm)

USB Hub Yes

Ethernet Yes (10M/100M/1000M)

USB Upstream 1 x USB3.2 Gen1 (1 by USB Type-C¹)

USB Downstream 4 x USB3.2 Gen1 (1 x BC1.2)

SPECIAL FEATURES

Software Lenovo ThinkColour³ (Lenovo Display Control Center)

POWER

Power Consumption (Typ./Max) 22W / 140W

Power Consumption Sleep/Off Mode < 0.5W⁴

Power Consumption Switch-Off Mode < 0.3W Energystar Power Consumption (Pon/E_{TEC}) 15W / 49kWh

Power Supply Internal

USB Type-C¹ (DP Alt Mode) power delivery Up to 90W⁵

Smart Power² Yes

Voltage Required AC 90 to 264 V (50-60 Hz)

MECHANICAL

Tilt Angle (front/back) -5° / 35°

Swivel Angle (left/right) -45° / 45°

Lift (Max range) 150 mm

Pivot -90° / 90°

VESA Mount Capability Yes (100 x 100 mm)

ThinkCentre M Series Tiny support Yes, by Tiny monitor clamp II

(PN: 4XHOZ42451) & Tiny VESA mount II (PN: 4XFONO3161)

ThinkCentre M Series Nano support Yes, by Nano monitor clamp II

(PN: 4XHOZ42451) & Nano VESA mount (PN: 4XFOV81630)

Kensington Lock Slot Yes

Cable Management Yes

Bezel Color Raven Black Bezel Width(side) 2.0 mm

Bezel Width(top/bottom) 2.0 / 22.0 mm

DIMENSION

Size Packed (D x H x W, mm/inch) 161.0 x 480.0 x 604.0 mm 6.34 X 18.89 X 23.78 inches

Size Unpacked w/stand (D x H x W)(mm/inch) (Lowest position) 204.9 x 417.1 x 539.8 mm 8.09 x 16.42 x 21.25 inches

Size Unpacked w/stand (D x H x W)(mm/inch) (Highest position) 204.9 x 567.1 x 539.8 mm 8.09 x 22.33 x 21.25 inches

Size Unpacked w/o stand (Head Only) (D x H x W) (mm/inch) 44.4 x 325.9 x 539.8 mm 1.75 x 12.83 x 21.25 inches

Weight Packed (kg/lb) 8.9 kg / 19.7 lbs.

Weight Unpacked (kg/lb) 6.1 kg / 13.5 lbs.

Weight (Monitor Head Only) (kg/lb) 3.6 kg / 8.0 lbs.

WHAT'S IN THE BOX

Monitor with stand 1 x Power cable (1.8m) 1 x DP cable (1.8m) for US, Canada 1 x USB Type-C to Type-A cable (1.8m) for US, Canada 1 x USB Type-C to Type-C cable (1.8m) Quick setup guide

CERTIFICATION

ENERGY STAR Certification Yes

ccc

Yes

TCO 8.0

TCO Edge 2.0

EPEAT Gold

EU(2011/65/EC) Yes

Windows Certification Windows 7, Windows 10

China Energy Efficiency Standard Tier 1

TÜV Rheinland Eye Comfort Yes

TÜV Rheinland Flicker Free Yes

TÜV Low Blue Light (Hardware Solution) Yes

Eyesafe Display Certification Yes



¹ USB Type-C* and USB-C* are registered trademarks of USB Implementers Forum. ² The Smart Power function intelligently detects overall power consumption and dynamically manages the power delivery to each device. Up to 90W power delivery to compatible devices by USB Type-C, typical power delivery is 65W. ³ This software can only be used with Windows 10. ⁴ For DP/HDMI mode. ⁵ Listed as maximum capacity of power delivery. Actual capacity of power delivery may vary depending upon devices connected or monitor configuration, and may decline with downstream USB ports connected or higher brightness setting.

Depending on many factors such as the processing capability of peripheral devices, file attributes, and other factors related to system configuration and operating environments, the actual transfer rate using the various USB connectors on this device will vary and is typically slower than the data rates as defined by the respective USB specifications: 5 Gbit/s for USB 3.2 Gen 1; 10 Gbit/s for USB 3.2 Gen 2 & 20 Gbit/s for USB 3.2 Gen2x2.

© 2021 Lenovo. All rights reserved. These products are available while supplies last. Prices shown are subject to change without notice. For any questions concerning price, please contact your Lenovo Account Executive. Lenovo is not responsible for photographic or typographic errors. Warranty: For a copy of applicable warranties, write to: Warranty Information, 500 Park Offices Drive, RTP, NC 27709, Attn: Dept. ZPYA/B600. Lenovo makes no representation or warranty regarding third-party products or services. Trademarks: Lenovo, the Lenovo logo, Rescue and Recovery, ThinkPad, ThinkCentre, ThinkStation, ThinkVantage, and ThinkVision are trademarks or registered trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside, Intel Core, and Core Inside are trademarks of Intel Corporation in the U.S. and/or other countries. Other company, product, and service names may be trademarks of others.

Specifications may vary depending upon region.

ThinkVision T24m-20











