# ThinkPad X390 Yoga 20NN00FDMC

Product

ThinkPad X390 Yoga

Region EET

Country/Region Czech Republic

Machine Type 20NN

TopSeller TopSeller

**Processor** Intel Core i5-8265U (4C / 8T, 1.6 / 3.9GHz, 6MB)

Graphics Integrated Intel UHD Graphics 620

Chipset Intel SoC Platform

*Memory* 8GB Soldered DDR4-2400

Storage 256GB SSD M.2 2280 PCIe NVMe Opal2

Display 13.3" FHD (1920x1080) IPS 300nits AR (anti-reflection)

Touchscreen 10-point Multi-touch

Pen ThinkPad Pen Pro (Garaged)

Media Reader MicroSD card reader

*Ethernet* 100/1000M via Optional Adapter

Optical None

*WLAN* + *Bluetooth* Intel 9560 11ac, 2x2 + BT5.0

**WWAN** None

SIM Card None

Smart Card Reader Smart Card Reader

Monitor Cable None

Bundled Accessories None

**Case Material** CF Hybrid PA + 50% GF

Camera 720p + IR with ThinkShutter

#### Microphone

2x, Array Color

Black **Keyboard** Backlit, Czech / Slovak

*Fingerprint Reader* Touch Style, Match-on-Chip

**NFC** None

> TPM Discrete TPM 2.0

Battery Integrated 50Wh

Power Adapter 65W USB-C

System Management None

**Operating System** Windows 10 Pro 64, Czech / English

Bundled Software

Base Warranty 3-year, Depot

Bundled Service 3Y Onsite upgrade from 3Y Depot/CCI (5WS0E97271)

EAN / UPC / JAN 0193638788393

*End of Support* 2025-08-23

**Announce Date** 2019-07-23

### Notes:

**Battery life** is an estimated maximum. Actual battery life may vary based on many factors, including screen brightness, active applications, features, power management settings, battery age and conditioning, and other customer preferences.

### L WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifcations or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.

#### https://psref.lenovo.com





## ThinkPad X390 Yoga Platform Specifications

Product Specifications Reference (PSREF)

Lenovo

Processor 8th Generation Intel <sup>®</sup> Core™ i5 / i7 Processor									D	Dimensions	<i>WxDxH:</i> 12.22" x 8.62" x 0.63"; 310.4mm x 219mm x 15.95mm			
	Processor # of # of Base Max Turbo Cache Memory Processor								r W	Veight	Starting at 2.85 lb /1.29 kg			
		Cores	Threads	Frequency	Frequency		Types	Graphics		Case color Case material	Black or silver (silver is NÕT available in EMEA) Display cover. CF Hybrid PA + 50% GF			
	i5-8265U i5-8365U		ŀ	1.6 GHz 1.6 GHz	3.9 GHz 4.1 GHz	6MB 6MB	.	Intel UHD Grag	nhios –		Bottom: CF Hybrid PA + 50% GF			
	i7-8565U	4	8	1.8 GHz	4.1 GHZ 4.6 GHz	8MB	DDR4-2400	620	' IS		r <i>Optional:</i> Smart card reader			
	i7-8665U			1.9 GHz	4.8 GHz	8MB					MicroSD card reader Two USB 3.1 Gen 1 (one Always On),			
Graphics	Intel UHD Graphics 620 in processor; supports external digital monitor via HDMI or USB Type-C; supports three independent displays; Max resolution: 4096x2304@60Hz (Thunderbolt); 4096x2160@24Hz (HDMI)									one USB 3.1 Type-C Gen 1 (with the function of Power Delivery and DisplayPort), one USB 3.1 Type-C Gen 2 / Thunderbolt 3 (with the function of PD and DP), HDMI 1.4b, Ethernet extension connector, nano-SIM card slot (WWAN models), headphone / microphone combo jack, optional smart card reader, microSD card reader, side docking connector, security keyhole				
Chipset Memory	Intel SoC (System on Chip) platform 8GB or 16GB / 2400MHz DDR4 / soldered to systemboard, no sockets * Installed memory is actually 2666MHz but run at 2400MHz due to Intel limitation								(0	Monitor cable (optional)	<i>* Depending on many factors, actual data transfer speed may be lower than theoretical speed HDMI to VGA:</i> Lenovo HDMI to VGA Monitor Adapter <i>USB-C to VGA:</i> Lenovo USB-C to VGA Adapter			
Display	Size Resolu	ution	Tv	pe Surface	Brightness	Aspec	t Contrast	Color View	wing	Bundled Accy	Optional: ThinkPad Ethernet Extension Adapter Gen 2			
	12 2" EUD (1020-1020) UDS Anti- 200 pttp 16:0 200:1 729( 170°									Audio support     HE     Ste	<ul> <li>b) One of the following, configurable by model:</li> <li>I HD720p camera with ThinkShutter camera privacy, fixed focus</li> <li>IR camera and HD720p camera with ThinkShutter camera privacy, fixed focus</li> <li>HD Audio, Realtek<sup>®</sup> ALC3287 codec / stereo speakers, 1W x 2, Dolby<sup>®</sup> Audio<sup>™</sup> Premium /</li> </ul>			
N A	[13.3 [FID (1920x1080)] [PS   reflection   300 fills   16.9   800.1   72%   170*													
Multi-touch		Capacitive-type multi-touch, supports 10-finger gesture, anti-reflection (AR), AS (anti-smudge), could reduce the brightness by up to 10%							<b></b> (')					
Hinge	Yogà hinge, 360 degree								<u>-</u> -		dual array far-field microphone, headphone / microphone combo jack			
Convert-mode Pen								nargeable			6-row, spill-resistant, multimedia Fn keys, LED backlight TrackPoint® pointing device and buttonless Mylar surface multi-touch touchpad			
Storage	<ul> <li>M.2 2280 SSD / SATA 6.0Gb/s</li> <li>M.2 2242 SSD / PCIe NVMe, PCIe 3.0 x 2</li> <li>M.2 2280 SSD / PCIe NVMe, PCIe 3.0 x 4</li> <li>Intel Optane<sup>™</sup> Memory H10 with Solid State Storage, M.2 2280, PCIe NVMe 3.0 x 4</li> </ul>								S F	Security Security chip System Mgt <i>(opt)</i> Fingerprint reader	Power-on password, hard disk password, supervisor password, security keyhole Firmware TPM 2.0 integrated in chipset or discrete TPM 2.0 TCG Certified (may be disabled in some region) Intel vPro Technology rTouch style match on chip fingerprint reader on the palm rest			
Optical	None								N	NFČ (optional)	Near Field Communication			
Ethernet	Native Intel Ethernet Connection I219-V ( <i>Non-vPro</i> ) or I219-LM ( <i>vPro</i> ) via bundled or optional ThinkPad Ethernet Extension Adapter Gen 2									Battery       Integrated Li-ion 50Wh battery, supports Rapid Charge (charge up to 80% in 1hr) with 65W AC adapter         Max battery life       MobileMark® 2014: 14.5 hr * Battery life varies significantly with settings, usage, & other factors         AC adapter       • 45W USB-C AC adapter         • 65W USB-C AC adapter       • 65W USB-C AC adapter				
WLAN (optional)	One of the following, configurable by model: • Intel Wireless-AC 9560, Wi-Fi 2x2 802.11ac + Bluetooth 5.0 • Intel Wi-Fi 6 AX200, Wi-Fi 2x2 802.11ax + Bluetooth 5.0 Bluetooth 5.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter													
WWAN (optional)	One of the following, configurable by model:										65W slim tip AC adapter			
	<ul> <li>Integrated Mobile Broadband 4G LTE, Fibocom L830-EB, M.2 card (EMEA only)</li> <li>Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, M.2 card</li> <li>* For non-WWAN model, it means the model is NOT WWAN upgradable</li> </ul>								<sup>niy)</sup>  G	G-sensor	None 3D accelerometer 3D gyrometer			
SIM card (opt)							d for specia	l bid only	Ī	Operating system	Optional: Windows® 10 Home 64 or Windows 10 Pro 64			
								·	Li	imited warranty (optional)	<ul> <li>1-year depot repair service</li> <li>1-year depot with 2-year system board repair service</li> <li>1-year/3-yr battery depot repair service</li> <li>1-year limited onsite service</li> <li>1-year + 2-year depot repair service</li> <li>3-year/1-yr battery depot repair service</li> <li>3-year/3-yr battery depot repair service</li> <li>3-year/3-yr battery depot repair service</li> <li>3-year/3-yr battery limited onsite service</li> <li>3-year/3-yr battery limited onsite service</li> <li>3-year/3-yr battery limited onsite service</li> </ul>			
											MIL-STD-810G military testing			
									E	Environment	EPEAT™ Silver; ENERGY STAR <sup>®</sup> 7.1; RoHS-compliant			

Note: The specifications above may not be available in all regions.

Lenovo January 2020



-----

(intel)





(intel)