ThinkPad X390 20Q0005LMC

Product

ThinkPad X390

Region EET

Country/Region Czech Republic

Machine Type 20Q0

TopSeller TopSeller

Processor Intel Core i5-8265U (4C / 8T, 1.6 / 3.9GHz, 6MB)

Graphics Integrated Intel UHD Graphics 620

Chipset Intel SoC Platform

Memory 8GB Soldered DDR4-2400

Storage 512GB SSD M.2 2280 PCIe NVMe Opal2

Display 13.3" FHD (1920x1080) IPS 300nits Anti-glare

Touchscreen None

Media Reader MicroSD Reader

Ethernet 100/1000M via Optional Adapter

Optical None

WLAN + Bluetooth Intel 9560 11ac, 2x2 + BT5.0

WWAN Fibocom L830-EB

SIM Card None

Smart Card Reader Smart Card Reader

Monitor Cable

Bundled Accessories None

Case Material PPS (Top), Magnesium / Aluminum (Bottom)

Camera 720p with ThinkShutter

Microphone 2x, Array

Color Black

Keyboard Backlit, Czech / Slovak

Fingerprint Reader Touch Style, Match-on-Chip

NFC None TPM

Discrete TPM 2.0

Battery Integrated 48Wh

Power Adapter 65W USB-C

System Management None

Operating System Windows 10 Pro 64, Czech / English

Bundled Software

Base Warranty 3-year, Depot

Bundled Service 3Y Onsite upgrade from 3Y Depot/CCI (5WS0A23006)

EAN/UPC/JAN 0193638764243

End of Support 2025-08-23

Announce Date 2019-07-23

Notes:

Battery life is an estimated maximum. Actual battery life may vary based on many factors, including screen brightness, active applications, features, power management settings, battery age and conditioning, and other customer preferences.

L WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifcations or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.

https://psref.lenovo.com



Visit psref website for the latest version of Product Specifcations Reference. © Lenovo, 2020. All rights reserved.



ThinkPad X390 Platform Specifications

Product Specifications Reference (PSREF)

Lenovo

Processor	8th Generation Intel [®] Core™ i3 / i5 / i7 Processor										Dimensions	Models	FHD Non-touch HD / FHD Multi-touch				
	Processor # of # of Base Max Turbo Cache Memory Processor										1	Carbon Fiber	311.9mm x 217.0mm	x 16.5mm		_	
	Number Cores Threads		_	Frequency Frequency			Types	Graphics		-	Carbon riber		12.28" x 8.54" x 0.65"		-		
	i3-8145U 2 i5-8265U		4	_			4MB 6MB					PPS		312.0mm x 217.2mm x 16.9mm 12.28" x 8.55" x 0.67"		312mm x 217.2mm x 16.9mm 12.28" x 8.55" x 0.67"	
	i5-8365U i7-8565U i7-8665U	-					6MB	DDR4-2400	00 Intel UHD Graphics 620		Weight	Models	FHD Non-touch	н		FHD Multi-touch	
		/	8			4.6 GHz	8MB	00114 2400				Carbon Fiber	2.70 lb / 1.22 kg	<u>п</u>			
						8MB	_				PPS	2.85 lb / 1.29 kg	2.93 lb /		2.84 lb / 1.28 kg		
	or 10th Generation Intel Core i5 / i7 Processor (NOT available in EMEA)								EMEA)		Case color	Black	2.00 lb / 1.20 ltg				
	Processor # of #			of Base			Cache	Memory Types	Processor Graphics		Case material	Display cover: Carbon Fiber (FHD non-touch only) or PPS; Bottom: Magnesium/Aluminum					
	15-1021011			_			6MB	Types	Graphics		Smart card reade	erOptional: Smart card reader					
		i7-10510U 4 8						DDR4-2400	ntel UHD Graphics		Media reader	MicroSD card reader, in the combo slot with nano-SIM card					
		i7-10710U 6 12					12MB	221112100			Ports	Two USB 3.1	Gen 1 (one Always On),	D		
	suppor suppor Max re	ts externa ts three ir	al digital ndepend 4096x2	moni lent d 304@	itor via H displays; 060Hz (T	Graphics in IDMI or US Thunderbol	ЗВ Тур	essor; e-C; 96x2160@2	24Hz (H[OMI)	_	one USB 3.1 Type-C Gen 1 (with the function of Power Delivery and DisplayPort), one USB 3.1 Type-C Gen 2 / Thunderbolt 3 (with the function of PD and DP), HDMI 1.4b, Ethernet extension connector, combo slot of nano-SIM card (WWAN models) and microSD card reader, headphone / microphone combo jack, optional smart card reader, side docking connector, security keyhole					
Memory	4GB, 8 * <i>32GB</i>	GB, 16GE memory is	3 or 320 <i>NOT ava</i>	àB / 2 ailable	400MHz	is with 10th (Gen pr	d to system ocessor lue to Intel lin	nitation		Monitor cable <i>(optional)</i>	HDMI to VGA: USB-C to VGA USB-C to DP:	 Lenovo HDMI to VC Lenovo USB-C to V Lenovo USB-C to E 	GA Monitor / GA Adapte DisplayPort /	Adapter r Adapter	ver than theoretical speed	
Display	Size Resolution				Surface	Brightness	s Aspect Contrast Ratio Ratio		Color Gamu		Bundled Accy	ndled Accy Optional: ThinkPad Ethernet Extension Adapter Gen 2 mera (optional)• HD720p camera with ThinkShutter camera privacy, fixed fo					
	13.3" H	D (1366x7	68)	TN	Anti-glare	250 nits	16:9		45%	90°	Camera (<i>optional</i>	 IB camera a 	nd HD720p camera wi	camera priv th ThinkShi	vacy, fixed f	ocus a privacy, fixed focus	
	13.3" F	HD (1920x	(1080)	IPS	Anti-glare	300 nits	16:9	800:1 (non-touch 700:1 (multi-touch	/ 12%	170°	Audio support	HD Audio, Rea stereo speake dual array far-	HD Audio, Realtek® ALC3287 codec / stereo speakers, 1W x 2, Dolby® Audio™ Premium / dual array far-field microphone (optional for special bid model),				
	13.3" T	HD (1920x hinkPad Pr iuard		IPS	Anti-glare	400 nits	16:9	Ì	72%	178°	Keyboard UltraNav™	6-row, spill-res	nicrophone combo jack sistant, multimedia Fn I pinting device and butto	keys, option			
Multi-touch (opt)	On-cell touch, supports 10-finger gesture (FHD only)										Security	Power-on password, hard disk password, supervisor password, security keyhole Firmware TPM 2.0 integrated in chipset or discrete TPM 2.0 TCG Certified (may be disabled in some region) Intel vPro Technology r <i>Optional:</i> Touch style match on chip fingerprint reader on the palm rest Near Field Communication					
Ū	 M.2 2280 SSD / SATA 6.0Gb/s M.2 2242 SSD / PCIe NVMe, PCIe 3.0 x 2 M.2 2280 SSD / PCIe NVMe, PCIe 3.0 x 4 Intel Ontane™ Memory H10 with Solid State Storage 																
Optical	None										Battery	Integrated Li-ion 48Wh battery, supports Rapid Charge (charge up to 80% in 1h					
	Native Intel Ethernet Connection 1210 V (Nen vPre) or 1210 I M (vPre)										Max battery life	with 65W AC adapter MobileMark® 2014: 17.6 hr L Bottor institute with actilized upage % other factors					
WLAN (optional)											AC adapter	 * Battery life varies significantly with settings, usage, & other factors 45W USB-C AC adapter 65W USB-C AC adapter 					
Bluetooth™ <i>(opt)</i>									pter			 65W slim tip 					
VWAN (optional) • Wireless WAN upgradable (special bid only in EMEA)									Operating system Optional: Windows® 10 Home 64 or Windows 10 Pro 64								
	 Integrated Mobile Broadband 4G LTE, Fibocom L830-EB, M.2 card (EMEA only) Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, M.2 card * For non-WWAN model, it means the model is NOT WWAN upgradable Nano-SIM card slot, in the combo slot with microSD card reader, optional Verizon LTE (US) SIM card 									EA only)	Limited warranty (optional)	 1-year depot repair service 1-year depot with 2-year system board repair service 1-year limited onsite service 1-year + 2-year depot repair service 1-year + 2-year limited onsite service 3-year/1-yr battery depot repair service 3-year/1-yr battery limited onsite service 					
SIM card (opt)	• Integ * For no Nano-S	n-WWAN r SIM card s	<i>model, it</i> slot, in t	<i>means</i> he co	<i>s the mode</i> mbo slot	el is NOT W	WAN u SD ca	ard reader,				 1-year + 2-y 1-year + 2-y 3-year/1-yr b 	ear depot repair servic ear limited onsite servi pattery depot repair ser	ce vice			
SIM card (opt)	• Integ * For no Nano-S	n-WWAN r SIM card s	<i>model, it</i> slot, in t	<i>means</i> he co	<i>s the mode</i> mbo slot	el is NOT W	SD ca	ard reader,			Mil-Spec test	 1-year + 2-y 1-year + 2-y 3-year/1-yr b 3-year/1-yr b 	ear depot repair servic ear limited onsite servi pattery depot repair ser	ce vice			

Lenovo February 2020 ThinkPad X390





(intel)



(intel)

(intel)



(intel)