ThinkPad P14s Gen 1 (AMD) 20Y10003CK

Product

ThinkPad P14s Gen 1 (AMD)

Region

EET

Country/Region

Czech, Slovakia

Machine Type

20Y1

TopSeller

TopSeller

Processor

AMD Ryzen 7 PRO 4750U (8C / 16T, 1.7 / 4.1GHz, 4MB L2 / 8MB L3)

Graphics

Integrated AMD Radeon Graphics

Chipset

AMD SoC Platform

Memory

16GB Soldered DDR4-3200 non-ECC + 16GB SO-DIMM DDR4-3200 non-ECC

Storage

1TB SSD M.2 2280 PCIe NVMe Opal2

Display

14" FHD (1920x1080) IPS 500nits Anti-glare, ThinkPad Privacy Guard

Touchscreen

10-point Multi-touch

Card Reader

MicroSD Reader

Ethernet

100/1000M

Optical

None

WLAN + Bluetooth

Intel AX200 11ax, 2x2 + BT5.1

WWAN

WWAN Upgradable

SIM Card

None

Smart Card Reader

Smart Card Reader

Monitor Cable

None

Bundled Accessories

None

Camera

720p + IR with ThinkShutter

Microphone

2x, Array

Case Material

PPS / 50% GF (Top), PA / 50% GF (Bottom)

Case Color

Black

Keyboard

Backlit, Czech / Slovak

Fingerprint Reader

Touch Style, Match-on-Chip

NFC

None

Security Chip

Discrete TPM 2.0

Battery

Integrated 50Wh

Power Adapter

65W USB-C

System Management

AMD Pro Manageability

Operating System

Windows 10 Pro 64, Czech / Slovak / English

Bundled Software

None

Base Warranty

3-year, Depot

Bundled Service

3Y Premier TP WS WHB (CPN) (5WS1B09494)

EAN/UPC/JAN

0195348557979

End of Support

2027-05-05

Announce Date

2020-10-15

Notes:

Battery life is an estimated maximum. Actual battery life may vary based on many factors, including screen brightness, active applications, features, power management settings, battery age and conditioning, and other customer preferences.

L

WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors.

Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



https://psref.lenovo.com

Visit psref website for the latest version of Product specifications Reference.

© Lenovo, 2020. All rights reserved.



ThinkPad P14s Gen 1 (AMD) Platform Specifications

Number Cores Timesde Fequency Gaussian Types Carepines Fequency Gaussian Types Carepines Fequency		T-										15	
Processor Surface Color	Processor							acho				Media reader	MicroSD card reader
Ryzen / PRO S 16 1.70Hz 4.10Hz 4.00Hz 50DR4-3200 MR Badoon Graphics		Number Cores Threads Frequency Frequency Cache Types Graphics							Types				On lett: 2x USB-C (USB 3.2 Gen 2, PD, DP), 1x side docking connector,
Chipset integrated SoC (System on Chip) platform on Chip) platform on Chip) platform on Chip platform on Chip) platform on Chip platform on Ch												Standard Ports	
Memory Types Memory Spocket Memory Spocket Memory Potection Memory Protection Memory Protection Memory Protection Memory Spocket Memory Spocket Memory Protection Memory		4750U		10		4.	. 10112 8N	MB T3		ĭGra	phics		
Display Display Displ	Chipset	Integrated S	oC (Syste	em on	Chip) pla	ıtform]	One optional emert part reader on right, one optional Mana CIM part plat are
Memory Type B6B/F6GR/32GB DDR4-3200 no. PECC for John Mon-ECC for John Montros upport of Jo	·	DDR4-3200										Optional Ports	
Montor Spockets DIMM socket plust soldered DIMM, ducl-hannel capable Montor Spockets DIMM socket plust Soldered DIMM, ducl-hannel capable Montor support Montor	Memory Type	8GB/16GB/32GB DDR4-3200 SO-DIMM non-ECC for DIMM socket,									ı	-	
Memory Sockets 1.DIMM socket plus soldered DIMM, dual-channel capable Sadoz160@60Hz on HDMI to VGA, USB-C to DR, or USB-C to VGA adapters, up to two Max Memory AGG Birth on Processor, up to 2GB dedicated video memory, allocated from system memory AMD Radeon Graphics in processor, up to 2GB dedicated video memory, allocated from system memory Sockets Sadoz160@60Hz on HDMI to VGA, USB-C to DR, or USB-C to VGA adapters, up to two Mones Supports one optional camera as following: HD/200 camera with ThinkShutter camera privacy, fixed focus HD/200 camera with ThinkShutter camera privacy, fixed focus												Monitor support	monitors supported via two USB-C and HDMI. 5120x2880@60Hz on USB-C
Memory Protection None Max Memory 48GB with one 32GB SC-DIMM plus one 16GB soldered DIMM Max Memory 48GB with one 32GB SC-DIMM plus one 16GB soldered DIMM Max Memory 48GB with one 32GB SC-DIMM plus one 16GB soldered DIMM Max Memory 48GB with one 32GB SC-DIMM plus one 16GB soldered DIMM Max Memory 48GB with one 32GB SC-DIMM plus one 16GB soldered DIMM Max Memory 48GB with one 32GB SC-DIMM plus one 16GB soldered DIMM Max Memory 48GB with one 32GB SC-DIMM plus one 16GB soldered DIMM Max Memory 48GB with one 32GB SC-DIMM plus one 16GB soldered DIMM Max Memory 48GB with one 32GB SC-DIMM plus one 16GB soldered DIMM Max Memory 48GB with one 32GB SC-DIMM plus one 16GB soldered DIMM Max Memory 48GB with one 32GB SC-DIMM plus one 16GB soldered DIMM Max Memory 48GB with one 32GB SC-DIMM plus one 16GB soldered DIMM Max Memory 48GB with one 32GB SC-DIMM plus one 16GB soldered DIMM Max Memory 48GB with one 32GB SC-DIMM plus one 16GB soldered DIMM Max Memory 48GB with one 32GB SC-DIMM plus one 16GB soldered DIMM Max Memory 48GB with one 32GB SC-DIMM plus one 16GB soldered DIMM Max Memory 48GB with one 32GB SC-DIMM plus one 16GB soldered DIMM Max Memory 48GB with one 32GB SC-DIMM plus one 16GB soldered DIMM Max Memory 48GB with one 32GB SC-DIMM plus one 16GB soldered DIMM Max Memory 48GB with one 32GB SC-DIMM plus one 16GB soldered DIMM Max Memory 48GB with one 32GB SC-DIMM plus one 16GB soldered DIMM plus one 16GB soldere			ket plus 1	solde	red DIMN	۸, dua	-channel	capable	3			Постольной обрани	3840x2160@60Hz on HDMI
Max Memory 4668 with one 3208 SO-DIMM plus one 1608 soldered DIMM AMD Radeon Graphics in processor, up to 2608 dedicated video memory, allocated from system memory Size Resolution Type Surface Touch Brightness Aspect Contrast Color Verving Ratio R												Monitor cable	
AMD Radeon Graphics in processor, up to 2GB dedicated video memory, allocated from system memory from system memory Size Resolution Type Surface Touch Brightness Ratio Ratio													
Camera Flo720p camera with ThinkShutter camera privacy, fixed focus Flo20p camera with ThinkShutter cam	Graphics	AMD Radeon Graphics in processor, up to 2GB dedicated video memory, allocated										'	Supports one optional camera as following:
Size Resolution Type Surface Touch Brightness Aspect Contrast Color Viewing Audio Chip Realter ALG232 7 codes Audio Chip Realter ALG232 7 codes Speaker Stereo speakers, 2W x 2, Dolby Audio Speaker System Audio Chip Realter ALG232 7 codes Speaker Stereo speakers, 2W x 2, Dolby Audio Speaker System Audio Chip Realter ALG232 7 codes Speaker Stereo speakers, 2W x 2, Dolby Audio Speaker System Audio Chip Realter ALG232 7 codes Speaker Stereo speakers, 2W x 2, Dolby Audio Speaker System Audio Chip Realter ALG232 7 codes Speaker Stereo speakers, 2W x 2, Dolby Audio Speaker	Graphics											Camera	HD720p camera with ThinkShutter camera privacy, fixed focus
Size Mesouluon More Storage Storage Storage Optional on-cell touch on selected FHD models, supports 10-finger gesture More M		Cin- D	lon	т.	C	To	Dutaletera		Contrast	Color	Viewing		• IR camera and HD720p camera with ThinkShutter camera privacy, fixed focus
Speaker Stereo Speakers, 2W x 2, Dolby Audio Speaker System Stereo Speak		Size Resolution		Туре	Surrace	iouch	Brightness		Ratio	Gamut	Angle		Realtek ALC3287 codec
Display 14.0 FHD (1920x1080) IPS Anti-glare multi- touth 16.9 700.1 45% 170° 14.0 FHD (1920x1080) IPS Anti-glare multi- touth 16.9 700.1 45% 170° 14.0 FHD (1920x1080) IPS Anti-glare multi- touth 16.9 700.1 45% 170° 14.0 FHD (1920x1080) IPS Anti-glare multi- touth 16.9 1000.1 72% 170° 170° 14.0 FHD (1920x1080) IPS Anti-glare multi- touth 16.9 1000.1 72% 170° 170° 14.0 FHD (1920x1080) IPS Anti-glare multi- touth 16.9 1000.1 72% 170° 170° 14.0 IPS Anti-glare multi- touth 16.9 1000.1 72% 170° 170° 14.0 IPS Anti-glare multi- touth 16.9 1000.1 72% 170°											·		
Display 14.0 FHD (1920x1080) IPS Anti-glare multi- touch 300 nits 16:9 700:1 45% 170°		14.0" FHD (19		IPS	Anti-glare			16:9	700:1	45%	170°	Microphone	
Display 14.0 FHD (1920x1080) IPS Anti-glare 14.0 FHD (1920x1080) IPS Anti-glare 14.0 IPS IPS		- -		" "		1				1 7	· · · ·	Keyboard	6-row, spill-resistant, multimedia Fn keys with Unified Communications controls.
14.0° FHD (1920x1080) 19S Anti-glare - 400 nits 16.9 800:1 72% 170° Security locks Security locks Security locks Security keyhole for optional Kensington lock Security keyhole for optional Kensi	Display			1	 	multi			+		<u> </u>	·	Optional LED backlight
Habitange Habi	Display	14.0" FHD (1	920x1080)	IPS	Anti-glare		300 nits	16:9	700:1	45%	170°		
FHD (1920x1080) 14.0" ThinkPad Privacy IPS Anti-glare multi- touch 16.9 1000:1 72% 170° 170° 25curity locks Security l		44 S" FHD (19	(1920x1080)	IDC	A		400 !:	10-	000 /	7001	1700		
FHD (1920x1080) 14.0" ThinkPad Privacy IPS Anti-glare multi- touch 16.9 1000:1 72% 170° 170° 25curity locks Security l		14.0" Low Po	Power	IPS	Anti-glare	- i	400 nits	16:9	800:1	/2%	1/0°		
14.0° ThinkPad Privacy PS Anti-glare fluuh 500 nits 16:9 1000:1 72% 170° Security locks Security keyhole for optional Kensington lock Smart card reader Optional Optional Oncell touch on selected FHD models, supports 10-finger gesture None		FHD (19	920x1080)			mule:					·	, ,	
Color Calibration None Touchscreen Optional on-cell touch on selected FHD models, supports 10-finger gesture None None None Fingerprint reader Optional None Up to one M.2 SSD as following, 1TB max: Storage M.2 2280 PCIe NVMe, PCIe 3.0 x4, 256GB / 512GB / 1TB M.2 2280 PCIe NVMe, PCIe 3.0 x4, 256GB / 512GB / 1TB M.2 2280 PCIe NVMe, PCIe 3.0 x4, 256GB / 512GB / 1TB M.2 2280 PCIe NVMe, PCIe 3.0 x4, 256GB / 512GB / 1TB M.2 2280 PCIe NVMe, PCIe 3.0 x4, 256GB / 512GB / 1TB M.2 2280 PCIe NVMe, PCIe 3.0 x4, 256GB / 512GB / 1TB M.2 2280 PCIe NVMe, PCIe 3.0 x4, 256GB / 512GB / 1TB Max battery life Max bat		14.0" ThinkPa		IPS	Anti-glare		500 nits	16:9	1000:1	72%	170°		
Color Calibration None Optional on-cell touch on selected FHD models, supports 10-finger gesture Pen None Up to one M.2 SSD as following, 1TB max: Storage M.2 2280 PCle NVMe, PCle 3.0 x4, 256GB / 512GB / 1TB M.2 2280 PCle NVMe, PCle 3.0 x4, 256GB / 512GB / 1TB M.2 2242 PCle NVMe, PCle 3.0 x2, 128GB, for special bids Optical None Realtek RTL8111EPV Gigabit Ethernet connection NFC None Optional Intel Wi-Fi 6 AX200, Wi-Fi 2x2 802.11ax + Bluetooth 5.1. Bluetooth Die of the following, configurable by model: WLAN + Bluetooth One of the following, configurable by model: WWAN Now WWAN card and non upgradable Integrated Mobile Broadband Upgradable, No WWAN Card, WWAN Antenna Only Integrated Mobile Broadband dygradable, No WWAN Card, WWAN Antenna Only Integrated Mobile Broadband dygradable, No WWAN Card, WWAN Antenna Only Integrated Mobile Broadband dygradable, No WWAN Card, WWAN Antenna Only Integrated Mobile Broadband Upgradable, No WWAN Card, WWAN Antenna Only Integrated Mobile Broadband dygradable, No WWAN Card, WWAN Antenna Only Integrated Mobile Broadband dygradable, No WWAN Card, WWAN Antenna Only Integrated Mobile Broadband dygradable, No WWAN Card, WWAN Antenna Only Integrated Mobile Broadband dygradable, No WWAN Card, WWAN Antenna Only Integrated Mobile Broadband dygradable, No WWAN Card, WWAN Antenna Only Integrated Mobile Broadband dygradable, No WWAN Card, WWAN Antenna Only Integrated Mobile Broadband dygradable, No WWAN Card, WWAN Antenna Only Integrated Mobile Broadband dygradable, No WWAN Card, WWAN Antenna Only Integrated Mobile Broadband dygradable, No WWAN Card, WWAN Antenna Only Integrated Mobile Broadband dygradable, No WWAN Card, WWAN Antenna Only Integrated Mobile Broadband dygradable, No WWAN Card, WWAN Antenna Only Integrated Mobile Broadband dygradable, No WWAN Card, WWAN Antenna Only Integrated Mobile Broadband dygradable, No WWAN Card, WWAN Antenna Only Integrated Mobile Broadband dygradable, No WWAN Card, WWAN Antenna Only Integrated Mobile Broadband dygradable, No WWAN Card, WWAN Antenna Onl						.50011					'		
Pen None Up to one M.2 SSD as following, 1TB max: **M.2 2280 PCle NVMe, PCle 3.0 x4, 256GB / 512GB / 1TB **M.2 2242 PCle NVMe, PCle 3.0 x2, 128GB, for special bids Optical None Realtek RTL8111EPV Gigabit Ethernet connection None WLAN + Bluetooth Mobile Mark 2018: 13.25 hr. **MobileMark 2014: 13.25 hr. MobileMark 2018: 13.25 hr. M	Color Calibration											Fingerprint reader	
Pen Note Up to one M.2 SSD as following, 1TB max: Storage M.2 2280 PCIe NVMe, PCIe 3.0 x4, 256GB / 512GB / 1TB M.2 2242 PCIe NVMe, PCIe 3.0 x2, 128GB, for special bids Optical None Ethernet Realtek RTL8111EPV Gigabit Ethernet connection NFC None WLAN + Bluetooth Bluetooth 5.1 requires the latest version of Windows 10 (version 2004 or above) One of the following, configurable by model: Integrated Mobile Broadband Upgradable, No WWAN Card, WWAN Antenna Only Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, M.2 card Dimensions Width: 329 mm (12.95 in), Depth: 227 mm (8.94 in). Thickness: 17.9 mm (0.7 inches) Weight Case color Black Case material Up to one M.2 SSD as following, 1TB max: MobileMark 2018: 10.5 hr. Max battery life MobileMark 2018: 10.5 hr. *Battery life varies significantly with hardware configurations, settings, usage, & other factors HobileMark 2018: 10.5 hr. *Battery life varies significantly with hardware configurations, settings, usage, & other factors *4 SW USB-C AC adapter *6 SW USB-C SC adapter *	Touchscreen	Ontional on-cell touch on selected FHD models, supports 10-finger desture										Battery	
Storage * M.2 2280 PCle NVMe, PCle 3.0 x4, 256GB / 512GB / 1TB * M.2 2242 PCle NVMe, PCle 3.0 x2, 128GB, for special bids Optical None Ethernet Realtek RTL8111EPV Gigabit Ethernet connection NFC None WLAN + Bluetooth Optional Intel Wi-Fi 6 AX200, Wi-Fi 2x2 802.11ax + Bluetooth 5.1 Bluetooth 5.1 requires the latest version of Windows 10 (version 2004 or above) One of the following, configurable by model: * No WWAN ard and non upgradable integrated Mobile Broadband Upgradable, No WWAN Card, WWAN Antenna Only integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, M.2 card Dimensions Width: 329 mm (12.95 in), Depth: 227 mm (8.94 in). Thickness: 17.9 mm (0.7 inches) Weight Case color Black Case material * M.2 2280 PCle NVMe, PCle 3.0 x4, 256GB / 512GB / 1TB * M.2 2242 PCle NVMe, PCle 3.0 x4, 256GB / 510GB / 12GB / 15GB /	Pen	None										Daniel y	
• M.2 2242 PCIe NVMe, PCIe 3.0 x2, 128GB, for special bids Optical None Ethernet Realtek RTL8111EPV Gigabit Ethernet connection NFC None WLAN + Bluetooth Optional Intel Wi-Fi 6 AX200, Wi-Fi 2x2 802.11ax + Bluetooth 5.1. Bluetooth 5.1 requires the latest version of Windows 10 (version 2004 or above) One of the following, configurable by model: • No WWAN card and non upgradable, No WWAN Card, WWAN Antenna Only • Integrated Mobile Broadband Upgradable, No WWAN Card, WWAN Antenna Only • Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, M.2 card Dimensions Width: 329 mm (12.95 in). Depth: 227 mm (8.94 in). Thickness: 17.9 mm (0.7 inches) Weight Case color Display cover: PPS / 50% GF; Bottom: PA / 50% GF Bottom: PA / 50% GF District Starting at 3.22 lb (1.46kg) District Starting at 3.20 mm (12.95 in). Depth: 227 mm (8.94 in). Display cover: PS / 50% GF; Bottom: PA / 50% GF Mil-Spec test Mil-Spec test Environment Power Adapter • 45W USB-C AC adapter • 65W USB-C AC adapter • 65W USB-C AD adapter •	Storage											May bottom: life	
Optical None Ethernet Realtek RTL8111EPV Gigabit Ethernet connection NFC None WLAN + Bluetooth 5.1 requires the latest version of Windows 10 (version 2004 or above) One of the following, configurable by model: **No WWAN card and non upgradable** **Integrated Mobile Broadband Upgradable, No WWAN Card, WWAN Antenna Only** **Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, M.2 card Dimensions Width: 329 mm (12.95 in). Depth: 227 mm (8.94 in). Thickness: 17.9 mm (0.7 inches) Weight Starting at 3.22 lb (1.46kg) Case color Case material Optional Intel Wi-Fi 6 AX200, Wi-Fi 2x2 802.11ax + Bluetooth 5.1. Bluetooth 5.1 requires the latest version of Windows 10 (version 2004 or above) Operating system * 45W USB-C AC adapter * 65W USB-C Sim AC adapte * Windows 10 Home 64 * Ubuntu Linux LTS Optional warranty plans as following: * 1-year depot repair service * 1-year edpot repair service * 1-year limited onsite service * 1-year imited onsite service * 1-year imited onsite service * 1-year depot with 2-year system board repair service * 1-year depot marranty plans as following: * 1-year depot repair service * 1-year 2-year depot repair service * 1-year 1-year depot with 2-year system board repair service * 1-year 1-year depot with 2-year system board repair service * 1-year 1-year depot with 2-year system board repair service * 1-year 1-year 1-year depot with 2-year system board repair service * 1-year 1-year 1-year depot with 2-year system board repair service * 1-year		• M.2 2280 PCle NVMe, PCle 3.0 x4, 256GB / 512GB / 1TB									ı	Iviax pattery life	
Optical None Realtek RTL8111EPV Gigabit Ethernet connection NFC None WLAN + Bluetooth Optional Intel Wi-Fi 6 AX200, Wi-Fi 2x2 802.11ax + Bluetooth 5.1. Bluetooth 5.1 requires the latest version of Windows 10 (version 2004 or above) One of the following, configurable by model: No WWAN ard and non upgradable Integrated Mobile Broadband Upgradable, No WWAN Card, WWAN Antenna Only Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, M.2 card SIM card Optional Nano-SIM card slot Width: 329 mm (12.95 in). Depth: 227 mm (8.94 in). Thickness: 17.9 mm (0.7 inches) Weight Starting at 3.22 lb (1.46kg) Case color Display cover: PPS / 50% GF; Bottom: Power Adapter Power Adapter • 65W USB-C AC adapter • 65W USB-C Slim AC adapter • 65W USB-C Slim AC adapter • Windows 10 Pro 64 • Ubuntu Linux LTS • 1-year depot repair service • 1-year + 2-year depot repair servic			• M.2 2242 PCIe NVMe, PCIe 3.0 x2, 128GB, for special bids										
Ethernet Realtek RTL8111EPV Gigabit Ethernet connection NFC None Optional Intel Wi-Fi 6 AX200, Wi-Fi 2x2 802.11ax + Bluetooth 5.1. Bluetooth 5.1 requires the latest version of Windows 10 (version 2004 or above) One of the following, configurable by model: No WWAN and non upgradable optional Broadband Upgradable, No WWAN Card, WWAN Antenna Only Integrated Mobile Broadband Upgradable, No WWAN Card, WWAN Antenna Only Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, M.2 card Optional Nano-SIM card slot Width: 329 mm (12.95 in), Depth: 227 mm (8.94 in). Thickness: 17.9 mm (0.7 inches) Weight Starting at 3.22 lb (1.46kg) Case color Black Case material Display cover: PPS / 50% GF; Bottom: PA / 50% GF Broadband Upgradable, No WWAN Card, WWAN Antenna Only operating system as following: Operating system Windows 10 Pro 64 Ubuntu Linx LTS Optional warranty plans as following: 1-year depot repair service 3-year depot repair service 1-year 4-2-year depot repair service 1-year 4-2-year depot repair service 1-year depot repair service 1-year depot with 2-year system board repair service 1-year 4-2-year limited onsite service 1-year 4-2-year lim	Optical											Power Adapter	
None WLAN + Bluetooth Bluetooth 5.1 requires the latest version of Windows 10 (version 2004 or above) One of the following, configurable by model: No WWAN card and non upgradable Integrated Mobile Broadband Upgradable, No WWAN Card, WWAN Antenna Only Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, M.2 card Optional Nano-SIM card slot Dimensions Weight Starting at 3.22 lb (1.46kg) Case color Black Case material Optional Intel Wi-Fi 6 AX200, Wi-Fi 2x2 802.11ax + Bluetooth 5.1. Bluetooth 5.1 requires the latest version of Windows 10 (version 2004 or above) No Windows 10 Pro 64 Windows 10 Pro 64 Windows 10 Pro 64 Optional warranty plans as following: 1-year depot repair service 3-year depot repair service 1-year depot repair service 1-year depot repair service 3-year limited onsite service 1-year limited onsite service 1-year limited onsite service 1-year 4-year limited onsite service 1-year 4-year system as following: Windows 10 Pro 64	Ethernet	+	.8111EP\	/ Giga	bit Etherr	net cor	nection					. Stroi / tauptor	65W USB-C slim AC adapte
WLAN + Bluetooth Bluetooth 5.1 requires the latest version of Windows 10 (version 2004 or above) One of the following, configurable by model: No WWAN ard and non upgradable Integrated Mobile Broadband Upgradable, No WWAN Card, WWAN Antenna Only Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, M.2 card SIM card Optional Nano-SIM card slot Dimensions Weight Starting at 3.22 lb (1.46kg) Case color Black Case material Optional Nano-SIM card Display cover: PPS / 50% GF; Bottom: PA / 50% GF Optional Nano-SIM card 8JU Windows 10 Home 64 Windows 10 Home 64 Windows 10 Home 64 Ubuntu Linux LTS Optional warranty plans as following: 1-year depot repair service 3-year depot repair service 1-year 42-year depot repair service 1-year af epot repair service 1-year limited onsite service 3-year limited onsite service 1-year - 2-year limited onsite service 1-year - 2-year limited onsite service 1-year - 2-year limited onsite service 1-year depot with 2-year depot repair service 1-year 1-year elong repair service 1-year - 2-year limited onsite service 1-year - 2-year limited onsite service 1-year depot with 2-year system board repair service 1-year leafond on the foliowing windows 10 Home 64 Windows 10 Home 64 Windows 10 Home 64 Ubuntu Linux LTS Optional warranty plans as following: 1-year depot repair service 1-year depot repair service 1-year af 2-year depot repair service 1-year af 2-year limited onsite service 1-year - 2-year limited onsite service 1-year - 2-year limited onsite service 1-year - 2-year limited onsite service 1-year depot with 2-year system board repair service 1-year depot with 2-year system board repair service 1-year - 2-year limited onsite service	NFC												Supports one optional preloaded operating system as following:
WWAN One of the following, configurable by model: No WWAN card and non upgradable Integrated Mobile Broadband Upgradable, No WWAN Card, WWAN Antenna Only Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, M.2 card Optional Nano-SIM card slot Dimensions Weight Starting at 3.22 lb (1.46kg) Case color Black Case material Display cover: PPS / 50% GF; Bottom: PA / 50% GF One of the following, configurable by model: No WWAN and and non upgradable No WWAN Antenna Only 1 -year depot repair service 3 -year depot repair service 3 -year depot repair service 1 -year 1 -year depot repair service 1 -year limited onsite service 1 -year - 2 -year	WI AN + Bluetooth	Optional Inte	əl Wi-Fi 6	AX20	0, Wi-Fi 2	x2 802	2.11ax + B	luetoot	h 5.1.	_	, -	Operating system	• Windows 10 Home 64
No WWAN card and non upgradable Integrated Mobile Broadband Upgradable, No WWAN Card, WWAN Antenna Only Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, M.2 card Optional Nano-SIM card slot Dimensions Width: 329 mm (12.95 in). Depth: 227 mm (8.94 in). Thickness: 17.9 mm (0.7 inches) Weight Case color Black Case material Display cover: PA / 50% GF; Bottom: PA / 50% GF Optional warranty plans as following: 1-year depot repair service 3-year depot repair service 1-year - 1-year limited onsite service 3-year limited onsite service 1-year - 1-year - 1-year limited onsite service 1-year - 1-year		Bluetooth 5.	1 requires	s the l	atest vers	ion of	Windows	10 (ver	'sion 2004	1 or abu	<u>ove)</u>		
• Integrated Mobile Broadband Upgradable, No WWAN Card, WWAN Antenna Only • Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, M.2 card SIM card Optional Nano-SIM card slot Dimensions Width: 329 mm (12.95 in). Depth: 227 mm (8.94 in). Thickness: 17.9 mm (0.7 inches) Weight Starting at 3.22 lb (1.46kg) Case color Black Case material Display cover: PPS / 50% GF; Bottom: PA / 50% GF * 1-year depot repair service * 3-year depot repair service * 1-year depot repair service * 3-year depot repair service * 3-year depot repair service * 3-year depot repair service * 1-year 1 -year 1 -year 1 -year 1 -year 1 -year 1 -year 2 -year 1 -year 2 -year 1 -year 2 -year 2 -year 2 -year 2 -year 3 -year 4 -year 3 -year 4 -year 3 -year 4 -year 3 -year 3 -year 3 -year 3 -year 4 -year 3 -year 3 -year 3 -year 3 -year 3 -year 3 -year 4 -year		One of the f	ollowing,	config	urable by	mode	ı:				i i		
• Integrated Mobile Broadband 4G LTE-A, Fibocom L850-GL, M.2 card Optional Nano-SIM card slot Dimensions Weight Case color Case material Display cover: PA / 50% GF Dimensions Note of the proadband 4G LTE-A, Fibocom L850-GL, M.2 card Optional Nano-SIM card slot 1-year depot repair service 3-year depot repair service 1-year limited onsite service 3-year limited onsite service 1-year 2-year limited onsite service 1-year 4-2-year limited onsite service 1-year 1-year depot repair service 1-year 4-2-year limited onsite service 1-year 1-year depot repair service 1-year 4-2-year limited onsite service 1-year 1-year 4-2-year depot repair service 1-year 4-2-year depot repair service 1-year 4-2-year depot repair service 1-year 4-2-year limited onsite service 1-year 4-2-y	WWAN	INO WWAN	card and	non t	upgradabl	e Ndoble	Nio MANA/A	NI Carr	1 \0/\0/\0	Anto-	10 Omles		Optional warranty plans as following:
SIM card Optional Nano-SIM card slot Dimensions Weight Starting at 3.22 lb (1.46kg) Case color Black Case material Display cover: PPS / 50% GF; Bottom: PA / 50% GF Dimensions Width: 329 mm (12.95 in). Depth: 227 mm (8.94 in). Thickness: 17.9 mm (0.7 inches) Starting at 3.22 lb (1.46kg) 1-year + 2-year depot repair service 1-year + 2-year limited onsite service 1-year + 2-year limited onsite service 1-year + 2-year depot repair service 1-year + 2-year depot repair service 1-year + 2-year depot repair service Mil-Spec test Mil-Spec test Mil-STD-810G military testing EPEAT Gold. ENERGY STAR 8.0. RoHS-compliant		• Integrated	Mobile Bi	Oadbo	and 40 17	auaDIE	, INU VVVA	งเง ∪ar(850-⊆เ	u, vv vvAIN M 2 oor	Anteni	na Only		
Dimensions Width: 329 mm (12.95 in). Depth: 227 mm (8.94 in). Thickness: 17.9 mm (0.7 inches) Weight Starting at 3.22 lb (1.46kg) Case color Black Case material Display cover: PA / 50% GF; Bottom: PA / 50% GF Base Warranty 1-year limited onsite service 3-year limited onsite service 1-year depoit with 2-year system board repair service Mil-Spec test MIL-STD-810G military testing Environment EPEAT Gold. ENERGY STAR 8.0. RoHS-compliant	SIM card	Ontional Nano-SIM card slot											
Thickness: 17.9 mm (0.7 inches) Weight Starting at 3.22 lb (1.46kg) Case color Black Case material Display cover: PPS / 50% GF; Bottom: PA / 50% GF Thickness: 17.9 mm (0.7 inches) • 3-year limited onsite service • 1-year + 2-year limited onsite service • 1-year depot with 2-year system board repair service Mil-Spec test MIL-STD-810G military testing Environment EPEAT Gold. ENERGY STAR 8.0. RoHS-compliant						7 mm /	8.94 in)					Base Warranty	
Weight Starting at 3.22 lb (1.46kg) Case color Black Case material Display cover: PPS / 50% GF; Bottom: PA / 50% GF Black Mil-Spec test MIL-STD-810G military testing Environment EPEAT Gold. ENERGY STAR 8.0. RoHS-compliant	DITTETISIONS	Thickness: 1	Thickness: 17.9 mm (0.7 inches)										
Case color Black Case material Display cover: PPS / 50% GF; Bottom: PA / 50% GF Mil-Spec test MIL-STD-810G military testing Environment EPEAT Gold. ENERGY STAR 8.0. RoHS-compliant	Weight	Starting at 3											1-year + 2-year limited onsite service
Case material Display cover: PPS / 50% GF; Mil-Spec test MIL-STD-810G military testing Environment EPEAT Gold. ENERGY STAR 8.0. RoHS-compliant	Case color	Black	•										1-year depot with 2-year system board repair service
Environment EPEAT Gold. ENERGY STAR 8.0. RoHS-compliant	Case material					_							MIL-STD-810G military testing
ISV certifications Please visit <u>www.thinkworkstations.com/isv-certifications/</u>	Jaso material												
												ISV certifications	Please visit www.thinkworkstations.com/isv-certifications/

ThinkPad P14s Gen 1 (AMD)













