IdeaPad 5 14ITL05 82FF00HMCK

Product

IdeaPad 5 14ITL05

Region

EET

Country/Region

Czech, Slovakia

Machine Type

82FE

Processor

Intel Core i7-1165G7 (4C / 8T, 2.8 / 4.7GHz, 12MB)

Graphics

Integrated Intel Iris Xe Graphics

Chipset

Intel SoC Platform

Memory

16GB Soldered DDR4-3200

Storage

512GB SSD M.2 2242 PCIe 3.0x4 NVMe

Display

14" FHD (1920x1080) IPS 300nits Anti-glare, 45% NTSC

Touchscreen

None

Optical

None

Card Reader

4-in-1 Card Reader

Ethernet

None

WLAN + Bluetooth

11ax. 2x2 + BT5.1

Camera

720p with privacy shutter

Microphone

2x, Array

Surface Treatment

Anodizing

Case Color

Platinum Grey

Case Material

Aluminium (Top), Aluminium (Bottom)

Keyboard

Backlit, Czech / Slovak

Fingerprint Reader

Touch Style

Security Chip

Firmware TPM 2.0

Batterv

Integrated 56.5Wh

Power Adapter

95W USB-C

Operating System

Windows 10 Home 64, Czech / Slovak / English

Bundled Software

Office Trial

Base Warrantv

2-year, Depot

Bundled Service

None

EAN/UPC/JAN

195477784598

End of Support

2026-11-07

Announce Date

2020-11-25

WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a



particular purpose.

https://psref.lenovo.com

Visit psref website for the latest version of Product specifications Reference. © Lenovo, 2020. All rights reserved.





IdeaPad 5 14ITL05 Platform Specifications Processor 11th Generation Intel® Core™ i3 / i5 / i7 Processor **Dimensions** Models WxDxH # of Processor # of Base Max Turbo Memory Processor Aluminum bottom model | 12.66" x 8.33" x 0.67"; 321.57mm x 211.59mm x 16.9mm Cache Number Graphics Cores Threads Freguency Freguency Types Plastic bottom model 12.66" x 8.33" x 0.7"; 321.57mm x 211.59mm x 17.9mm i3-1115G4 2 4 3.0 GHz | 4.1 GHz 6MB Intel UHD Graphics Aluminum bottom model: Starting at 3.04 lb / 1.38 kg Weight i5-1135G7 8 2.4 GHz | 4.2 GHz 8MB DDR4-3200 Intel Iris® Xe Plastic bottom model: Starting at 3.06 lb / 1.39 kg i7-1165G7 2.8 GHz 4.7 GHz 12MB Graphics 8 Graphite grey, abyss blue, light teal or platinum grey Case color Display cover: Aluminum Case material Graphics Intel UHD Graphics or Intel Iris Xe Graphics in processor only, or Bottom: Aluminum or PC/ABS plastic Intel UHD Graphics or ntel Iris Xe Graphics in processor and NVIDIA® GeForce® MX450 2GB GDDR6 memory: Camera HD720p(1.0MP), with privacy shutter, fixed focus, with dual array microphone supports external digital monitor via HDMI or USB-C: Audio support HD Audio, Dolby Audio™, stereo speakers, 2W x 2, supports three independent displays: dual array microphone, headphone / microphone combo jack Max resolution: 3840x2160@30Hz (HDMI); 3840x2160@30Hz (USB-C) Keyboard 6-row, multimedia Fn kevs, optional LED backlight Intel SoC (System on Chip) platform 4GB, 8GB or 16GB / 3200MHz DDR4, soldered to systemboard, no sockets, Chipset Touchpad Buttonless Mylar surface multi-touch touchpad Memory Security Power-on password, hard-disk password, administrator password dual-channel capable (8GB, 16GB only) Security chip Firmware TPM 2.0 integrated in chipset Display One of the following, configurable by model: Fingerprint reader Optional: Touch style fingerprint reader on power button Aspect Color Gamut Batterv Integrated Li-Polymer 44.5Wh or 56.5Wh battery Surface Brightness Resolution Ratio Battery Support Rapid charge (charge up to 80% in 1hr) 14.0" HD (1366x768) Anti-glare 250 nits 16:9 45% NTSC TN 44.5Wh with 65W round tip / USB-C AC adapter or 95W USB-C AC adapter 14.0" FHD (1920x1080) Anti-glare 250 nits 16:9 45% NTSC IPS 16:9 45% NTSC with 65W or 95W USB-C AC adapter 14.0" FHD (1920x1080) Anti-glare 300 nits (In plane 14.0" FHD (1920x1080) Anti-glare 300 nits 16:9 100% sRGB Max battery life MobileMark® 2014: 9 hr (44.5Wh) or 11 hr (56.5Wh) switching) * Battery life varies significantly with hardware configurations, settings, usage, & other factors Multi-touch None AC adapter Models AC adapter One of the following, configurable by model: • M.2 2242 SSD / PCIe NVMe, PCIe 3.0 x 4 Storage Aluminum bottom model 65W or 95W USB Type-C AC adapter Plastic bottom model 45W or 65W round tip AC adapter M.2 2280 SSD / PCle NVMe, PCle 3.0 x 4 Optical (optional) External DVD burner, 9.5mm high Preload (opt) Preloaded operating system Windows® 10 Home 64 Ethernet None Windows 10 Home in S mode WLAN + One of the following, configurable by model: Windows 10 Pro 64 Bluetooth™ 802.11ac 2x2 Wi-Fi + Bluetooth 5.1, M.2 Card One of the following, configurable by model: Limited warranty 802.11ax 2x2 Wi-Fi + Bluetooth 5.1, M.2 Card 1-vear depot repair service 4-in-1 media reader (MMC, SD, SDHC, SDXC) Media reader 1-vear depot with 2-vear system board repair service Ports Two USB 3.2 Gen 1 (one Always on) 2-year/1-yr battery depot repair service one USB 3.2 Type-C Gen 1 (with the function of Power Delivery 3.0 and ENERGY STAR® 8.0; ErP lot3; RoHS-compliant DisplayPort 1.4), HDMI 1.4b, 4-in-1 media reader (MMC, SD, SDHC, SDXC), Environment headphone / microphone combo jack, round AC power adapter jack (only available on plastic bottom models) * Depending on many factors, actual data transfer speed may be lower than theoretical speed

Note: The specifications above may not be available in all regions and might change by region.



