Lenovo V530-15ICB 10TV007SXS

Product

Lenovo V530-15ICB

Region

EET

Country/Region

Slovakia

Machine Type

10TV

TopSeller

TopSeller

Processor

Intel Core i5-9400 (6C / 6T, 2.9 / 4.1GHz, 9MB)

Graphics

Integrated Intel UHD Graphics 630

Monitor Cable

None

Memory

1x 8GB DIMM DDR4-2666

Storage

256GB SSD SATA6Gb/s Opal

Optane Memory

None

Optical

9.0mm DVD±RW

Media Reader

7-in-1

WLAN + Bluetooth

None

Ethernet

Integrated 100/1000M

Optional Rear Ports

None

Speaker

None

Keyboard

USB Calliope Keyboard, Black, Slovak

Mouse

USB Calliope Mouse, Black

Power Supply

180W 85% Adapter

Operating System

Windows 10 Pro 64, Slovak / English

Bundled Software

None

Base Warranty

1-year, Onsite

Bundled Service

None

End of Support

2025-06-28

Announce Date

2019-05-28

Recommended Services

Best

3Y Onsite upgrade from 1Y Onsite (5WS0D80967)

Good

3Y Premier Support Upgrade from 1Y Onsite (5WS0T36147)

L WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



https://psref.lenovo.com

Visit psref website for the latest version of Product Specifications Reference.
© Lenovo, 2019. All rights reserved.



Lenovo V530-15ICB Tower Platform Specifications

Processor	Intel® Celeron®, Intel Pentium® Gold, or 8th / 9th Generation Intel Core™ i3 / i5 / i7 / i9 Processor						Audio support	
	Processor	Processor Cores / Frequency			Cache Memory Support Integrated		WLAN	Some: 11ac wireless, M.2 Card, Realtek 8821CE (dual band), Wi-Fi + Bluetooth 4.0 combo adapter, 1x1
	Celeron G4900	Threads 2/2	Base/Max(GHz) 3.1G	2 MB	(Up to)	Graphics		Some: 11ac wireless, M.2 Card, Intel Dual Band Wireless-AC 3165, Wi-Fi + Bluetooth 4.0 combo adapter, 1x1 Some: Bluetooth 4.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter One gigabit ethernet port, Realtek RTL8111HN, Wake on LAN® None
	Pentium Gold G5400	2/2	3.1G 3.7G	4 MB	DDR4-2400	UHD 610	Bluetooth™	
	Pentium Gold G5420	2/4	3.8G	4 MB			Ethernet	
	Core i3-8100	4/4	3.6G	6 MB			Modem	
	Core i3-9100	4/4	3.6G / 4.2G	6 MB				None Firmware TPM 2.0
	Core i5-8400	6/6	2.8G / 4.0G	9 MB		1		One lock to secure both cover and Administrator password
	Core i5-8500	6/6	3.0G / 4.1G	9 MB			Coounty locatores	entire system to fixed object: • Hard disk password
	Core i5-9400	6/6	2.9G / 4.1G	9 MB		UHD 630		-Padlock loop (in rear for opt padlock) -Security slot (in rear for optional • Power-on password • USB port disablement
	Core i5-9500	6/6	3.0G/ 4.4G	9 MB	DDR4-2666			-Security slot (in rear for optional • USB port disablement Kensington® MicroSaver® cable)
	Core i7-8700	6/12	3.2G / 4.6G	12 MB	-		Keyboard	Some: Lenovo Calliope Keyboard (USB connector), black Some: Lenovo Calliope Mouse (USB connector), red wheel, black Some: Lenovo Fingerprint Mouse (USB connector), black
	Core i7-9700	8/8	3.0G / 4.7G	12 MB	-		Mouse	
	Core i9-9900	8 / 16	3.1G / 5.0G	16 MB				
Memory	32GB max, UDIMM, DDR4-2666*, two 288-pin DIMM sockets, non-ECC, dual-channel capable * System automatically clocks down for the processors with lower memory controller						Mechanical	 Tower (15L), black color, metal case 5.7" W X 10.9" D X 14.2" H 145mm W X 276mm D X 360mm H
Storage Some: Hard Drive / SATA 6.0Gb/s, 3.5", 7200 rpm Some: Solid State Drive (SSD) / SATA 6.0Gb/s Some: Solid State Drive (SSD) / SATA 6.0Gb/s, Opal Some: M.2 Solid State Drive (SSD) / PCle NVMe, PCle 3.0 x 4 * 128GB SSD M.2 (2242) PCle NVMe only supports PCle 3.0 x 2, 16Gb/s Optane TM Memory Optional 16GB Intel Optane Memory (not support Celeron / Pentium Processor), M.2							 Approx. 12.6 lb (5.7 kg), weight may vary by configuration Bay 1: Slim external ODD bay Bay 2: 2.5", internal, HDD/SSD (optional bay, bay comes with disk) Bay 3: 3.5", internal, HDD/SSD (optional bay, bay comes with disk) Slot 1: PCle 3.0 x16 Slot 2: PCle 3.0 x1 M.2 card slots: Two M.2 (one for WLAN, one for M.2 SSD) 	
Optical Drive	Some: DVD-ROM SATA 1.5Gb/s Drive, slim (9.0mm) Some: DVD Burner (DVD±RW), SATA 1.5Gb/s Drive, slim (9.0mm)						Power supply	180 watts, autosensing, 85% PSU
Onboard SATA Card reader	Three onboard SATÀ 6.0Gb/s connectors (for HDD/SSD and ODD) Optional 7-in-1 card reader (SD, SDHC, SDXC, MMC, MS, MS-Pro, MMC plus)						Limited warranty	Some: 1-year depot repair or Carry-in service Some: 1-year or 3-year, limited onsite service
·	Intel UHD Graphics 610/630 in processor, uses main memory, DirectX® 12, one VGA, one DisplayPort™, one HDMI, supports three independent displays, works along with discrete graphics to support more displays; Max resolution: 4096x2304 (DP)@60Hz; 4096x2160 (HDMI)@24Hz; 1920x1080 (VGA)@60Hz Some: NVIDIA Geforce® GT 730, DirectX 12, 1GB or 2GB, GDDR5, PCle 2.0 x8 adapter, one VGA, one HDMI, 35 watts; Max resolution: 3840x2160 (HDMI)@30Hz; 2048x1536 (VGA)@75Hz Optional						Preload	Preloaded operating system Some: Windows 10 Pro 64-bit Some: Windows 10 Home 64-bit Preloaded applications (only some listed) • Microsoft Office preloaded; purchase a product key to activate • Lenovo Vantage • Lenovo App Explorer • McAfee® LiveSafe™(30-day trial)
Chipset	Intel B360 Chipset						Environment	ENERGY STAR® 7.0; EPEAT™ Silver rating; GREENGUARD®; RoHS-compliant
Front ports*	Two USB 3.1 Gen 2, four USB 3.1 Gen 1, microphone (3.5mm), headphone (3.5mm) optional card reader							For compatible accessories, please go to http://smartfind.lenovo.com/
Rear ports*	Four USB 2.0, one serial, optional parallel, one ethernet (RJ-45), one VGA, one DisplayPort, one HDMI, additional VGA, or HDMI on optional graphic card on some models							
Rear audio ports*	idio ports* Line-in (3.5mm), line-out (3.5mm), microphone (3.5mm) * Depending on many factors, actual data transfer speed may be lower than theoretical speed							













