Lenovo

IdeaCentre AIO 3 24ARE05 FOEWOOARCK

Product

IdeaCentre AIO 3 24ARE05

Region

FFT

Country/Region

Czech, Slovakia

Machine Type

F0EW

Processor

AMD Ryzen 3 4300U (4C / 4T, 2.7 / 3.7GHz, 2MB L2 /

4MB L3)

Graphics

Integrated AMD Radeon Graphics

Chipset

AMD SoC Platform

Memory

2x 4GB SO-DIMM DDR4-3200

Storage

512GB SSD M.2 2242 PCIe NVMe

Optane Memory

None

Optical

None

Card Reader 3-in-1 Card Reader

Display

23.8" FHD (1920x1080) IPS 250nits

Touchscreen

None

Camera

720p

Speakers

3Wx2 Ethernet

Integrated 100/1000M

Microphone

Mono

Stand

AIO Stand

WLAN + Bluetooth

11ac. 2x2 + BT5.0

Case Color

White

Keyboard

USB Calliope Keyboard, White, Czech / Slovak

Mouse

USB Calliope Mouse, White

Power Supply

90W Adapter Black

Operating System

Windows 10 Home 64, Czech / Slovak / English

Bundled Software

None

Base Warranty

2-year, Depot

Bundled Service None

EAN/UPC/JAN

195477298187

End of Support

2026-07-11

Announce Date

2020-10-22

WWW.LENOVO.COM

Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. Lenovo provides this publication "as is" without warranty of any kind, either express or implied, including the implied warranties of merchantability or fitness for a particular purpose.



https://psref.lenovo.com

Visit psref website for the latest version of Product specifications Reference.

© Lenovo, 2020. All rights reserved.



....

IdeaCentre AIO 3 24ARE05 Platform Specifications

Product Specifications Reference (PSREF)

| Processor | AMD Athlon™ or Ryzen™ 3 / 5 series processors | | | | | | Remote control | Remote control None | |
|---|---|--------------------|-----------------------|------------------|------------------------------|------------------------------|----------------------------|--|--|
| | Processor | Cores / Threads | Frequency Base/Max | L2 / L3 Cache | Memory Support (Up to) | Processor Graphics | Security Security chip | Power-on password, administrator password None | |
| | Ryzen 3 4300U | 4/4 | 2.7 / 3.7GHz | 2MB / 4MB | (-) | AMD Radeon™ Graphics | Keyboard (opt) Mouse (opt) | Some: Lenovo Calliope Keyboard (USB connector), black or white Some: Lenovo Calliope Wireless Keyboard, black, white or silver Some: Lenovo Calliope Mouse (USB connector), black, or white Some: Lenovo Calliope Wireless Mouse, black, white or silver Business black or foggy white color | |
| | Ryzen 5 4500U | 6/6 | 2.3 / 4.0GHz | 3MB / 8MB | DDR4-3200 | AMD Radeon™ Graphics | Mechanical | | |
| | Ryzen 5 4600U | 6 / 12 | 2.1 / 4.0GHz | 3MB / 8MB | DDR4-3200 | AMD Radeon™ Graphics | | Dimensions Max weight Adjustments (WxDxH) (lb / kg) | |
| | Ryzen 7 4700U | 8/8 | 2.0 / 4.1GHz | 4MB / 8MB | DDR4-3200 | AMD Radeon™ Graphics | | With stand 21.3 X 7.28 X 17.56 (inch); 541.04x 185 x 446.16 (mm) 16.53 / 7.5 Tilt: 25° back, -5° forward | |
| Memory | 16GB max / 3200MHz DDR4, two SO-DIMM sockets, dual-channel capable * System automatically clocks down for the processors with lower memory controlle | | | | | capable nemory controller | Power adapter | 90 watts PSU, 100V-240V | |
| Storage | Some: SATA 6.0Gb/s, 2.5" wide, 5400 rpm Some: M.2 (2280) SSD / PCIe NVMe, PCIe 3.0 x 4 | | | | | , | Limited warranty | Some: 1-year or 2-year, depot service | |
| Optane Memory SATA controller Optical (opt) Media reader | (e.g., 256GB SSD M.2 PCIe NVMe) Some: M.2 (2242) SSD / PCIe NVMe, PCIe 3.0 x 2 (e.g. 128GB SSD M.2 PCIe NVMe) | | | | | | Preload | Preloaded operating system Some: Windows® 10 Home 64 Some: Windows® 10 Pro 64 Preinstalled software includes but not limited to the following: Lenovo® Application Explorer Microsoft Office Trial Power[DVD/Power2Go McAflee | |
| Graphics Display Multi-touch (opt) Camera Light sensor Controls | AMD Radeon Graphics in processor, uses main memory, DirectX® 12, one HDMI; Max resolution: 1920x1080 @60Hz (HDMI) 3.8* (604.5mm) FHD (1920x1080) color, WVA, LED backlight, borderless, 16:9 aspect ratio, 250 nits 9 Multi-touch (10-point), Advanced In-Cell Touch (AIT) technology 720p HD None Power button, optical drive eject button, camera cover slider | | | | | | Environment | MicAlee Livesale trial ENERGY STAR® 8.0; RoHS-compliant; ErP Lot3 & Lot7; EPEAT Silver(On some models) | |
| Chipset | AMD SoC (System on Chip) platform | | | | | | | | |
| Ports* | Rear: Two USB 2.0, one USB 3.1 Gen1, power connector, Ethernet (RJ-45), HDMI-out Left: One USB 3.1 Gen2, headphone / microphone combo jack (3.5mm), media card reader Right: None **Depending on many factors, actual data transfer speed may be lower than theoretical speed | | | | | | | | |
| Audio support | JBL® speakers, 3W x 2, monaural microphone | | | | | |] | | |
| WLAN Bluetooth™ Ethernet | 802.11ac wireless, Wi-Fi + Bluetooth 5.0 combo adapter, 2x2, M.2 card Bluetooth 5.0 wireless, integrated in Wi-Fi + Bluetooth combo adapter Gigabit Ethernet connection | | | | | | | | |

IdeaCentre AIO 3 24ARE05













AMDZI

.....